







Digitized by the Internet Archive in 2013



LIBRARY CATALOGUE SLIPS.

United States. Department of the interior. (U. S. geological survey.)

Department of the interior | — | Bulletin | of the | United States | geological survey | no. 135 | [Seal of the department] | Washington | government printing office | 1896

Second title: United States geological survey | Charles D. Walcott, director | — | Bibliography and index | of | North American geology, paleontology, | petrology, and mineralogy | for | the year 1894 | by | Fred Boughton Weeks | [Vignette] |

Washington | government printing office | 1896 8°. 141 pp.

Weeks (Fred Boughton).

United States geological survey | Charles D. Walcott, director | — | Bibliography and index | of | North American geology, paleontology, | petrology, and mineralogy | for | the year 1894 | by | Fred Boughton Weeks | [Vignette] |

Washington | government printing office | 1896

8°. 141 pp.

[United States. Department of the interior. (U. S. geological survey.) Bulletin 135.]

United States geological survey | Charles D. Walcott, director | — | Bibliography and index | of | North American geology, paleontology, | petrology, and mineralogy | for | the year 1894 | by | Fred Boughton Weeks | [Vignette] |

Washington | government printing office | 1896

8°. 141 pp.

[United States. Department of the interior. (U. S. geological survey.) Bulletin 135.]



ADVERTISEMENT.

[Bulletin No. 135.]

The statute approved March 3, 1879, establishing the United States Geological Survey, contains the following provisions:

"The publications of the Geological Survey shall consist of the annual report of operations, geological and economic maps illustrating the resources and classification of the lands, and reports upon general and economic geology and paleontology. The annual report of operations of the Geological Survey shall accompany the annual report of the Secretary of the Interior. All special memoirs and reports of said Survey shall be issued in uniform quarto series if deemed necessary by the Director, but otherwise in ordinary octaves. Three thousand copies of each shall be published for scientific exchanges and for sale at the price of publication; and all literary and cartographic materials received in exchange shall be the property of the United States and form a part of the library of the organization; and the money resulting from the sale of such publications shall be covered into the Treasury of the United States."

Except in those cases in which an extra number of any special memoir or report has been supplied to the Survey by resolution of Congress or has been ordered by the Secretary of the Interior, this office has no copies for gratuitous distribution.

ANNUAL REPORTS.

- I. First Annual Report of the United States Geological Survey, by Clarence King. 1880. 8°. 79 pp. 1 map.—A preliminary report describing plan of organization and publications.
- II. Second Annual Report of the United States Geological Survey, 1880-'81, by J. W. Powell. 1882. 8°. lv, 588 pp. 62 pl. 1 map.
- III. Third Annual Report of the United States Geological Survey, 1881-'82, by J. W. Powell. 1883. 8°. xviii, 564 pp. 67 pl. and maps.
- IV. Fourth Annual Report of the United States Geological Survey, 1882-'83, by J. W. Powell. 1884. 8°. xxxii, 473 pp. 85 pl. and maps.
- V. Fifth Annual Report of the United States Geological Survey, 1883-'84, by J. W. Powell. 1885. 8°. xxxvi, 469 pp. 58 pl. and maps.
- VI. Sixth Annual Report of the United States Geological Survey, 1884-'85, by J. W. Powell. 1885. 80. xxix, 570 pp. 65 pl. and maps.
- VII. Seventh Annual Report of the United States Geological Survey, 1885-'86, by J. W. Powell. 1888. 8°. xx, 656 pp. 71 pl. and maps.
- VIII. Eighth Annual Report of the United States Geological Survey, 1886-'87, by J. W. Powell. 1889. 8°. 2 pt. xix, 474, xii pp. 53 pl. and maps; 1 p. l., 475-1063 pp. 54-76 pl. and maps.
- IX. Ninth Annual Report of the United States Geological Survey, 1887-'88, by J. W. Powell. 1889. 8°. xiii, 717 pp. 88 pl. and maps.
- X. Tenth Annual Report of the United States Geological Survey, 1888-'89, by J. W. Powell. 1890. 8°. : pt. xv, 774 pp. 98 pl. and maps; viii, 123 pp.
- XI. Eleventh Annual Report of the United States Geological Survey, 1889-'90, by J. W. Powell. 1891. 8°. 2pt. xv, 757 pp. 66 pl. and maps; ix, 351 pp. 30 pl.
- XII. Twelfth Annual Report of the United States Geological Survey, 1890-'91, by J. W. Powell. 1891. 8°. 2 pt. xiii, 675 pp. 53 pl. and maps; xviii, 576 pp. 146 pl. and maps.
- XIII. Thirteenth Annual Report of the United States Geological Survey, 1891-'92, by J. W. Powell. 1893. 8°. 3 pt. vii, 240 pp. 2 maps; x, 372 pp. 105 pl. and maps; xi, 486 pp. 77 pl. and maps.
- XIV. Fourteenth Annual Report of the United States Geological Survey, 1892-'93, by J. W. Powell. 1893. 8°. 2 pt. vi, 321 pp. 1 pl.; xx, 597 pp. 74 pl.
- XV. Fiftcenth Annual Report of the United States Geological Survey, 1893-'94, by J. W. Powell. 1895. 8°. xiv, 755 pp. 48 pl.
- XVI. Sixteenth Annual Report of the United States Geological Survey, 1894-'95, by Charles D. Walcott. 1895. (Part I, 1896.) 8°. 4 pt. xxii, 910 pp. '117 pl. and maps; xix, 598 pp. 15 pl. and maps; xv, 646 pp. 23 pl.; xix, 735 pp. 6 pl.

MONOGRAPHS.

1. Lake Bonneville, by Grove Karl Gilbert. 1890. 4°. xx, 438 pp. 51 pl. 1 map. Price \$1.50.

II. Tertiary History of the Grand Canon District, with atlas, by Clarence E. Dutton, Capt. U. S. A. 1882. 4°. xiv, 264 pp. 42 pl. and atlas of 24 sheets folio. Price \$10.00.

III. Geology of the Comstock Lode and the Washoe District, with atlas, by George F. Becker. 1882.
 4°. xv, 422 pp. 7 pl. and atlas of 21 sheets folio. Price \$11.00.

IV. Comstock Mining and Miners, by Eliot Lord. 1883. 4°. xiv, 451 pp. 3 pl. Price \$1.50.

V. The Copper-Bearing Rocks of Lake Superior, by Roland Duer Irving. 1883. 4°. xvi, 464 pp. 151. 29 pl. and maps. Price \$1.85.

VI. Contributions to the Knowledge of the Older Mesozoic Flora of Virginia, by William Morris Fontaine. 1883. 4°. xi, 144 pp. 54 l. 54 pl. Price \$1.05.

VII. Silver-Lead Deposits of Eureka, Nevada, by Joseph Story Curtis. 1884. 4°. xiii, 200 pp. 16 pl. Price \$1.20.

VIII. Paleontology of the Eureka District, by Charles Doolittle Walcott. 1884. 4°. xiii, 298 pp.

VIII. Pateomology of the Edireka District, by Charles Doonttle Walcott. 1884. 49. xin, 298 pp. 24 l. 24 pl. Price \$1.10.

IX. Brachiopoda and Lamellibranchiata of the Raritan Clays and Greensand Marls of New Jersey,

by Robert P. Whitfield. 1885. 4°. xx, 338 pp. 35 pl. 1 map. Price \$1.15. X. Dinocerata. A Monograph of an Extinct Order of Gigantic Mammals, by Othniel Charles Marsh.

X. Dinocerata. A Monograph of an Extinct Order of Gigantic Mammals, by Othniel Charles Marsh. 1886. 4°. xviii, 243 pp. 56 l. 56 pl. Price \$2.70. XI. Geological History of Lake Lahontan, a Quaternary Lake of Northwestern Nevada, by Israel

Cook Russell. 1855. 4°. xiv, 288 pp. 46 pl. and maps. Price \$1.75.

XII. Geology and Mining Industry of Leadville, Colorado, with atlas, by Samuel Franklin Emmons.

1886. 4°. xxix, 770 pp. 45 pl. and atlas of 35 sheets folio. Price \$8.40. XIII. Geology of the Quicksilver Deposits of the Pacific Slope, with atlas, by George F. Becker.

1888. 4°. xix, 486 pp. 7 pl. and atlas of 14 sheets folio. Price \$2.00. XIV. Fossil Fishes and Fossil Plants of the Triassic Rocks of New Jersey and the Connecticut Val-

ley, by John S. Newberry. 1888. 4°. xiv, 152 pp. 26 pl. Price \$1.00. XV. The Potomac or Younger Mesozoic Flora, by William Morris Fontaine. 1889. 4°. xiv, 377

pp. 180 pl. Text and plates bound separately. Price \$2.50.
 XVI. The Paleozoic Fishes of North America, by John Strong Newberry. 1889. 4°. 340 pp. 53 pl.

Price \$1.00.

XVII. The Flora of the Dakota Group, a Posthumous Work, by Leo Lesquereux. Edited by F. H. Knowlton. 1891. 4°. 400 pp. 66 pl. Price \$1.10.

XVIII. Gasteropoda and Cephalopoda of the Raritan Clays and Greensand Marls of New Jersey, by Robert P. Whitfield. 1891. 49, 402 pp. 50 pl. Price \$1.00.

XIX. The Penokee Iron-Bearing Series of Northern Wisconsin and Michigan, by Roland D. Irving and C. R. Van Hise. 1892. 4°. xix, 534 pp. 37 pl. Price \$1.70.

XX. Geology of the Eureka District, Nevada, with atlas, by Arnold Hague. 1892. 4°. xvii, 419 pp. 8 pl. Price \$5.25.

XXI. The Tertiary Rhynchophorous Coleoptera of North America, by Samuel Hubbard Scudder. 1893. 4°. xi, 206 pp. 18 pl. Price 90 cents.

XXII. A Manual of Topographic Methods, by Henry Gannett, Chief Topographer. 1893. 4°. xiv, 300 pp. 18 pl. Price \$1.00.

XXIII. Geology of the Green Mountains in Massachusetts, by Raphael Pumpelly, J. E. Wolff, and T. Nelson Dale. 1894. 4°. xiv, 206 pp. 23 pl. Price \$1.30.

XXIV. Mollusca and Crustacea of the Miocene Formations of New Jersey, by Robert Parr Whitfield. 1894. 4°. 195 pp. 24 pl. Price 90 cents.

In press:

XXV. The Glacial Lake Agassiz, by Warren Upham. 1895. 4°. xxiv, 658 pp. 38 pl.

XXVI. Flora of the Ambóy Clays, by John Strong Newberry; a Posthumous Work, edited by Arthur Hollick. 1895. 4°. 260 pp. 58 pl.

XXVII. Geology of the Denver Basin, Colorado, by S. F. Emmons, Whitman Cross, and George H. Eldridge.

In preparation:

XXVIII. The Marquette Iron-Bearing District of Michigan, by C. R. Van Hise and W. S. Bayley, with a Chapter on the Republic Trough, by H. L. Smyth.

XXIX. The Geology of Old Hampshire County, Massachusetts, comprising Franklin, Hampshire, and Hampden Counties, by Benjamin Kendall Emerson.

- The Glacial Gravels of Maine and their Associated Deposits, by George H. Stone.
- Geology of the Narragansett Basin, by N. S. Shaler, J. B. Woodworth, and August F. Foerste.
- Geology of the Yellowstone National Park, by Arnold Hague and others.
- Geology of the Aspen Mining District, Colorado, by Josiah Edward Spurr.
- Fossil Medusæ, by C. D. Walcott.
- Sauropoda, by O. C. Marsh.
- Stegosauria, by O. C. Marsh.
- Brontotheridæ, by O. C. Marsh.
- Report on Silver Cliff and Ten-Mile Mining Districts, Colorado, by S. F. Emmons.
- Flora of the Laramie and Allied Formations, by Frank Hall Knowlton.

BULLETINS.

- 1. On Hypersthene-Andesite and on Triclinic Pyroxene in Augitic Rocks, by Whitman Cross, with a Geological Sketch of Buffalo Peaks, Colorado, by S. F. Emmons. 1883. 8°. 42 pp. 2 pl. Price 10 cents.
- Gold and Silver Conversion Tables, giving the Coining Value of Troy Cunces of Fine Metal, etc., computed by Albert Williams, jr. 1883.
 89. 8 pp. Price 5 cents.
- 3. On the Fossil Faunas of the Upper Devonian, along the Meridian of 76° 30′, from Tompkins County, New York, to Bradford County, Pennsylvania, by Henry S. Williams. 1884. 8°. 36 pp. Price 5 cents.
 - 4. On Mesozoic Fossils, by Charles A. White. 1884. 8°. 36 pp. 9 pl. Price 5 cents.
- 5. A Dictionary of Altitudes in the United States, compiled by Henry Gannett. 1884. 8°. 325 pp. Price 20 cents.
 - 6. Elevations in the Dominion of Canada, by J. W. Spencer. 1884. 8°. 43 pp. Price 5 cents.
- 7. Mapoteca Geologica Americana. A Catalogue of Geological Maps of America (North and South), 1752-1881, in Geographic and Chronologic Order, by Jules Marcou and John Belknap Marcou. 1884.
 8°. 184 pp. Price 10 cents.
- 8. On Secondary Enlargements of Mineral Fragments in Certain Rocks, by R. D. Irving and C. R. Van Hise. 1884. 8°. 56 pp. 6 pl. Price 10 cents.
- 9. A Report of Work done in the Washington Laboratory during the Fiscal Year 1883-'84. F. W. Clarke, Chief Chemist. T. M. Chatard, Assistant Chemist. 1884. 8°. 40 pp. Price 5 cents.
- 10. On the Cambrian Fannas of North America. Preliminary Studies, by Charles Doolittle Walcott 1884. 8°. 74 pp. 10 pl. Price 5 cents.
- 11. On the Quaternary and Recent Mollusca of the Great Basin; with Descriptions of New Forms, by R. Ellsworth Call. Introduced by a Sketch of the Quaternary Lakes of the Great Basin, by G. K. Gilbert. 1884. 8°. 66 pp. 6 pl. Price 5 cents.
- 12. A Crystallographic Study of the Thinolite of Lake Lahontan, by Edward S. Dana. 1884. 8°. 34 pp. 3 pl. Price 5 cents.
- 13. Boundaries of the United States and of the Several States and Territories, with a Historical Sketch of the Territorial Changes, by Henry Gannett. 1885. 8°. 135 pp. Price 10 cents.
- 14. The Electrical and Magnetic Properties of the Iron-Carburets, by Carl Barus and Vincent Stroubal. 1885. 8°. 238 pp. Price 15 cents,
- 15. On the Mesozoic and Cenozoic Paleontology of California, by Charles A. White. 1885. 8°. 33 pp. Price 5 cents.
- 16. On the Higher Devonian Faunas of Ontario County, New York, by John M. Clarke. 1885. 8°. 86 pp. 3 pl. Price 5 cents.
- 17. On the Development of Crystallization in the Igneous Rocks of Washoe, Nevada, with Notes on the Geology of the District, by Arnold Hague and Joseph P. Iddings. 1885. 8°. 44 pp. Price 5 cents.
- 18. On Marine Eocene, Fresh-water Miocene, and Other Fossil Mollusca of Western North America, by Charles A. White. 1885. 8°. 26 pp. 3 pl. Price 5 cents.
- 19. Notes on the Stratigraphy of California, by George F. Becker. 1885. 8°. 28 pp. Price 5 cents.
- 20. Contributions to the Mineralogy of the Rocky Mountains, by Whitman Cross and W. F. Hillebrand. 1885. 8°. 114 pp. 1 pl. Price 10 cents.
- 21. The Lignites of the Great Sioux Reservation; a Report on the Region between the Grand and Moreau Rivers, Dakota, by Bailey Willis. 1885. 8°. 16 pp. 5 pl. Price 5 cents.
- 22. On New Cretaceous Fossils from California, by Charles A. White. 1885. 8°. 25 pp. 5 pl. Price 5 cents.
- 23. Observations on the Junction between the Eastern Sandstone and the Keweenaw Series on Keweenaw Point, Lake Superior, by R. D. Irving and T. C. Chamberlin. 1885. 8°. 124 pp. 17 pl. Price 15 cents.
- 24. List of Marine Mollusca, comprising the Quaternary Fossils and Recent Forms from American Localities between Cape Hatteras and Cape Roque, including the Bermudas, by William Healy Dall. 1885. 8°. 336 pp. Price 25 cents.
- 25. The Present Technical Condition of the Steel Industry of the United States, by Phineas Barnes.1885. 8°. 85 pp. Price 10 cents.
 - 26. Copper Smelting, by Henry M. Howe. 1885. 8°. 107 pp. Price 10 cents.
- 27. Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year 1884-'85. 1886. 8°. 80 pp. Price 10 cents.
- 28. The Gabbros and Associated Hornblende Rocks occurring in the Neighborhood of Baltimore, Maryland, by George Huntington Williams. 1886. 8°. 78 pp. 4 pl. Price 10 cents.
- 29. On the Fresh-water Invertebrates of the North American Jurassic, by Charles A. White. 1886.8°. 41 pp. 4 pl. Price 5 cents.
- 30. Second Contribution to the Studies on the Cambrian Faunas of North America, by Charles Doo-little Walcott. 1886. 8°. 369 pp. 33 pl. Price 25 cents.
- 31. Systematic Review of our Present Knowledge of Fossil Insects, including Myriapods and Arachnids, by Samuel Hubbard Scudder. 1886. 8°. 128 pp. Price 15 cents.
- 32. Lists and Analyses of the Mineral Springs of the United States (a Preliminary Study), by Albert C. Peale. 1886. 8°. 235 pp. Price 20 cents.

- 33. Notes on the Geology of Northern California, by J. S. Diller. 1886. 8°. 23 pp. Price 5 cents.
- 34. On the Relation of the Laramie Molluscan Fauna to that of the Succeeding Fresh-water Eccene and Other Groups, by Charles A. White. 1886. 8°. 54 pp. 5 pl. Price 10 cents.
- 35. Physical Properties of the Iron-Carburets, by Carl Barus and Vincent Strouhal. 1886. 8°. 62 pp. Price 10 cents.
 - 36. Subsidence of Fine Solid Particles in Liquids, by Carl Barus. 1886. 8°. 58 pp. Price 10 cents.
 - 37. Types of the Laramie Flora, by Lester F. Ward. 1887. 8°. 354 pp. 57 pl. Price 25 cents.
 - 38. Peridotite of Elliott County, Kentucky, by J. S. Diller. 1887. 8°. 31 pp. 1 pl. Price 5 cents.
- 39. The Upper Beaches and Deltas of the Glacial Lake Agassiz, by Warren Upham. 1887. 8°. 84 pp. 1 pl. Price 10 cents.
- 40. Changes in River Courses in Washington Territory due to Glaciation, by Bailey Willis. 1887.
 80. 10 pp. 4 pl. Price 5 cents.
 41. On the Fossil Faunas of the Upper Devonian—the Genesee Section, New York, by Henry S.
- Williams. 1887. 8°. 121 pp. 4 pl. Price 15 cents.
 42. Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year
- 1885-'86. F. W. Clarke, Chief Chemist. 1887. 8°. 152 pp. 1 pl. Price 15 cents.

 43. Tertiary and Cretaccous Strata of the Tuscaloosa, Tombigbee, and Alabama Rivers, by Eugene
- A. Smith and Lawrence C. Johnson. 1887. 8°. 189 pp. 21 pl. Price 15 cents.
 44. Bibliography of North American Geology for 1886, by Nelson H. Darton. 1887. 8°. 35 pp. Price 5 cents.
- 45. The Present Condition of Knowledge of the Geology of Texas, by Robert T. Hill. 1887. 8°. 94 pp. Price 10 cents.
- 46. Nature and Origin of Deposits of Phosphate of Lime, by R. A. F. Penrose, jr., with an Introduction by N. S. Shaler. 1888. 8°. 143 pp. Price 15 cents.
- 47. Analyses of Waters of the Yellowstone National Park, with an Account of the Methods of Analysis employed, by Frank Austin Gooch and James Edward Whitfield. 1888. 8°. 84 pp. Price 10 cents.
- 48. On the Form and Position of the Sea Level, by Robert Simpson Woodward. 1888. 8°. 88 pp. Price 10 cents.
- 49. Latitudes and Longitudes of Certain Points in Missouri, Kansas, and New Mexico, by Robert Simpson Woodward. 1889. 8°. 123 pp. Price 15 cents.
- 50. Formulas and Tables to facilitate the Construction and Use of Maps, by Robert Simpson Woodward. 1889. 8°. 124 pp. Price 15 cents.
- 51. On Invertebrate Fossils from the Pacific Coast, by Charles Abiathar White. 1889. 8°. 102 pp. 14 pl. Price 15 cents.
- 52. Subaërial Decay of Rocks and Origin of the Red Color of Certain Formations, by Israel Cook Russell. 1889, 8°, 65 pp. 5 pl. Price 10 cents.
- 53. The Geology of Nantucket, by Nathaniel Southgate Shaler. 1889. 8°. 55 pp. 10 pl. Price 10 cents.
- 54. On the Thermo-Electric Measurement of High Temperatures, by Carl Barus. 1889.
 80. 313 pp. incl. 1 pl. 11 pl. Price 25 cents.
 55. Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year
- 1886-'87. Frank Wigglesworth Clarke, Chief Chemist. 1889. 8°. 96 pp. Price 10 cents.
 56. Fossil Wood and Lignite of the Potomac Formation, by Frank Hall Knowlton. 1889. 8°. 7°.
- pp. 7 pl. Price 10 cents.
- 57. A Geological Reconnaissance in Southwestern Kansas, by Robert Hay. 1890. 8°. 49 pp. 2 pl. Price 5 cents.
- 58. The Glacial Boundary in Western Pennsylvania, Ohio, Kentucky, Indiana, and Illinois, by George Frederick Wright, with an Introduction by Thomas Chrowder Chamberlin. 1890. 8°. 112 pp. incl. 1 pl. 8 pl. Price 15 cents.
- The Gabbros and Associated Rocks in Delaware, by Frederick D. Chester. 1890. 8°. 45 pp.
 Price 10 cents.
- 60. Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year 1887-'88. F. W. Clarke, Chief Chemist. 1890. 8°. 174 pp. Price 15 cents.
- 61. Contributions to the Mineralogy of the Pacific Coast, by William Harlowe Melville and Waldemar Lindgren. 1890. 8°. 40 pp. 3 pl. Price 5 cents.
- 62. The Greenstone Schist Areas of the Menominee and Marquette Regions of Michigan, a Contribution to the Subject of Dynamic Metamorphism in Eruptive Rocks, by George Huntington Williams; with an Introduction by Roland Duer Irving. 1890. 8°. 241 pp. 16 pl. Price 30 cents.
- 63. A Bibliography of Paleozoic Crustacea from 1698 to 1889, including a List of North American Species and a Systematic Arrangement of Genera, by Anthony W. Vogdes. 1890. 8°. 177 pp. Price 15 cents.
- 64. A report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year 1888-'89. F. W. Clarke, Chief Chemist. 1890. 8°. 60 pp. Price 10 cents.
- 65. Stratigraphy of the Bituminous Coal Field of Pennsylvania, Ohio, and West Virginia, by Israel C. White. 1891. 8°. 212 pp. 11 pl. Price 20 cents.

- 66. On a Group of Volcanic Rocks from the Tewan Mountains, New Mexico, and on the Occurrence of Primary Quartz in Certain Basalts, by Joseph Paxson Iddings. 1890. 8°. 34 pp. Price 5 cents.
- 67. The Relations of the Traps of the Newark System in the New Jersey Region, by Nelson Horatio Darton. 1890. 8°. 82 pp. Price 10 cents.
- 68. Earthquakes in California in 1889, by James Edward Keeler. 1890. 8°. 25 pp. Price 5 cents.
- 69. A Classed and Annotated Bibliography of Fossil Insects, by Samuel Hubbard Scudder. 1890.80. 101 pp. Price 15 cents.
- 70. Report on Astronomical Work of 1889 and 1890, by Robert Simpson Woodward. 1890. 8°. 79 pp. Price 10 cents.
- 71. Index to the Known Fossil Insects of the World, including Myriapods and Arachnids, by Samuel Hubbard Scudder. 1891. 8°. 744 pp. Price 50 cents.
- 72. Altitudes between Lake Superior and the Rocky Mountains, by Warren Upham. 1891. 8°. 229 pp. Price 20 cents.
 - 73. The Viscosity of Solids, by Carl Barus. 1891. 8°. xii, 139 pp. 6 pl. Price 15 cents.
- 74. The Minerals of North Carolina, by Frederick Augustus Genth. 1891. 8°. 119 pp. Price 15 cents.
- 75. Record of North American Geology for 1887 to 1889, inclusive, by Nelson Horatio Darton. 1891. 8°. 173 pp. Price 15 cents.
- 76. A Dictionary of Altitudes in the United States (Second Edition), compiled by Henry Gannett, Chief Topographer. 1891. 8°. 393 pp. Price 25 cents.
- 77. The Texan Permian and its Mesozoic Types of Fossils, by Charles A. White. 1891. 8°. 51 pp. 4 pl. Price 10 cents.
- 78. A Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal year 1889-90. F. W. Clarke, Chief Chemist. 1891. 8°. 131 pp. Price 15 cents.
- 79. A Late Volcanic Eruption in Northern California and its Peculiar Lava, by J. S. Diller. 1891. 8°-33 pp. 17 pl. Price 10 cents.
- 80. Correlation Papers—Devonian and Carboniferous, by Henry Shaler Williams. 1891. 80. 279 pp. Price 20 cents.
- 81. Correlation Papers—Cambrian, by Charles Doolittle Walcott. 1891. 8°. 447 pp. 3 pl. Price 25 cents.
 - 82. Correlation Papers—Cretaceous, by Charles A. White. 1891. 8°. 273 pp. 3 pl. Price 20 cents.
 - 83. Correlation Papers—Eocene, by William Bullock Clark. 1891. 8°. 173 pp. 2 pl. Price 15 cents.
- 84. Correlation Papers—Neocene, by W. H. Dall and G. D. Harris. 1892. 8°. 349 pp. 3 pl. Price 25 cents.
- 85. Correlation Papers—The Newark System, by Israel Cook Russell. 1892. 8°. 344 pp. 13 pl. Price 25 cents.
- 86. Correlation Papers—Archean and Algonkian, by C. R. Van Hise. 1892. 8°. 549 pp. 12 pl. Price 25 cents.
- 90. A Report of Work done in the Division of Chemistry and Physics, mainly during the Fiscal Year 1890-'91. F. W. Clarke, Chief Chemist. 1892. 8°. 77 pp. Price 10 cents.
- 91. Record of North American Geology for 1890, by Nelson Horatio Darton. 1891. 8°. 88 pp. Price 10 cents.
 - 92. The Compressibility of Liquids, by Carl Barus. 1892. 8°. 96 pp. 29 pl. Price 10 cents.
- 93. Some Insects of Special Interest from Florissant, Colorado, and Other Points in the Tertiaries of Colorado and Utah, by Samuel Hubbard Scudder. 1892. 8°. 35 pp. 3 pl. Price 5 cents.
 - 94. The Mechanism of Solid Viscosity, by Carl Barus. 1892. 8°. 138 pp. Price 15 cents.
- 95. Earthquakes in California in 1890 and 1891, by Edward Singleton Holden. 1892. 8°. 31 pp. Price 5 cents.
- 96. The Volume Thermodynamics of Liquids, by Carl Barus. 1892. 8°. 100 pp. Price 10 cents.
- 97. The Mesozoic Echinodermata of the United States, by William Bullock Clark. 1893. 8°. 207. pp. 50 pl. Price 20 cents.
- 98. Flora of the Outlying Carboniferous Basins of Southwestern Missouri, by David White. 1893. 8°. 139 pp. 5 pl. Price 15 cents.
- 99. Record of North American Geology for 1891, by Nelson Horatio Darton. 1892. 8°. 73 pp. Price 10 cents.
- 100. Bibliography and Index of the Publications of the U. S. Geological Survey, 1879-1892, by Philip Creveling Warman. 1893. 8°. 495 pp. Price 25 cents.
- 101. Insect Fauna of the Rhode Island Coal Field, by Samuel Hubbard Scudder. 1893. 8°. 27 pp. 2 pl. Price 5 cents.
- 102. A Catalogue and Bibliography of North American Mesozoic Invertebrata, by Cornelius Breckinridge Boyle. 1893. 8°. 315 pp. Price 25 cents.
- 103. High Temperature Work in Igneous Fusion and Ebullition, chiefly in Relation to Pressure, by Carl Barus. 1893. 8°. 57 pp. 9 pl. Price 10 cents.
- 104. Glaciation of the Yellowstone Valley north of the Park, by Walter Harvey Weed. 1893. 8°. 41 pp. 4 pl. Price 5 cents.
- 105. The Laramie and the Overlying Livingston Formation in Montana, by Walter Harvey Weed, with Report on Flora, by Frank Hall Knowlton. 1893. 8°. 68 pp. 6 pl. Price 10 cents.

106. The Colorado Formation and its Invertebrate Fauna, by T. W. Stanton. 1893. 8°. 288 pp. 45 pl. Price 20 cents.

107. The Trap Dikes of the Lake Champlain Region, by James Furman Kemp and Vernon Freeman Marsters. 1893. 8°. 62 pp. 4 pl. Price 10 cents.

108. A Geological Reconnoissance in Central Washington, by Israel Cook Russell. 1893. 8°. 108 pp. 12 pl. Price 15 cents.

109. The Eruptive and Sedimentary Rocks on Pigeon Point, Minnesota, and their Contact Phenomena, by William Shirley Bayley.
1893. 8°. 121 pp. 16 pl. Price 15 cents.
110. The Paleozoic Section in the Vicinity of Three Forks, Montana, by Albert Charles Peale.
1893.

8°. 56 pp. 6 pl. Price 10 cents.

111. Geology of the Big Stone Gap Coal Field of Virginia and Kentucky, by Marius R. Campbell,

1893. 8°. 106 pp. 6 pl. Price 15 cents.

112. Earthquakes in California in 1892, by Charles D. Perrine. 1893. 8°. 57 pp. Price 10 cents.

113. A Report of Work done in the Division of Chemistry during the Fiscal Years 1891-'92 and 1892-'93. F. W. Clarke, Chief Chemist. 1893. 8°. 115 pp. Price 15 cents.

114. Earthquakes in California in 1893, by Charles D. Perrine. 1894. 8°. 23 pp. Price 5 cents.

115. A Geographic Dictionary of Rhode Island, by Henry Gannett. 1894. 8°. 31 pp. Price 5 cents.

116. A Geographic Dictionary of Massachusetts, by Henry Gannett. 1894. 8°. 126 pp. Price 15 cents.

117. A Geographic Dictionary of Connecticut, by Henry Gannett. 1894. 8°. 67 pp. Price 10 cents.

118. A Geographic Dictionary of New Jersey, by Henry Gannett. 1894. 8°: 131 pp. Price 15 cents. 119. A Geological Reconnoissance in Northwest Wyoming, by George Homans Eldridge. 1894. 8°. 72 pp. 4 pl. Price 10 cents.

120. The Devonian System of Eastern Pennsylvania and New York, by Charles S. Prosser. 1894. 8°. 81 pp. 2 pl. Price 10 cents.

121. A Bibliography of North American Paleontology, by Charles Rollin Keyes. 1894. 8°. 251 pp. Price 20 cents.

122. Results of Primary Triangulation, by Henry Gannett. 1894. 8°. 412 pp. 17 pl. Price 25 cents. 123. A Dictionary of Geographic Positions, by Henry Gannett. 1895. 8°. 183 pp. 1 pl. Price 15

cents.

124. Revision of North American Fossil Cockroaches, by Samuel Hubbard Scudder. 1895. 8°. 176

pp. 12 pl. Price 15 cents.
125. The Constitution of the Silicates, by Frank Wigglesworth Clarke. 1895. 8°. 109 pp. Price15 cents.

126. A Mineralogical Lexicon of Franklin, Hampshire, and Hampden Counties, Massachusetts, by Benjamin Kendall Emerson. 1895. 8°. 180 pp. 1 pl. Price 15 cents.

127. Catalogue and Index of Contributions to North American Geology, 1732-1891, by Nelson Horatio Darton. 1896. 8°. 1045 pp. Price 60 cents.

128. The Bear River Formation and its Characteristic Fauna, by Charles A. White. 1895. 8°. 108 pp. 11 pl. Price 15 cents.

129. Earthquakes in California in 1894, by Charles D. Perrine. 1895. 8°. 25 pp. Price 5 cents.

130. Bibliography and Index of North American Geology, Paleontology, Petrology, and Mineralogy for 1892 and 1893, by Fred Boughton Weeks. 1896. 8°. 210 pp. Price 20 cents.

131. Report of Progress of the Division of Hydrography for the Calendar Years 1893 and 1894, by Frederick Haynes Newell, Topographer in Charge. 1895. 8°. 126 pp. Price 15 cents.

132. The Disseminated Lead Ores of Southeastern Missouri, by Arthur Winslow. 1896. 8°. 31 pp. Price 5 cents.

133. Contributions to the Cretaceous Paleontology of the Pacific Coast: The Fauna of the Knoxville Beds, by T. W. Stanton. 1895. 8°. 132 pp. 20 pl. Price 15 cents.

134. The Cambrian Rocks of Pennsylvania, by Charles Doolittle Walcott. 1896. 8°. 43 pp. 15 pl. Price 5 cents.

135. Bibliography and Index of North American Geology, Paleontology, Petrology, and Mineralogy for the Year 1894, by F. B. Weeks. 1896. 8°. 141 pp. Price 15 cents.

136. Volcanic Rocks of South Mountain, Pennsylvania, by Florence Bascom. 1896. 8°. 124 pp. 28 pl. Price 15 cents.

140. Report of Progress of the Division of Hydrography for the Calendar Year 1895, by Frederick Haynes Newell, Hydrographer in Charge. 1896. 8°; 356 pp. Price 25 cents.

In press:

137. Geology of the Fort Riley Military Reservation, Kansas, by Robert Hay.

138. Artesian-well Prospects in the Atlantic Coastal Plain Region, by N. H. Darton.

139. Geology of the Castle Mountain Mining District, Montana, by W. H. Weed and L. V. Pirsson.

141. The Eccene Deposits of the Middle Atlantic Slope in Delaware, Maryland, and Virginia, by William Bullock Clark.

142. A Brief Contribution to the Geology and Paleontology of Northwestern Louisiana, by T. Wayland Vaughan.

143. A Bibliography of Clays and the Ceramic Arts, by John C. Branner.

144. The Moraines of the Missouri Coteau and their Attendant Deposits, by James Edward Todd.

145. The Potomac Formation in Virginia, by W. M. Fontaine.

146. Bibliography and Index of North American Geology, Paleontology, Petrology, and Mineralogy for the Year 1895, by F. B. Weeks.

STATISTICAL PAPERS.

Mineral Resources of the United States, 1882, by Albert Williams, jr. 1883. 8°. xvii, 813 pp. Price 50 cents.

Mineral Resources of the United States, 1883 and 1884, by Albert Williams, jr. 1885. 8°. xiv, 1016 pp. Price 60 cents.

Mineral Resources of the United States, 1885. Division of Mining Statistics and Technology. 1886. 8°. vii, 576 pp. Price 40 cents.

Mineral Resources of the United States, 1886, by David T. Day. 1887. 8°. viii, 813 pp. Price 50 cents. Mineral Resources of the United States, 1887, by David T. Day. 1888. 8°. vii, 832 pp. Price 50 cents. Mineral Resources of the United States, 1888, by David T. Day. 1890. 8°. vii, 652 pp. Price 50 cents.

Mineral Resources of the United States, 1889 and 1890, by David T. Day. 1892. 8°. viii, 671 pp. Price 50 cents.

Mineral Resources of the United States, 1891, by David T. Day. 1893. 8°. vii, 630 pp. Price 50 cents. Mineral Resources of the United States, 1892, by David T. Day. 1893. 8°. vii, 850 pp. Price 50 cents. Mineral Resources of the United States, 1893, by David T. Day. 1894. 8°. viii, 810 pp. Price 50 cents.

On March 2, 1895, the following provision was included in an act of Congress:

"Provided, That hereafter the report of the mineral resources of the United States shall be issued as a part of the report of the Director of the Geological Survey."

In compliance with this legislation, the report Mineral Resources of the United States for the Calendar Year 1894 forms Parts III and IV of the Sixteenth Annual Report of the Survey, and Mineral Resources of the United States for the Calendar Year 1895 forms Part III of the Seventeenth Annual Report of the Survey.

The money received from the sale of these publications is deposited in the Treasury, and the Secretary of the Treasury declines to receive bank cheeks, drafts, or postage stamps; all remittances, therefore, must be by POSTAL NOTE OF MONEY ORDER, made payable to the Director of the U. S. Geological Survey, or in CURRENCY, for the exact amount. Correspondence relating to the publications of the Survey should be addressed

TO THE DIRECTOR OF THE UNITED STATES GEOLOGICAL SURVEY,

Washington, D. C.

Washington, D. C., June, 1896.



BULLETIN

OF THE

UNITED STATES

GEOLOGICAL SURVEY

No. 135



WASHINGTON
GOVERNMENT PRINTING OFFICE
1896



UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

BIBLIOGRAPHY AND INDEX

OF

NORTH AMERICAN GEOLOGY, PALEONTOLOGY, PETROLOGY, AND MINERALOGY

FOR

THE YEAR 1894

 $\mathbf{B}\mathbf{Y}$

FRED BOUGHTON WEEKS



WASHINGTON
GOVERNMENT PRINTING OFFICE
1896



CONTENTS.

	Page.
Letter of transmittal	7
Introduction	9
List of publications examined.	
Classified key to the index	15
Bibliography	21
Index	
F	



LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
UNITED STATES GEOLOGICAL SURVEY,
DIVISION OF GEOLOGY,

Washington, D. C., October 22, 1895.

SIR: I have the honor to transmit herewith the manuscript of a Bibliography and Index of North American Geology, Paleontology, Petrology, and Mineralogy for the year 1894, by Mr. F. B. Weeks, with the recommendation that it be published by the Survey. It is planned on the same lines with that for 1892–93, by the same author, and bears evidence of the same careful preparation.

Very respectfully,

S. F. EMMONS, Geologist.

Hon. Charles D. Walcott,

Director United States Geological Survey.



BIBLIOGRAPHY AND INDEX OF NORTH AMERICAN GEOLOGY, PALEONTOLOGY, PETROLOGY, AND MINERALOGY FOR THE YEAR 1894.

By FRED BOUGHTON WEEKS.

INTRODUCTION.

This work is a continuation of the Bibliography and Index for 1892 and 1893 (Bulletin No. 130), and records the papers on North American geology, paleontology, petrology, and mineralogy published in the year 1894, almost all of which appeared in the serials composing the List of Publications Examined, immediately following.

Bibliography.—The Bibliography consists of full titles of separate papers, classified by authors, an abbreviated reference to the publication in which the paper is printed, and a brief summary of the contents, each paper being numbered for index reference. The extent of papers less than a single page in length is indicated, as $\frac{1}{3}$ p., 5 l. (lines).

Index.—The subject headings, their subdivisions and arrangement, are shown in the Classified Key to the Index. They comprise geographic, geologic, mineralogic, paleontologic, and petrologic subdivisions. Under Economic Geology is given a list of useful minerals and ores described in publications examined; under Mineralogy, a list of minerals described in such publications; under Paleontology, a list of genera and species of fossils therein described; and under Petrology, a list of rocks described; reference being made in each case, by author's name and number of article in the Bibliography, to the paper in which the fossil, mineral, or rock is described.



LIST OF PUBLICATIONS EXAMINED.

Alabama, Geological Survey: Geological map of Alabama with explanatory chart; Report on the geology of the Coastal Plain of Alabama. Montgomery, Ala.

Alabama Industrial and Scientific Society: Proceedings, Vol. IV, Nos. 1-2. Tuscaloosa, Ala.

American Academy of Arts and Sciences: Proceedings, Vol. XXIX. Boston, Mass.

American Association for the Advancement of Science: Proceedings, Vol. XLII. Salem, Mass.

American Geologist, Vols. XIII-XIV. Minneapolis, Minn.

American Institute of Mining Engineers: Transactions, Vols. XXII-XXIII. New York.

American Journal of Science, 3d ser., Vols. XLVII-XLVIII. New Haven, Conn.

American Muscum of Natural History: Bulletin, Vol. VI. New York.

American Naturalist, Vol. XXVIII. Philadelphia, Pa.

American Philosophical Society: Proceedings, Vol. XXXII, No. 143, and Vol. XXXIII, Nos. 144-146. Philadelphia, Pa.

Annal's and Magazine of Natural History, Vols. XIII-XIV. London.

Appalachia, Vol. VII, No. 3. Boston, Mass.

Arkansas, Geological Survey: Annual Report, 1891, Vol. II; 1892, Vol. II. Little Rock, Ark.

Boston Society of Natural History: Proceedings, Vol. XXVI, Parts I-III. Boston,
Mass.

Botanical Gazette, Vol. XIX. Madison, Wis.

British Association for the Advancement of Science: Report for 1893. London, England.

Buffalo Society of Natural Sciences: Bulletin, Vol. V, No. 4. Buffalo, N. Y.

California, Academy of Science: Proceedings, 2d ser., Vol. IV, Part I. San Francisco, Cal.

California, State Mining Bureau: Twelfth Report, State Mineralogist. Sacramento,

Canadian Institute: Transactions, Vol. IV, Part I. Toronto, Canada.

Canadian Record of Science, Vol. VI, Nos. 1-2. Montreal, Canada.

Cincinnati Society of Natural History: Journal, Vol. XVI, No. 4, and Vol. XVII, Nos. 1-3. Cincinnati, Ohio.

Connecticut, Academy of Arts and Sciences: Transactions, Vol. IX, Part I. New Haven, Conn.

Dennison University, Scientific Laboratories: Bulletin. Vol. VIII, Part 2. Granville, Ohio.

Edinburgh, Royal Society: Transactions, Vol. XXXVII, Part III. Edinburgh, Scotland.

Elisha Mitchell Scientific Society: Journal, 1893, and Part I, 1894. Raleigh, N. C.

Engineering and Mining Journal, Vols. LVII-LVIII. New York.

Engineering Magazine, Vol. VI, Nos. 4-6; Vol. VII, Nos. 1-6; and Vol. VIII, Nos. 1-3. New York.

Essex Institute: Bulletin, Vol. XXVI, Nos. 1-3. Salem, Mass.

Geological Magazine, Decade IV, Vol. I. London, England.

Geological Society of America: Bulletin, Vol. V. Rochester, N. Y.

Georgia, Geological Survey: Bulletin No. 1, a preliminary report on the marbles of Georgia; Bulletin No. 2, a preliminary report on the corundum deposits of Georgia. Atlanta, Ga.

Harvard College, Museum of Comparative Zoology: Bulletin, Vol. XXV and Vol. XVI, No. 1; Memoirs, Vol. XVII, No. 3. Cambridge, Mass.

Illinois, State Laboratory of Natural History: Bulletin, Vol. III, Article XIII. Peoria, Ill.

Indiana, Academy of Science: Proceedings, 1893. Brookville, Ind.

Indiana, Department of Geology and Natural Resources: Eighteenth Report. Indianapolis, Ind.

International Congress of Geologists: Compte Rendu, 5th session, 1891. Washington, 1893.

Iowa, Academy of Sciences: Proceedings, Vol. I, Part IV. Des Moines, Iowa. Iowa, Geological Survey: Vol. II, Coal deposits of Iowa. Des Moines, Iowa.

Johns Hopkins University: Circulars, Vol. XIII. Baltimore, Md.

Journal of Geology, Vol. II. Chicago, Ill.

Journal of Morphology, Vol. IX. New York.

Kansas University Quarterly, Vol. I, Nos. 1-2, 1892; Vol. I, Nos. 3-4, and Vol. II, Nos. 1-2, 1893; Vol. II, Nos. 3-4, and Vol. III, Nos. 1-2, 1894. Lawrence, Kans.

Liverpool, Geological Society: Proceedings, Vol. VII, Part 2. Liverpool, England. London, Geological Association: Proceedings, Vol. XIII, Nos. 6-9. London, England.

London, Geological Society: Quarterly Journal, Vol. L. London, England.

London, Royal Society: Proceedings, Vols. LIV-LV. London, England.

Manchester, Geological Society: Transactions, Vol. XXIII, Parts I-II. Manchester, England.

Maryland, State Weather Service: First Biennial Report for 1892-93. Baltimore, Md. Michigan, State Board of Geological Survey: Report for 1891 and 1892, published in 1893. Lansing, Mich.

Minnesota, Geological and Natural History Survey: Twenty-second Annual Report, 1893; Twenty-third Annual Report, 1894; Bulletin No. X, The Mesabi iron-bearing rocks. Minneapolis, Minn.

National Geographic Magazine, Vol. VI. Washington, D. C.

Nautilus, Vol. VII, Nos. 9-12, and Vol. VIII, Nos. 1-8. Philadelphia, Pa.

Neues Jahrbuch für Mineralogie, Geologie und Palæontologie, 1894, Bänder I and II, Hefte 1-3. Stuttgart, Germany.

New Brunswick, Natural History Society: Bulletin No. XII. St. John, New Brunswick, Canada.

New Jersey, Geological Survey: Report for 1893, and Vol. III, Final Report. Trenton, N. J.

New York, Academy of Sciences: Transactions, Vol. XIII; Annals, Vol. VII, Nos. 6-12. New York.

New York, State Museum: Forty-seventh Report. Albany, N. Y.

Nova Scotian Institute of Science: Proceedings and Transactions, Vol. I, Part 3, 1893. Halifax, Nova Scotia.

Ohio, Geological Survey, Vol. VII. Columbus, Ohio.

Ottawa Naturalist, Vol. VIII, Nos. 1-9. Ottawa, Canada.

Paleontographica, Band XL, 1-6, and Band XLI, 1-2. Stuttgart, Germany.

Philadelphia Academy of Natural Sciences: Proceedings, 1894, Parts I-III; Journal, 2d ser., Vol. IX, Part IV. Philadelphia, Pa.

Popular Science Monthly, Vols. XLIV-XLV (excepting abstracts). New York.

Rochester Academy of Science: Proceedings, Vol. II, Brochure 3. Rochester, N. Y.

Royal Irish Academy: Transactions, Vol. XXX, Parts 11-14; Proceedings, 3d ser., Vol. III, Nos. 2-3. Dublin, Ireland.

St. Louis Academy of Science: Transactions, Vol. VI, Nos. 13-17. St. Louis, Mo. School of Mines Quarterly, Vol. XV. New York.

Science, Vol. XXIII, Nos. 570-581. New York.

Scientific American, Vols. LXX-LXXI. New York.

Scientific American Supplement, Vols. XXXVII-XXXVIII. New York.

Smithsonian Institution: Annual Report 1891–92 (published in 1893), and Annual Report 1892–93; Miscellaneous Collections, Vols. XXIV and XXXVI and Nos. 844, 854, 856, 969, and 970. Washington, D. C.

Société académique de Brest: Bulletin, 2d ser., Vol. XIX. Brest, France.

Societa geologica italiana: Bulletin, Vol. XIII. Rome, Italy.

Société géologique de Belgique: Annals, Vol. XXI. Liège, Belgium.

Societé géologique de France: Bulletin, Vol. XXI, Nos. 5-8, and Vol. XXII, Nos. 1-6; Memoirs, Vol. IV, Fascicle 1, 1893. Paris, France.

South Dakota, Geological Survey: Bulletin No. 1, a preliminary report on the geology of South Dakota. Sioux Falls, S. Dak.

Technology Quarterly, Vol. VII. Boston, Mass.

Torrey Botanical Club: Bulletin, Vol. XXII, Nos. 1-12. New York.

United States Geological Survey: Fourteenth Annual Report. Monographs XXII—XXIV. Bulletins, Nos. 115-120. Geologic Atlas of the United States: Anthracite-Crested Butte folio, Colorado; Chattanooga folio, Tennessee; Estillville folio, Virginia, Kentucky, Tennessee; Harpers Ferry folio, Maryland, Virginia, West Virginia; Jackson folio, California; Kingston folio, Tennessee; Livingston folio, Montana; Pikes Peak folio, Colorado; Placerville folio, California; Ringgold folio, Tennessee, Georgia; Sacramento folio, California; Sewanee folio, Tennessee; Staunton folio, Virginia, West Virginia. Washington, D. C.

United States National Museum: Proceedings, Vol. XVI; Report for 1892, published

1893. Washington, D. C.

University of California, Department of Geology: Bulletin, Vol. I, Nos. 1-8. Berkeley, Cal.

University of Wisconsin: Science Series, Vol. I, Nos. 1-2. Madison, Wis.

Zeitschrift der deutschen geologischen Gesellschaft, Band XLVI, Hefte 1-3. Berin, Germany.



CLASSIFIED KEY TO THE INDEX.

	I ago.
Alabama	109
Alaska	109
Archean and Algonkian	109
Canada	109
New England	109
Appalachian region	109
Great Lakes region	109
Rocky Mountain region	109
Great Basin region	109
Miscellaneous	1 09
Arizona	110
Arkansas	110
Bahama Islands	110
Bermuda Islands	110
Bibliography	110
California	110
Cambrian.	111
Canada	111
New England.	111
Appalachian region	111
Great Lakes region	111
Mississippi Valley	111
Rocky Mountain region	111
v S	
Great Basin region.	111
Miscellaneous.	111
Canada	111
General.	111
Alberta	111
British Columbia	111
Manitoba	111
New Brunswick	111
Northwest Territory	111
Nova Scotia	111
Ontario	111
Carboniferous (including Permian)	112
Canada	112
New England	112
Appalachian region	112
Mississippi Valley	112
Great Lakes region	112
Rocky Mountain region	112
Great Basin region	112
Sierra Nevada and Pacific Coast region	112
Colorado	112

	Page.
Connecticut	112
Correlation	113
Cretaceous.	113
Atlantic Coastal Plain	113
Gulf States	113
Mississippi Valley	113
Great Plains	113
Rocky Mountain region	113
Sierra Nevada and Pacific Coast region	113
Mexico	113
Miscellaneous.	113
Devonian	113
Canada	113
Appalachian region	113
Mississippi Valley	114
Rocky Mountain region	114
Sierra Nevada and Pacific Coast region	114
Dynamic geology	114
Economic geology	114
Alabama	114
Arizona	114
Arkansas	114
California	115
Canada	115
Colorado	115
Georgia	115
Indiana	115
Iowa	115
Irrigation	115
Kentucky	115
Maryland	115
Minnesota	115
Missouri	115
Montana.	115
New Jersey	115
New Mexico	115
New York	115
Ohio	115
Pennsylvania	115
South Dakota	115
Tennessee	115
	115
Texas	
Utah	115 115
Virginia	
West Virginia	115
Wisconsin	115
Wyoming	115
Miscellaneous discussions	115
Economic products described	116
Florida	117
Georgia	117
Glacial geology	117
Alaska	117
Canada	117

Glacial geology—Continued.	Page.
Colorado	117
Greenland	117
Illinois	117
Indiana	117
Minnesota	117
Missouri	118
Montana	118
New England	118
New Jersey	118
New York	118
Ohio	118
Pennsylvania	118
South Dakota	118
Vermont	118
West Virginia	118
Wisconsin	118
General papers	118
Greenland	118
Guatemala	118
Idaho	118
Illinois	118
Indiana.	118
Indian Territory	119
Indian Territory	119
	119
Juratrias	119
Canada	119
Atlantic Coastal Plain	
Great Plains	119
Rocky Mountain region	119
Sierra Nevada and Pacific Coast region	119
Miscellaneous	119
Kansas	119
Kentucky	119
Maine	120
Maryland	120
Massachusetts	120
Mexico	120
Michigan	120
Mineralogy	120
Condensed titles of papers	1 20
Minerals described	121
Minnesota	121
Mississippi	121
Missouri	121
Montana	122
Nebraska	122
Nevada	122
New Hampshire	122
New Jersey	122
New Mexico	122
New York	122
Nicaragua	123
North Carolina	123
North Dakota	123
\$1 MA DA TAME CAME CAME CAME CAME CAME CAME CAME C	140

	Page.
Ohio	123
Oklahoma	123
Oregon Paleontology	123
	123
Cambrian	123
Silurian	123
Devonian	124
Carboniferous	124
Juratrias	124
Cretaceous	124
Tertiary, miscellaneous	124
Eocene	124
Miocene	125
Pliocene	125
Pleistocene	125
Miscellaneous	125
Genera and species described	125
Pennsylvania	137
Petrology	137
Arizona	137
Arkansas	137
California	137
Canada	137
Colorado	137
Guatemala	137
Maryland	137
Massachusetts	137
Michigan	137
Minnesota	137
Missouri	137
Montana	137
New Jersey	137
New York	137
Rhode Island	137
South Dakota	137
Vermont.	138
Virginia	138
Miscellaneous discussions	138
Rocks described	138
Physiographic geology	138
Pleistocene (not relating to glacial deposits)	139
New York	139
Atlantic Coastal Plain	139
Great Lakes region	139
Mississippi Valley	139
Gulf States	139
Rocky Mountain region	139
Sierra Nevada and Pacific Coast region	139
Alaska	139
Miscellaneous.	139
Rhode Island	139
Silurian	139
Canada	139
New England	139
Appalachian region	139
Apparaeman region	109

Silurian—Continued.	Page.
Great Lakes region	140
Mississippi Valley	140
Rocky Mountain region	140
Sierra Nevada and Pacific Coast region.	140
South Carolina	140
South Dakota	140
Tennessee	140
Tertiary	140
Canada	140
Atlantic Coastal Plain	140
Mississippi Valley	140
Cuba	140
Gulf States	140
Rocky Mountain region	140
Sierra Nevada and Pacific Coast region	141
Miscellaneous	141
Texas	141
Utah	141
Vermont	141
Virginia	141
Washington	141
West Virginia	141
Wisconsin	141
Westerning	1.11



BIBLIOGRAPHY.

A.

1 Adams (F. D.). On the occurrence of a large area of nepheline syenite in the township of Dungannon, Ontario.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 10-16.

Abstracts: Am. Geol., vol. xiv, pp. 189-190 († p.); Am. Nat., vol. xxviii, p. 800 († p.).

Describes the occurrence and microscopic character of the rock and the contained minerals nepheline, plagioclase, mica, hornblende, scapolite, calcite, zircon, and sodalite.

2 Agassiz (Alexander). Notes from the Bermudas.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 411-416, figs. 1-7.

Discusses the formation of the reefs and the agency of algae corallines and serpulæ in building up or protecting them from the action of the surf.

3 — A reconnoissance of the Bahamas and of the elevated reefs of Cuba in the steam yacht Wild Duck, January to April, 1893.

Harv. Coll. Mus. Comp. Zool., Bull., vol. xxvi, pp. 1-203, pls. i-xlvii.

Abstract: Am. Geol., vol. xiii, p. 141 (½ p.).

Describes the topographic character of parts of the Bahamas and the distribution of corals, and discusses recent views on the formation of coral reefs.

4 Aguilera (José G.). The geology of Mexico.

Commission Geologico Mexicana.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 78-79.

5 Aldrich (T. H.). The (Midway) Clayton Tertiary section and its fossils [Alabama].

Ala. Geol. Surv., Rept. on the geology of the Coastal Plain of Alabama, pp. 240-248, pls. xii-xv.

Describes the fossils occurring at this horizon, including six new species.

6 — New Tertiary fossils from Red Bluff, Mississippi.

Nautilus, vol. vii, pp. 97-99.

Describes six new species from this locality.

7 American Geologist. The origin of spheroidal basalt.

Am. Geol., vol. xiv, pp. 321-326 (editorial comment).

Reviews a paper on the eruptive rocks of Point Bonita, by F. Leslie Ransome, and discusses certain features of the greenstones of the Lake Superior region.

21

8 Ami (H. M.). Notes on fossils from Quebec City, Canada.

Ottawa Nat., vol. viii, pp. 82-90.

Gives a list of 90 species occurring in the Silurian strata, near the eity of Quebec.

[BULL. 135.

B.

9 Bäckström (H.). Causes of magmatic differentiation.

Abstracts: Am. Geol., vol. xiii, pp. 194-195 (½ p.); Am. Nat., vol. xxviii, p. 515 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

10 Bain (H. Foster). Structure of the Mystic coal basin [Iowa].

Iowa Aead Sci., Proc., vol. 1, pt. iv, pp. 33-36.

Describes the lithologic character of the beds and gives several sections displayed at various localities.

11 — Sigourney deep well [Iowa].

Iowa Aead. Sci., Proe., vol. i, pt. iv, pp. 36-38.

Gives the section of the well to the depth of 1,888 feet, and discusses the evidences as to age of the formations represented.

12 — Peculiarities of the Mystic coal seam [Iowa].

Am. Geol., vol. xiii, pp. 407-411.

Describes the occurrence of this coal seam and the associated strata, which, in contrast with the complexity of structure and nonpersistence of the beds of the Coal Measures in other parts of Iowa, has an extent of about 50 miles north and south and 40 miles east and west.

13 Baldwin (S. Prentiss). Pleistocene history of the Champlain Valley.

Am. Geol., vol. xiii, pp. 170-184, with map and one figure.

Describes the deltas, moraines, and other glacial deposits of this region and the pre-Glacial and post-Glacial drainage systems.

13a Ballard (Hetty O.), Crosby (W. O.) and. Distribution and probable age of the fossil shells in the drumlins of the Boston basin.

Am. Jour. Sei., 3d ser., vol. xlviii, pp. 486-496. See Crosby (W. O.) and Ballard (H. O.), No. 106.

13b Barlow (A. E.). Relations of the Laurentian and Huronian rocks north of Lake Huron.

Review: Am. Geol., vol. xiii. pp. 63-64 (\frac{1}{3} p.).

Noticed in Bibliography and Index for 1892 and 1893.

14 Barrois (Charles). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 172 and 175.

Remarks on the impossibility of comparing in detail the Paleozoie formations of Europe and North America.

15 Barton (G. H.). [Remarks on drumlins.]

Bost, Soe. Nat. Hist., Proc., vol. xxvi, pp. 23-25.

Reviews the theory advanced by Warren Upham in a paper on the origin of drumlins.

15a Bascom (Florence). The structure, origin, and nomenclature of the acid volcanic rocks of South Mountain, Pennsylvania.

Abstracts: Am. Geol., vol. xiii, pp. 122-123; Am. Nat., vol. xxviii, pp. 515-516.

Noticed in Bibliography and Index for 1892 and 1893.

16 Bashore (Harvey B.). The Harrisburg terraces [Pennsylvania].

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 98-99.

Describes the gravel deposits in this vicinity.

17 Bayley (W. S.). The basic massive rocks of the Lake Superior region. IV. The peripheral phases of the great gabbro mass of northeastern Minnesota.

Jour. of Geol., vol. ii, pp. 814-825.

Describes the petrographic characters of the nonfeldspathic gabbros and the olivine-pyroxene and pyroxene aggregates, and discusses the relation of the basic rocks to the normal gabbro.

17a — A summary of progress in mineralogy and petrography in 1893.

Colby University, Geol. Dept.

Abstract: Am. Geol., vol. xiv, p. 52 (8 l.).

18 Beachler (Charles S.). An abandoned Pleistocene river channel in eastern Indiana.

Jour. of Geol., vol. ii, pp. 62-65, with map.

Describes the evidences which indicate the former existence of a river chanel in Rush and Decatur counties in southeastern Indiana.

19 Becker (George F.). On certain astronomical conditions favorable to glaciation.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 95-113, figs. 1-3.

Abstract: Am. Geol., vol. xiv, pp. 191-192.

Discusses the variation of temperature as influenced by solar radiation and the effects of low eccentricity and high obliquity, and includes a calculation of sunshine per unit area. Concludes that the accumulation of glacial ice may be due to a combination of low eccentricity and high obliquity with a favorable disposition of land and water.

20 — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 602-604.

Discusses a paper by F. Posepny on the same subject, noticed in Bibliography and Index for 1892 and 1893.

21 Beecher (C. E.). On the mode of occurrence and the structure and development of Triarthrus becki.

Am. Geol., vol. xiii, pp. 38-43, pl. iii.

Describes the peculiar mode of occurrence of the trilobites found in the Utica shale near Rome, N. Y., and describes and figures the structure of the legs and antennæ of Triarthrus becki.

22 — The appendages of the pygidium of Triarthrus.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 298-300, pl. vii.

Abstract: Am. Geol., vol. xiii, p. 428 ($\frac{1}{5}$ p.).

Describes the appendages attached to the pygidium or caudal shield of Triarthrus.

22a Beecher (C. E.) and Schuchert (Charles). Development of the brachial supports in Dielasma and Zygospira.

Abstract: Am. Nat., vol. xxviii, p. 267 (2 p.).

Noticed in Bibliography and Index for 1892 and 1893.

23 Bell (Robert). Pre-Paleozoic decay of crystalline rocks north of Lake Huron.

Geol. Soc. Am., Bull., vol. 5, pp. 357-366, pls. 15-16.

Abstract: Am. Geol., vol. xiii, p. 214 ($\frac{1}{5}$ p.).

Discusses the evidence of pre-Paleozoic erosion, the conditions affecting this ancient erosion and the contacts of Archean and Paleozoic rocks. Discusses the significance of the absence of Paleozoic deposition and the effect of glacial denudation.

24 Bergeat (Alfred). Zur Kenntniss der jungen Eruptivgesteine der Republik Guatemala.

Zeit. der deut. geol. Gesell., Band xlvi, Heft 1, pp. 131-157.

Describes the physiography of the region and the geologic distribution, occurrence, and petrographic characters of the recent eruptive rocks of Guatemala.

25 Berkey (Charles P.). Preliminary report of leveling party.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 134-140.

Describes the topographic chareter of portions of Cook County, Minn., and includes two profile sections showing the principal elevated regions, and tables showing the elevations of a number of localities above sea level.

26 Blake (William P.). The mineral deposits of southwest Wisconsin.

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 558-568.

Describes the geology of the region and the character and structure of the ore deposits.

27 — [The lead and zine deposits of the Mississippi Valley.]

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 621-634.

In discussion of paper by W. P. Jenney on the same subject.

28 — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, p. 587 (½ p.).

In discussion of paper on the same subject by F. Posepny.

29 — [Terrestrial submergence southeast of the American Continent.]
Geol. Soc. Am., Bull., vol. v, p. 21 (\frac{1}{3} p.).

In discussion of paper by J. W. Spencer on the same subject.

30 — Wisconsin lead and zinc deposits.

Geol. Soc. Am., Bull., vol. v, pp. 25-32.

Reviews the literature on these deposits, discusses the relation of deformation to ore deposition, the evidences of deformation and the general distribution of zinc in the Silurian seas, and gives the author's conclusions.

31 —— Trilobites in the "Oil Rock" horizon of the Trenton limestone.

Am. Geol., vol. xiv, pp. 133-134 (correspondence).

Mentions the occurrence of species of Ceraurus, Dalmania, Encrinurus, Orthis, Murchisonia, Orthoceras, Cypricardites, Raphistoma, Hyolithes, Streplelasma, and encrinal stems in the Trenton limestone of Wisconsin.

32 Blake (William P.). On the origin of ancient quartz rocks.

Science, vol. xxiii, pp. 141-142.

Discusses the origin of quartzites of pre-Cambrian strata.

32a Boyle (C. B.). A catalogue and bibliography of North American Mesozoic Invertebrata.

Abstract: Am. Geol., vol. xiv, p. 330 ($\frac{1}{0}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

33 Branner (John C.). Elevations in the State of Arkansas.

Ark. Geol. Surv., Ann. Rept. 1891, vol. ii, pp. 77-152.

Gives the elevations, determined by different methods, of certain points in the State.

33a — Observations upon the erosion in the hydrographic basin of the Arkansas River above Little Rock [Ark.].

Ark. Geol. Surv., Ann. Rept. 1891, vol. ii, pp. 153-166.

Abstract: Jonr. of Geol., vol. ii, p. 866 (1/2 p.).

Noticed in Bibliography and Index for 1892 and 1893.

34 — Magmatic observations and meridian monuments established in Arkansas.

Ark. Geol. Snrv., Ann. Rept. 1891, vol. ii, pp. 168-176.

Describes the location and character of monuments and the magmatic observations of certain points in Arkansas.

35 — Bibliography of the geology of Arkansas.

Ark. Geol. Surv., Ann. Rept. 1891, vol. ii, pp. 319-340.

Gives a list of papers on the geology of Arkansas, arranged alphabetically by authors' names.

36 — The geological surveys of Arkansas.

Jour. of Geol., vol. ii, pp. 826-836.

Reviews the work of the several geological surveys of Arkansas.

37 Brewer (W. M.). Notes on the Alabama gold ores.

Eng. and Mg. Jour., vol. lvii, pp. 57-58.

Describes the gold ore deposits of Tallapoosa County, Ala.

38 Broadhead (G. C.). Geological history of the Missouri Paleozoic. Am. Geol., vol. xiv., pp. 380-388.

Describes the topography of the Ozark plateau, the mode of deposition of the strata and their deformation during Paleozoic time, and the dislocations and erosion that have since taken place.

39 Brögger (W. C.). On the formation of pegmatite veins.

Can. Rec. Sci., vol. vi, pp. 33-46 and 61-71.

Reviews the previous theories as to the formation of pegmatite veins and gives a résumé of the author's conclusions, indicating that these veins are magmatic emptive veins formed under peculiar conditions.

40 Brooks (W. K.). The origin of the oldest fossils and the discovery of the bottom of the ocean.

Jour. of Geol., vol. ii, pp. 455-479.

Discusses the evidences which indicate that the fanna of the Lower Cambrian is an approximation to the primitive fanna, and that prior to the Lower Cambrian animal life was represented by minute animals not likely to be preserved as fossils.

41 Brown (R. G.). The Georgetown mining district, Montana.

Eng. and Mg. Jour., vol. lviii, pp. 345-346.

Notes on the ore deposits of this region.

42 Bryson (John). Lake Ronkonkoma and other glacial features of Long Island [New York].

Am. Geol., vol. xiii, pp. 390-392.

Describes the depression in which this lake occurs and discusses the evidences bearing on the amount of elevation and subsidence the island has undergone during and since the Glacial period.

[BULL. 135.

43 Bush (E. Renshaw). The Sudbury nickel region [Ontario].

Eng. and Mg. Jour., vol. lvii, pp. 245-246.

Describes the topography of the region, names the rock varieties in which the nickel and copper occurs, and describes the general occurrence of the nickeliferous pyrrhotite and chalcopyrite. Discusses the origin of the deposits.

C.

44 Cadell (H. M.). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 198 (‡ p.). Describes glacial phenomena of Scotland.

44a California, State Mining Bureau. Eleventh Report of the State Mineralogist.

Abstract: Am. Nat., vol. xxviii, pp. 335–336 ($\frac{1}{2}$ p.). Noticed in Bibliography and Index for 1892 and 1893.

45 Call (R. Ellsworth). On the induration of certain Tertiary rocks in northeastern Arkansas.

Ind. Acad. Sci., Proc., 1893, pp. 219-224, with map.

Describes the outcrops of sandstone in this region, hitherto referred to the Potsdam, but which the author considers to be Tertiary. Discusses the causes of the induration of these sandstones.

46 Calvin (Samuel). On the geological position of Bennettites dacotensis Macbride, with remarks on the stratigraphy of the region in which the species was discovered.

Am. Geol., vol. xiii, pp. 79-84; Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 18-22.

Describes the stratigraphic relations of the formations in the portion of the Black Hills in which Bennettites dacotensis were found and concludes that they represent the Dakota Cretaceous.

47 — On a new horizon and some new localities for friable sandstone in which the grains are enlarged by secondary deposition of silica in optical continuity with the original nucleus.

Am. Geol., vol. xiii, pp. 225-227.

Describes sandstone beds associated with the Lower Magnesiar limestone in Iowa, which are thought to be an equivalent of the New Richmond sandstone of Minnesota and Wisconsin.

48 Calvin (Samuel). The Niobrara chalk.

Am. Geol., vol. xiv, pp. 140-161.

Abstract: Jour. of Geol., vol. ii, pp. 755-756.

Describes the distribution and physical characters of the formation. Refers to the literature describing these beds and compares them with the chalk formation of England.

49 Campbell (Marius R.). Estillville folio. Virginia, Kentucky, Tennessee.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 12.

Describes the physiography and drainage of the region, the character and occurrence of the Cambrian, Cambro-Silurian, Silurian, Devonian, and Carboniferous strata, and the geologic structure and the coal deposits included in the area of the sheet. Gives the section of several coal outcrops and a table of coal analyses. Includes topographic, colored areal geologic, economic geologic, and structure section maps and a sheet of columnar sections.

50 — Paleozoic overlaps in Montgomery and Pulaski counties, Virginia.

Geol. Soc. Am., Bull., vol. v, pp. 171-190, pl. 4.

Abstraet: Am. Geol., vol. xiii, pp. 147-148 (3 p.).

Describes the physical features and the stratigraphy of the Cambrian, Silurian, Devonian, and Carboniferous formations, and discusses the geologic structure of the region.

51 — Tertiary changes in the drainage of southwestern Virginia.

Am. Jour. Sei., 3d ser., vol. xlviii, pp. 21-29, with map.

Describes the changes that have occurred in the drainage of this region and discusses the evidences indicating that they were caused by local orogenic rather than by epeirogenic movements.

51a — Geology of the Big Stone Gap coal field of Virginia and Kentucky.

Abstract: Am. Geol., vol. xiv, pp. 392-393.

Noticed in Bibliography and Index for 1892 and 1893.

51b — Hayes (C. W.) and. Geomorphology of the Southern Appalachians.

Nat. Geog. Mag., vol. vi, pp. 63-126, pls. 4-6. See Hayes (C. W.) and Campbell (M. R.), No. 264.

51c Canada, Geological Survey. Annual Report for 1890-91, vol. v. Abstracts: Am. Geol., vol. xiii, pp. 429-431; Am. Nat., vol. xxviii, p. 336 (71).

Noticed in Bibliography and Index for 1892 and 1893.

52 Case (E. C.). A geological reconnoissance in southwest Kansas and No Man's Land.

Kans. Univ. Quart., vol. ii, pp. 143-147.

Gives a brief description of the Triassic deposits of this region.

53 — Traces of a glacier at Kansas City, Mo.

Kans. Univ. Quart., vol. ii, pp. 149-150.

Brief description of the evidences which indicate the former existence of a glacier in this vicinity.

53a Case (E. C.), Williston (S. W.) and. Kansas mosasaurs.

Kans. Univ. Quart., vol. i, pp. 15-32, pls. ii-vi. See Williston (S. W.) and Case (E. C.), No. 649.

54 Case (William H.). The Bertha zinc mines at Bertha, Va.

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 511-536.

Describes the geology of the region, presents a geologic map and cross section, and describes the character and occurrence of the ore and the methods of mining employed.

[BULL. 135.

55 Cazin (F. M. F.). [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 604-608.

In discussion of paper by F. Posepny on the same subject describes the character and structure of the ore bodies of the Vermont copper mines.

56 Chamberlin (Thomas C.). Pseudo-cols.

Jour. of Geol., vol. ii, pp. 205-206.

Abstract: Am. Geol., vol. xiii, p. 217 (\frac{3}{4} p.)

Discusses the use of the term col and describes the mode of formation of pseudo-cols.

57 — Proposed genetic elassification of Pleistocene glacial formations.

Jour. of Geol., vol. ii, pp. 517-538.

Describes the author's method of classifying the Pleistocene glacial formations, based on the origin of the formations.

58 — Glacial studies in Greenland.

Jour. of Geol., vol. ii, pp. 649-666 and 768-788, figs. 1-14.

Gives an itinerary of the journey to Greenland and describes the characteristics of the glaciers examined.

59 — [Drift fringe on Long Island, New York.]

Geol. Soc. Am., Bull., vol. v, p. 16 (3 p.).

In discussion of papers by A. A. Wright and E. H. Williams, jr., on glacial phenomena of New Jersey and Pennsylvania.

60 — [Relation of deformation to ore deposition.]

Geol. Soc. Am., Bull., vol. v, p. 32 (1/3 p.).

In discussion of paper by W. P. Blake on the Wisconsin lead and zine deposits.

61 — [Formation of kames, eskers, and moraines.]

Geol. Soc. Am., Bull., vol. v, p. 85 (½ p.).

Discusses the character of the material of which kames, eskers, and moraines are formed.

62 — [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 176-192 and 207 (\$\frac{1}{5}\$ p.).

Discusses the classification of Pleistocene glacial deposits, based upon the origin of the formations.

3 Chamberlin (Thomas C.) and Leverett (Frank). Further studies of the drainage features of the Upper Ohio Basin.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 247-283 and p. 483, four maps and five figures.

Abstract: Am. Geol., vol. xiii, pp. 217-219.

Describes the drainage features and erosion of the Upper Ohio tributaries, the old fluvial floors, drift, and terraces. Gives a summary statement of four hypotheses and describes and illustrates by diagrams the ratios of work done.

i4 Charleton (A. G.). Nickel, its history, uses, and distribution.

Sci. Am. Suppl., vol. xxxvii, pp. 15418-15419.

Discusses the genesis of nickel.

55 Chester (Albert H.). Acanthite from Colorado.

School of Mines Quart., vol. xv, pp. 103-104.

Describes crystals of silver sulphide which are considered to belong to this species.

66 — On easwellite, an altered biotite from Franklin Furnace, N. J. Quartz crystals from Ellenville, N. J.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 181-184.

Describes the chemical and optical characters of a new mineral species, caswellite, and the crystallographic characters of quartz crystals.

7 Church (John A.). [Geological distribution of the useful metals in the United States.]

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 732-735.

In discussion of paper by S. F. Emmons on the same subject.

is — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 593-597.

In discussion of paper on the same subject by F. Posephy.

i9 Clark (William B.). Cretaceous and Tertiary geology.

N. J. Geol. Surv., Rept. for 1893, pp. 329-355.

Contains a general discussion, elassification, and description of the formations and describes certain typical section lines across the Cretaceous and Tertiary beds.

0 —— Origin and classification of the greensands of New Jersey.

Jour. of Geol., vol. ii, pp. 161-177.

Abstract: Am. Geol., vol. xiii, p. 210 (p.).

Gives a sketch of the stratigraphic features, describes the several formations, and discusses the origin, genesis, and source of the materials of the greensands.

1 — Climatology and physical features of Maryland.

Maryland State Weather Service, 1st Biennial Rept. for 1892-93, pp. 1-146.

Describes the topography, geologic formations, soils, and climate of Maryland,

[BULL. 135.

71a Clark (William B.). The Mesozoic Echinodermata of the United States.

Abstract: Am. Geol., vol. xiv, pp. 329-330.

Noticed in Bibliography and Index for 1892 and 1893.

71b — A preliminary report on the Cretaceous and Tertiary formations of New Jersey.

Abstract: Jour. of Geol., vol. ii, pp. 239-240.

Noticed in Bibliography and Index for 1892 and 1893.

71c — Williams (George H.) and. Outline of the geology and physical features of Maryland.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, p. 320 (½ p.). See Williams (G. H.) and Clark (W. B.), No. 638.

72 Clarke (Frank W.). An occurrence of anorthite and epidote.

Am. Jour. Sci., 3d ser., vol. xlviii, p. 429 (communicated).

Describes the occurrence and chemical composition of these minerals, from Maine.

73 Clarke (John M.). Composite generic fundamenta.

Am. Geol., vol. xiii, pp. 286-289 (correspondence).

Describes the variations of the generic type of the genus Leptodesma occurring in Hamilton beds.

74 — American species of Autodetus and some paramorphic shells from the Devonian.

Am. Geol., vol. xiii, pp. 327-335, figs. 1-13.

Reviews the nomenclature of the genus Autodetus and describes the new species Autodetus beecheri and lindstræmi and Protocalyptræa styliophila and marshalli, found in the Devonian of New York.

75 — The early stages of Bactrites.

Am. Geol., vol. xiv., pp. 37-43, pl. ii.

Describes some protoconch-bearing specimens of Bactrites from the Devonian of western New York,

76 — Nanno, a new cephalopoden type.

Am. Geol., vol. xiv, pp. 205-208, pl. vi.

The material described was obtained from the Trenton shales of Minneapolis and the Galena shales at Chatfield, Minn.

77 — The succession of the fossil faunas in the section of the Livonia salt shaft [New York].

N. Y. State Mus., 47th Ann. Rept., pp. 327-352.

Gives a list of fossils found in the Livonia salt shaft.

78 — New or rare species of fossils from the horizons of the Livonia salt shaft [New York].

N. Y. State Mus., 47th Ann. Rept., pp. 355-383, pls. 1-4.

Describes a number of new and rare species from the Devonian found in the Livonia salt shaft.

79 — Report on field work in Chenango County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 725-751.

Describes the lithologic character and succession of the Devonian strata in this county and gives a résumé of the results obtained.

80 Clarke (John M.). A list of publications relating to the geology and paleontology of the State of New York, 1876-1893.

N. Y. State Mus., 47th Ann. Rept., pp. 755-791.

80a — See Hall (J.) and Clarke (J. M.), Nos. 235-236a.

81 Claypole (E. W.). A new species of Carcinosoma.

Am. Geol., vol. xiii, pp. 77-79, pl. iv.

Describes Carcinosoma ingens n. sp. which was described as belonging to the genus Eurysoma in the December number, 1893, of the American Geologist.

82 — Cladodus? magnificus, a new selachian.

Am. Geol., vol. xiv, pp. 137-140, pl. v.

Describes a portion of a jaw found in the Cleveland shale, with remarks on the character of the Devonian fish fauna of Ohio.

83 — On a new placederm, Brontichthys clarki, from the Cleveland shale.

Am. Geol., vol. xiv, pp. 379-380, pl. xii.

Describes a new genus from the Cleveland shale of Ohio.

84 — The fossil fishes of Ohio.

Ohio Geol. Surv., vol. vii, pp. 602-619.

Describes the characters of some fossil fishes and sharks from Ohio.

85 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 166-167 (71.). Remarks on the value of the different methods of geologic correlation.

86 Cobb (Collier). Note on the deflective effect of the earth's rotation as shown in streams.

Elisha Mitchell Sci. Soc., Jour., 1893, pp. 26-32.

Gives a map of a portion of North Carolina, describes its drainage systems, and considers that the effect of the earth's rotation is perceptible in this region.

87 — On the geological history of certain topographical features east of the Blue Ridge.

Elisha Mitchell Sci. Soc., Jour., 1893, pp. 94-97.

Describes certain topographic forms of North Carolina which are considered to have been formed by wave action in post-Cretaceous time.

88 Coleman (A. P.). Antholite from Elzivir, Ontario.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 281-283.

Describes the chemical and physical characteristics of the mineral.

89 — Inter-Glacial fossils from the Don Valley, Toronto.

Am. Geol., vol. xiii, pp. 85-93.

Describes the lithologic character of the glacial beds in this region, mentions some of the fossils found in them, and discusses the evidences as to the character of the glacial phenomena.

90 — Notes on the geology of the Rocky Mountains between the Saskatchewan and the Athabasca.

Am. Geol., vol. xiv, pp. 83-92.

Abstract: Am. Nat., vol. xxviii, pp. 880-881.

Describes the topography and geology of a portion of the Rocky Mountains lying between the Saskatchewan and Athabasca rivers, and gives lists of fossils collected at different localities in this region. 91 Comstock (Theodore B.). Notes on Arizona mines. I. Silver.

Eng. and Mg. Jour., vol. lvii, p. 103.

Describes briefly the general character of the silver ores in Arizona.

92 Cooper (J. G.). On some Pliocene fresh-water fossils of California.
Cal. Acad. Sci., Proc., 2d ser., vol. iv, pp. 166-172, pl. 14.

Describes and figures Margaritana subangulatan. sp. and gives a list of Pliocene fossils found in the Kettelman, Asphalto, Contra Costa, Tassajara, and Santa Clara lake beds.

93 Cope (Edward D.). On the structure of the skull in the plesiosaurian Reptilia, and on two new species from the Upper Cretaceous.

Am. Phil. Soc., Proc., vol. xxxiii, pp. 109-113, pl. x.

Describes and figures the skull of Cimoliasaurus snovii Williston from the Niobrara Cretaceous of Kansas and Embaphias circulosus n. gen. et sp. and Elasmosaurus intermedias n. sp. from the Cretaceous of South Dakota.

94 — Observations on the geology of adjacent parts of Oklahoma and northwest Texas.

Phil. Acad. Nat. Sci., Proc., 1894, pp. 63-68.

Includes brief notes on the Cretaceous of portions of North and South Dakota, on the Permian and Cretaceous of Oklahoma and adjacent portions of Texas, and on the Pleistocene in southeastern Kansas.

95 — New and little-known Paleozoic and Mesozoic fishes.

Phil. Acad. Nat. Sci., Jour., 2d ser., vol. ix, pp. 427–448, pls. xviii–xx. Describes two new genera and nine new species of fishes.

96 — On Cyphornis, an extinct genus of birds.

Phil. Acad. Nat. Sci., Jour., 2d ser., vol. ix, pp. 449-452.

Describes the characters of a new genus found on Vancouver Island, which indicates that the clay bed in which it was found is of Eocene or Oligocene age.

97 — Extinct Bovidæ, Canidæ, and Felidæ from the Pleistocene of the Plains.

Phil. Acad. Nat. Sci., Jour., 2d ser., vol. ix, pp. 453–459, pls. xxi-xxii. Describes and figures a new species of Bovidæ and of Felidæ.

98 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 175 (\frac{1}{3} p.).

Remarks on the value of vertebrates for purposes of correlation.

99 —— Scott on the Mammalia of the Deep River beds.

Am. Nat., vol. xxviii, pp. 790-791.

Reviews a paper by W. B. Scott on the Mammalia of the Deep River beds,

100 — Marsh on Tertiary Artiodactyla.

Am. Nat., vol. xxviii, pp. 867-869. Review of paper by O. C. Marsh.

101 Cox (Charles F.). Additional notes on recently discovered deposits of diatomaceous earth in the Adirondacks.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 98-101.

Describes some recently discovered deposits in Herkimer County, N.Y. 102 Cragin (F. W.). New and little known Invertebrata from the Neocomian of Kansas.

Am. Geol., vol. xiv, pp. 1-12, pl. i.

Describes 17 new species from the Cretaceous of southern Kansas.

102*a* — A contribution to the invertebrate paleontology of the Texas Cretaceous.

Review: Am. Gcol., vol. xiii, p. 124 (\frac{1}{2} p.).

Noticed in Bibliography and Index for 1892 and 1893.

102b Crane (Agnes). The evolution of Brachiopoda.

Abstract: Am. Geol., vol. xiii, p. 194 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

103 Crawford (J. J.). Twelfth Report of the State Mineralogist.

Cal. State Mg. Bureau, 12th Rept., pp. 1-411.

Describes the occurrence of antimony, silver, lead, asphalt, bitumen, borax, chromic iron, coal, copper, gold, gypsum, iron, magnesite, manganese, natural gas, petroleum, quicksilver, building stones, asbestus, platinum, salt, soda, and zinc, in the various counties of California.

104 Credner (H.). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th scssion, pp. 195 and 197.

Layers of sand between moraines are not to be considered as important criteria in chronologic classification, on account of their local character.

105 Crosby (W. O.). A classification of economic geological deposits based on origin and original structure.

Am. Geol., vol. xiii. pp. 249-268; Tech. Quart., vol. vii, pp. 27-48.

Discusses the general principles of classification and describes the author's system, based on the following primary divisions: (a) Deposits of igneous origin (igneous rocks). Heat is the chief agent. (b) Deposits of aqueo-igneous origin (pegmatite). Heat and water cooperate. (c) Deposits of aqueous origin (sedimentary and vein rocks). Water is the chief agent.

105a — Geology of Boston Basin.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 79 (7 l.); Am. Geol., vol. xiii, pp. 192-193 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

105b — Origin of the coarsely crystalline vein granites or pegmatites.

Abstract: Am. Geol., vol. xiii, pp. 215-216 (3 p.).

and Ballard (H. O.). Distribution and probable age of the fossil shells in the drumlins of the Boston Basin.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 486-496.

Gives a list of 55 species collected in the Boston Basin, describes the distribution, and concludes that they are of Glacial and post-Glacial origin and indicate a recession of the ice sheet in this region.

Bull. 135——3

107 Cross (Whitman). The laccolitic mountain groups of Colorado, Utah, and Arizona.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 165-241, pls. vii-xvi, figs. 25-43.

Reviews the literature of the laccolitic theory. Describes the laccolites of the Henry, West Elk, San Miguel, La Plata, Carriso, El Late, Abajo, and La Sal mountains, Mosquito range, and the intrusive rocks of the Ten Mile district, Colorado. Discusses the chemical and mineralogic characters of laccolitic rocks, the conditions under which they were formed, and the forms and origin of laccolites.

108 — Pikes Peak folio. Colorado.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 7.

Describes the topographic features, the granite and metamorphic rocks, the occurrence and distribution of the Algonkian, Cambrian, Silurian, Carboniferous, Juratrias, Cretaceous, and Eocene strata. Describes the occurrence and petrographic characters of diabase, syenite, andesite, rhyolite, trachyte, phonolite, and the geographic distribution of the sedimentary and igneous formations and the structural development of the region. Includes a topographic, colored areal geologic, economic geologic, and structure section maps.

109 — Description of the igneous formations [Anthracite-Crested Butte folio, Colorado].

U. S. Geol. Surv., Geologic Atlas of the United States, folio 9.

Describes the character and occurrence of diorite, porphyrite, porphyritic diorite, granite, rhyolite, and basalt, in the portion of Colorado included within the district named.

110 — Intrusive sandstone dikes in granite.

Geol. Soc. Am., Bull., vol. v, pp. 225-230, pl. 8.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 142 (7 l.); Am. Geol., vol. xiii, p. 215 (8 l.); Am. Nat., vol. xxviii, pp. 412-413.

Describes the portion of Colorado in which the dikes occur, their characteristics and mode of occurrence. Describes the dike rock and discusses the origin of dikes.

111 — Itinerary, Nathrop to Salida, Colo.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 423-424.

Describes the geology along the railroad between these points.

112 — Manitou. Itinerary, Colorado Springs to Denver. Excursion to Morrison. Excursion to Golden [Colo.].

Int. Cong. Geol., Compte Rendu, 5th session, pp. 430-442.

Describes the geology of the Pikes Peak region, the geology of the Denver Basin, and the character of the Juratrias and Cretaceous beds at Morrison and Golden, Colo.

113 Cubberly (E. P.). Indiana's structural features as revealed by the drill.

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 219-255, with map and 16 colored geologic sections.

Each geologic section is accompanied by a table showing the depth of the well, the formations penetrated, and other data on which the sections are based. 114 Culver (G. E.). Some New Jersey eskers.

Science, vol. xxiii, pp. 15-16.

Describes the character of certain eskers in northeastern New Jersey.

115 — Note on the geology of Itasca County, Minn.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 97-114.

Describes the topography of the region and the megascopie characters of the granite, diorite, and greenstones, and the glacial phenomena.

116 Cunningham (K. M.). Diatomaceæ.

Ala. Geol. Surv., Rept., on the geology of the Coastal Plain of Alabama, pp. 61-65.

Notes on the fossil Diatomaeeæ of Alabama and a list of diatoms occurring at Montgomery.

117 — Notes on the Microzoa of the Tertiary of south Alabama.

Ala. Geol. Surv., Rept., on the geology of the Coastal Plain of Alabama, pp. 250-254.

Notes on the occurrence of Microzoa in Alabama.

118 — Notes on the micro-geology of Alabama Cretaceous.

Ala. Geol. Surv., Rept., on the geology of the Coastal Plain of Alabama, pp. 286-289.

Notes on the Cretaceous ehalk formation.

119 Cushing (H. P.). Preliminary report on the geology of Clinton County, N. Y.

N. Y. State Mus., 47th Ann. Rept., pp. 669-683, with map.

Describes the character and distribution of the pre-Cambrian, Cambrian, and Silurian rocks of this county.

D.

120 Dale (T. Nelson). On the structure of the ridge between the Taconic and Green Mountain ranges in Vermont.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 525-549, pls. lxvi-lxx, figs. 54-64.

Describes the petrographic, paleontologic, and structural features of the Clarendon, Wallingford, Danby, and Pine Hill sections and gives a general résumé of the evidence showing the structure of the range and age of the formation.

121—The structure of Monument Mountain, in Great Barrington, Mass.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 551-565, pls. lxxi-lxxii, figs. 65-72.

Describes the petrographic character of the Berkshire schist and reviews the evidence indicating the geologic structure of the mountain.

122—Mount Greylock: its areal and structural geology.

U. S. Geol. Surv., Mon. xxiii, pp. 119-203, pls. xii-xxiii, figs. 30-79.

Gives a list of publications on the geology of the region. Describes the geologic structure of the region, and the lithologic and petrographic characters of the Cambrian and pre-Cambrian rocks. 122a Dale (T. Nelson). The Rensselaer grit plateau in New York.

Abstract: Am. Geol., vol. xiv, pp. 54-55.

Noticed in Bibliography and Index for 1892 and 1893.

123 Dall (William Healey). Notes on the Miocene and Pliocene of Gay Head, Marthas Vineyard, Mass., and on the "Land Phosphate" of the Ashley River district, South Carolina.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 296-301.

Gives a list of Miocene and Pliocene fossils identified from Gay Head and Chilmark, and describes two new species. Reviews the evidences of the age of the phosphate rock of the Ashley River district and concludes that the fauna are of Miocene facies.

123a — Notes on the Atlantic Miocene.

Abstract: Am. Geol., vol. xiv, p. 202 (4 p.).

124 — On the species of Mactra from California.

Nautilus, vol. vii, pp. 136-138.

 Describes three species, including one new species, from the coast of California.

125 — and **Stanley-Brown** (J.). Cenozoic geology along the Apalachicola River.

Geol. Soc. Am., Bull., vol. v, pp. 147-170, pl. 3.

Abstract: Am. Gcol., vol. xiii, pp. 137-138 ($\frac{1}{2}$ p.).

Describes in detail the geology of the localities studied and the geologic structure and succession of the Eocene, Miocene, Pliocene, and Pleistocene beds of this region.

126 Dana (James D.). Observations on the derivation and homologies of some articulates.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 325-329; Annals and Mag. Nat. Hist., vol. xiii, pp. 502-506.

Discusses the derivation of limaloids, crustaceans, arachnids, myrapods, and insects, and in a table shows the relations in body-segments and limbs between these classes.

127 Darton (Nelson Horatio). Shawangunk Mountain.

Nat. Geog. Mag., vol. vi, pp. 23-34, pls. 1-3, figs. 1-3.

Abstracts: Sci. Am. Suppl., vol. xxxvii, pp. 15284-15285; Am. Jour. Sci., 3d ser., vol. xlvii, p. 482 (7 l.).

Describes the relations of the Shawangunk grit and the underlying Hudson shales and the character and distribution of the lakes, which are considered to have been formed by glacial action.

128 —— Report on the relations of the Helderberg limestones and associated formations in eastern New York.

N. Y. State Mus., 47th Ann. Rept., pp. 393-422, pls. 1-4, figs. 1-5.

Describes the physiography of the region studied, presents several stratigraphic sections of Upper Silurian strata of central and eastern New York, and describes the lithologic character and succession of the deposits.

129 — Preliminary report on the geology of Albany County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 425-455, pls. 1-6, figs. 1-9.

Describes the physiographic features of the county and the lithologic character and stratigraphic relations of the Devonian and Silurian deposits, and includes notes on the Pleistocene geology.

130 Darton (Nelson Horatio). Preliminary report on the geology of Ulster County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 485-566, pls. 1-23, figs. 1-18. Describes the physiography of the region, the structural relations and the lithologic character and succession of the several members of the Devonian and Silurian formations represented in this county.

131 — Geology of the Mohawk Valley in Herkimer, Fulton, Montgomery, and Saratoga counties [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 604-623, pls. 1-14.

Describes the exposures of Potsdam sandstone, Calciferous, Birdseye, Black River, and Trenton limestones and Utica shales in the Mohawk Valley of the counties named.

132 — Geologic relations from Green Pond, New Jersey, to Skunnemunk Mountain, New York.

Geol. Soc. Am., Bull., vol. v, pp. 367-394, pl. xvii.

Abstract: Am. Geol., vol. xiii, pp. 211-212.

Reviews the literature on the geology and describes the Devonian, Silurian, and Cambrian beds of this region. Discusses the structure and gives a sketch of its geologic history.

133 — Outline of Cenozoic history of a portion of the middle Atlantic slope.

Jour. of Geol., vol. ii, pp. 568-587.

Describes the physiographic features of the Piedmont and Coastal Plain areas in this region, the trenching of the Tertiary baselevel of the Piedmont Plateau, and the character of the Tertiary and Pleistocene deposits, and includes a résumé of the geologic history of the region in Cenozoic time.

134 — Staunton folio. Virginia, West Virginia.

U. S. Geol, Surv., Geologic Atlas of the United States, folio 14.

Describes the physiographic subdivisions of the Appalachian province, the character and relations of the Cambrian, Silurian, Devonian, and Carboniferous formations, and the geologic structure and mineral resources of the region, including iron, marble, and clays. Includes a topographic, colored areal geologic, economic, and structure section maps and a columnar section.

134a — McGee, (W J), Williams, (G. H.), Willis, (B.), and. Geology of Washington and vicinity.

Int. Cong. Geol., Compte Rendu, 5th sesion, pp. 219-251.

See McGee (W J), Williams (G. H.), Willis (B.), and Darton (N. H.), No. 385.

135 Davis (William Morris). Physical geography in the university.

Jour. of Geol., vol.ii, pp. 66-100.

Presents the plan of the author's course in physical geography.

136 — [Remarks on drumlins.]

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 17-23.

Reviews the paper by W. Upham on the "Origin of drumlins."

137 Davis (William Morris). Facetted pebbles on Cape Cod, Massachusetts.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 166-175, pls. i-ii.

Abstract: Am. Geol., vol. xiii, pp. 146-147.

Describes the occurrence of these pebbles on Cape Cod and discusses the evidences indicating that the beds in which they are found are subaerial deposits. Discusses the relation of facetting to rock structure and the post-Glacial changes of level in this region.

[BULL. 135.

138 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 166 (p.).

Remarks on the correlation of rocks as indicated by degradation processes.

139 — and **Griswold** (L. S.). Eastern boundary of the Connecticut Triassic.

Geol. Soc. Am., Bull., vol. v, pp. 515-530.

Abstracts: Jour. of Geol. vol. ii, pp. 644-645; Am. Geol., vol. xiii, pp. 145-146; Am. Jour. Sci., 3d ser., vol. xlvii, pp. 136-137.

Describes the geologic history of the region and discusses the general characteristics of faults. Discusses the evidences of faulting along the boundary of the Connecticut Triassic and gives the authors' conclusions.

140 **Dawson** (George M.). Geological notes on some of the coasts and islands of Bering Sea and vicinity.

Geol. Soc. Am., Bull., vol. v, pp. 117-146.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 136 ($\frac{1}{3}$ p.); Am. Geol. vol. xiii, p. 137 ($\frac{1}{2}$ p.).

Contains notes on the topography and geology of the islands of Bering Sea.

141 — Notes on the occurrence of mammoth remains in the Yukon district of Canada and Alaska.

Geol. Soc. London, Quart. Jour., vol. 1, pp. 1-8.

Abstract: Can. Rec. Sci., vol. vi, p. 59 (3 p.).

Gives a historical sketch of the discoveries of mammoth remains in this region. Describes the unglaciated area in Alaska in which these remains occur and the Cordilleran glacier. Discusses the evidences of elevation and subsidence.

142 — Volcanic rocks of the Huronian.

Science, vol. xxiii, p. 50.

Brief note on the occurrence of volcanic rocks in the vicinity of the Lake of the Woods.

142a — Notes on the geology of Middleton Island, Alaska.

Abstract: Can. Rec. Sci., vol. vi, p. 58 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

143 **Dawson** (J. William). Preliminary note on recent discoveries of batrachians and other air-breathers in the coal formation of Nova Scotia.

Can. Rec. Sci., vol. vi, pp. 1-7.

Abstract: Am. Geol., vol. xiii, p. 137 (p.).

Refers to the previous discoveries of animal remains in the coal beds of South Joggius. Gives the vertical section of an embedded tree recently found in these deposits, and mentions the fossils found in it.

144 Dawson (J. William). Our record of Canadian earthquakes.

Can. Rec. Sci., vol. vi, pp. 8-16.

Gives a list of publications of the records of Canadian earthquakes prior to 1877, and includes a list and description of earthquakes occurring since that time.

145 — Note on the genus Naiadites, as occurring in the coal formation of Nova Scotia.

Geol. Soc. London, Quart. Jour., vol. 1, pp. 435-437, pl. xx.

Describes the occurrence of this genus and its associates in the coal deposits of Nova Scotia.

146 — The study of fossil plants.

Geol. Soc. Am., Bull., vol. v, pp. 2-5.

Discusses the importance of fossil plants as an aid in determining the geologic age of rocks and climatic conditions.

147 — Some recent discussions in geology.

Geol. Soc. Am., Bull., vol. v, pp. 101-116.

Abstracts: Am. Geol., vol. xiii, pp. 135-137; Am. Jour. Sci., 3d ser., vol. xlvii, pp. 135-136.

Discusses the correlation of the Cambrian rocks of North America and Great Britain, the forces that have produced mountain ranges, uniformitarianism, the formation of coal, the relation of vegetation to continental movements, the phenomena of the Glacial period, and post-Pleistocene continental movements.

147a — The Canadian Ice age.

William V. Dawson, Montreal, 1893.

Review: Jour. of Geol., vol. ii, pp. 232-235, by T. C. Chamberlin.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 146-147 (\frac{1}{2} p.); Am. Geol., vol. xiii, pp. 116-121; Can. Rec. Sci., vol. vi, pp. 113-115.

148 **Dean** (Bashford). Contributions to the anatomy of Dinichthys. N. Y. Acad. Sci., Trans., vol. xii, p. 187.

Abstract: Am. Geol., vol. xiii, pp. 357-358 (8 l.).

149 — A new cladodont from the Ohio Waverly, Cladoselache newberryi n. sp.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 115-118, pl. 1.

Describes and figures specimens from the sub-Carboniferous of Ohio.

150 — Contributions to the morphology of Cladoselache (Cladodus).

Jour. of Morph., vol. ix, pp. 87-114, pl. vii.

Suggests the name Cladoselache for that of Cladodus for the American form. Discusses the relationships under the different structural characters.

151 **DeKalb** (Courtenay). The new gold fields of the Mosquito coast of Nicaragua.

Eng. and Mg. Jour., vol. lvii, pp. 294-295.

The gold occurs in placers in the Matagalpa Mountains, of small extent but very rich, and in "pockets." The mountains are said to be flanked by Carboniferous limestones overlain by Permian red sandstones and shales which have been covered by diorite flows, and the gold occurs along the contact of the shales and diorite mass.

152 Diener (C.). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 197 (1/5 p.).

Considers that fossil remains are not proof of the nonexistence of glaciers in the vicinity in which the fossils occur.

153 Diller (Joseph Silas). Tertiary revolution in the topography of the Pacific Coast.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 397-434, pls. xl-xlvii, figs. 45-48; Jour. of Geol., vol. ii, pp. 32-54.

Abstract: Am. Geol., vol. xiii, p. 354 (1 p.).

Describes the topography of the Pacific Coast, the ancient baselevel of erosion in northern California, and the character of the deposits upon its borders. Discusses the evidence as to the age of the baseleveling, the conditions during Cretaceous, Eocene, and Miocene times, and the deformation of the baselevel.

154 — and Schuchert (Charles). Discovery of Devonian rocks in California.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 416-422.

Abstract: Am. Nat., vol. xxviii, p. 796 (p.).

Describes the different outcrops of Devonian rocks that have been found in California, with notes on the fossils collected from them, and discusses their correlation with Devonian strata of other regions.

155 — and Stanton (T. W.). The Shasta-Chico series.

Geol. Soc. Am., Bull., vol. v, pp. 435-464.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 141 (p.); Am. Geol., vol. xiii, p. 208 (6 l.); Am. Nat., vol. xxviii, p. 1024 (p.).

Reviews the literature of the Cretaceous deposits of the Pacific Coast. Describes three sections of the Cretaceous deposits and gives lists of fossils found at different horizons. Discusses the faunal relations of the bcds, the deformation during and subsequent to their deposition, and the correlation of the series with the Cretaceous of other parts of North America.

156 Dodge (R. E.). The geographical development of alluvial river terraces.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 257-273.

Abstract: Am. Geol., vol. xiv, p. 397 ($\frac{1}{2}$ p.).

Describes the formation of alluvial terraces and plains, the eyele and development of a normal river, and normal, subnormal, and accidental alluvial terraces. Discusses the conditions of terrace formation and gives the author's conclusions.

157 -— Additional species of Pleistocene fossils from Winthrop, Mass. Am. Jour. Sci., 3d ser., vol. xlvii, pp. 100-104.

Mentions the species heretofore found in a drumlin in Boston Harbor, and also others recently found by the author. Considers that ocean waters were warmer both prior and subsequent to the advance of the ice sheet, and discusses the causes of this phenomenon.

158 — Continental phenomena illustrated by ripple marks.

Science, vol. xxiii, pp. 38-39.

Describes ripple marks occurring on the coast of Massachusetts, which are compared to the formation of a continental shelf similar to that along the eastern coast of North America.

159 Dryer (Charles R.). The geology of Noble County [Ind.].

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 17-32.

Describes the glacial deposits of the county and gives the sections displayed by several artesian wells, showing the presence of Devonian and Silurian strata.

160 — Report upon the geology of Lagrange County [Ind.].

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 72-82.

Describes the character and distribution of the glacial beds of the county.

161 — The drift of the Wabash-Erie region. A summary of results.

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 83-90.

Describes the distribution of the moraines and the movements of the ice sheet in this region.

162 Dumble (E. T.). The Cenozoic deposits of Texas.

Jour. of Geol., vol. ii, pp. 549-567.

Describes the lithologic character of the Cenozoic deposits of Texas and gives lists of fossils found at different horizons and localities.

163 Dunn (R. L.). Auriferous conglomerate in California.

Cal. State Mg. Bureau, 12th Rept., pp. 459-471, with map.

Describes an auriferous conglomerate of peculiar character occurring in Siskiyou County. Discusses the evidences bearing on its fluviatile origin and on the source of the gold. Compares this deposit with the auriferous conglomerate of South Africa.

E.

164 Eakle (A.S.). On allanite crystals from Franklin Furnace, N. J.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 436-439; N. Y. Acad. Sci., Trans., vol. xiii, pp. 102-107.

Abstract: Am. Nat., vol. xxviii, p. 877 (6 l.).

Describes the crystallographic characters of crystals from the Trotter mine.

165 Eastman (Charles R.). Beiträge zur Kenntniss der Gattung Oxyrhina, mit besonderer Berücksichtigung von Oxyrhina mantelli Agassiz.

Paleontographica, Band xli, pp. 149-192, pls. xvi-xviii.

Describes Oxyrhina mantelli from the Cretaceous of Kansas and gives a summary of the species of Oxyrhina.

166 Eldridge (George H.). Description of the sedimentary formations [Anthracite-Crested Butte folio, Colorado.]

U. S. Geol. Surv., Geologic Atlas of the United States, folio 9.

Describes the Archean, Cambrian, Silurian, Carboniferous, Juratrias, and Cretaceons formations of the region, the geologic structure and the occurrence of coal in the Laramie, and gives four tables of analyses of the coals.

167 — A geological reconnoissance in northwest Wyoming.

U. S. Geol. Surv., Bull., No. 119, 72 pp., pls. i-iv, fig. 1

Describes the topography of the Big Horn Mountain region, the general character of the Archean, Cambrian, Silurian, Carboniterous, Trias, Jura, Cretaceous, and Tertiary formations, the structure of the mountain ranges, and the occurrence of coal, petroleum, building materials, and gold.

168 Eldridge (George H.). Artesian wells of eastern Dakota.

Int. Cong. Geol., Compte Rendu, 5th session, p. 318.

Describes the character of the strata from which artesian water is obtained and gives the depths of the wells.

[BULL. 135.

169 Elftman (Arthur Hugo). Preliminary report of field work during 1893 in northeastern Minnesota.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 141-180.

Describes the topography of portions of Lake County and the distribution and petrographic characters of the granite, actinolite-magnetite schist, gabbro, red rock, diabase, and anorthosyte of northeastern Minnesota.

170 Ells (R. W.). Mica deposits in the Laurentian of the Ottawa district.

Geol. Soc. Am., Bull., vol. v, pp. 481-488.

Abstract: Am. Geol., vol. xiii, p. 215 (6 l.).

Describes the metamorphosed sedimentaries and intrusive rocks of this district, the occurrence of apatite and mica, and the differences in the mica-apatite deposits.

171 Emmons (Samuel Franklin). Description of the Elk Mountains [Anthracite-Crested Butte folio, Colorado].

U. S. Geol. Surv., Geologic Atlas of the United States, folio 9.

Gives a historical sketch of the geology of the region and describes the clays, iron ore, and precious metal deposits. Includes a topographic, colored geologic, economic, and structure section maps of each of the districts and a sheet of columnar sections.

172 — Geological distribution of the useful metals in the United States.

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 53-95 and 737-738.

Describes the geologic occurrence in different parts of the United States of iron, manganese, nickel, tin, copper, lead, zinc, quicksilver, gold, and silver, and gives a summary of conclusions concerning the genesis of their minerals.

173 — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 597-602.

Discussion of paper by F. Posepny on the same subject.

174 — Congrès Géologique International, Compte Rendu de la 5^{me} session, Washington, 1891, ix +529 pp., pls. i-xxi, figs. 1-39. Edited by S. F. Emmons, secretary.

Contains a historical sketch of the Congress, report of the sessions, a description of the geology of Washington and vicinity, the geology of the region traversed by the excursion to the Rocky Mountains and the Grand Canyon of the Colorado, and of the excursion to Lake Superior.

174a — Guidebook of an excursion to the Rocky Mountains.

John Wiley & Sons, 1894, New York.

Describes the geology along the route traversed by the western excursion of the International Congress of Geologists from Washington, D. C., to Chicago, St. Paul, Yellowstone National Park, Snake Plains, Great Salt Lake, Leadville, Denver, Canyon of the Colorado, Kansas City, Chicago, Niagara Falls, and to New York City.

Extract from Compte Rendu, Int. Cong. Geol., 5th session.

175 Emmons (Samuel Franklin), From Chicago to the Mississippi River. Itinerary.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 298-301.

Describes the glacial phenomena of the region and the outcrops of the Cambrian beds.

176 — Livingston to the Snake Plains. Itinerary. Butte City to Pocatello. The Snake Plains.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 367-374.

Describes the geology along the route of travel of the excursion of the International Congress of Geologists in this region and the geologic history of the Snake Plains.

177 — The Wasatch Mountains and the geological panorama of the Wasatch range.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 381-391.

Describes the geologic history of this range, the outcrops of the strata, and the structure of the mountain range.

178 — Itinerary. Spanish Fork Canyon, Utah, to Grand Junction, Colo.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 397-402.

Describes the geology along the railroad between the points named.

179 — The Rocky Mountains of Colorado. Itinerary, Grand Junetion to Glenwood Springs and Aspen, Glenwood Springs to Leadville and Nathrop, and Salida to Canyon City, Colo. Int. Cong. Geol., Compte Rendu, 5th session, pp. 403-426. Describes the geologic history and general structure of the Rocky

Mountains and the local geology along the railroad between the points mentioned.

180 — Itinerary, Canyon City to Colorado Springs [Colo.]. Int. Cong. Geol., Compte Rendu, 5th session, pp. 428-429. Describes the geology along the railroad between these points.

181 — The Great Plains of Colorado and Kansas. Itinerary, Denver to Kansas City.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 443-448.

Describes the geologic features of the Great Plains and the local geology along the route traversed by the excursion.

182 — Excursion to the Canyon of the Colorado. Itinerary, Denver, Colo., to Albuquerque, N. Mex.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 464-468.

Describes the local geology along the route traversed.

183 — Bibliography of the geology of the excursion to the Rocky Mountains.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 482-487.

Gives a list of 123 publications relating to the geology along the route traversed by the western excursion of the International Congress of Geologists.

184 Emmons (Samuel Franklin) and Merrill (G. P.). Geological sketch of Lower California.

Geol. Soc. Am., Bull., vol. v, pp. 489-514, pl. 19.

Abstract: Am. Geol., vol. xiii, pp. 209-210.

Describes the physical features and reviews previous descriptions of the geology of Lower California. Describes the general structure and the occurrence of Eocene and Cretaceous beds, and gives a list of fossils found at different horizons.

[BULL. 135.

185 **Eyerman** (John). Vertebrate paleontology at the Columbian Exposition; a brief notice.

Am. Geol., vol. xiii, pp. 47-48.

Mentions the genera and species of vertebrates from various countries exhibited at the World's Columbian Exposition.

186 — Preliminary notice of a new species of Temnocyon and a new genus from the John Day Miocene of Oregon.

Am. Geol., vol. xiv, pp. 320-321.

Gives a brief description of the new species and of a new genus, Hypotemnodon.

F.

186a Faber (C. L.), Miller (S. A.) and. New species of fossils from the Hudson River group, and remarks upon others.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 22-33. See Miller (S. A.) and Faber (C. L.], No. 414.

186b — Description of some Cincinnati fossils.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 137-158. See Miller (S. A.) and Faber (C. L.), No. 415.

187 Fairbanks (H. W.). Red Rock, Goler, and Summit mining districts, in Kern County [Cal.].

Cal. State Mg. Bureau, 12th Rept., pp. 456-458.

Describes the occurrence of gold in the wash from the conglomerate and sedimentary strata of this region.

188 — Preliminary report on the mineral deposits of Inyo, Mono, and Alpine counties [Cal.].

Cal. State Mg. Bureau, 12th Rept., pp. 472-478.

Describes the topography and mineral resources of these counties in southeastern California.

189 — Geology of a section of Eldorado County [Cal.].

Cal. State Mg. Bureau, 12th Rept., pp. 479-481.

Describes the gold-quartz veins of a portion of this county separated from the "mother lode" by a diabase ridge.

190 — Geology of northern Ventura, Santa Barbara, San Luis Obispo, Monterey, and San Benito counties [Cal.].

Cal. State Mg. Bureau, 12th Rept., pp. 493-526.

Describes the pre-Cretaceous, Cretaceous, and Miocene beds of these counties and gives the author's summary of conclusions.

191 Fairbanks (H. W.). Notes on some localities of Mesozoic and Paleozoic in Shasta county, Cal.

Am. Geol., vol. xiv, pp. 25-31.

Describes the geologic structure, lithologic character, and fauna of the Jurassic, Triassic, Carboniferous, and Devonian strata found in this region.

192 — A remarkable folded vein in the Ready Relief Mine [Cal.].

Eng. and Mg. Jour., vol. lvii, pp. 321-322.

Describes the apparent folding of mica-schist and gneiss in the Peninsula range of San Diego County, Cal., and discusses the cause of the phenomenon.

193 — Some remarkable hot springs and associated mineral deposits in Colusa County, Cal.

Science, vol. xxiii, pp. 120-121.

Describes the occurrence of hot springs and the associated gold and quicksilver deposits in this county.

194 Fairchild (Herman Le Roy). The evolution of the ungulate mammals.

Abstract: Roch. Acad. Sci., Proc., vol. ii, pp. 206-209.

Describes the evolution of the Artiodactyla and Perissodactyla.

195 — The geological history of Rochester, N. Y.

Roch. Acad. Sci., Proc., vol. ii, pp. 215-223.

Gives a condensed section of the strata at Rochester and describes the process of deposition in Silurian and Devonian times and the character of the Glacial deposits.

196 — The length of geologic time.

Roch. Acad. Sci., Proc., vol. ii, pp. 263-266.

Reviews the recent literature on the subject and gives the estimates of different writers.

197 Foerste (Aug. F.). Fossils of the Clinton group in Ohio and Indiana.

Ohio Geol. Surv., vol. vii, pp. 516-601.

Describes fossils found in Clinton rocks of these States, including several new species.

198 — The Upper Vicksburg Eocene and the Chattahoochee Miocene of southwest Georgia and adjacent Florida.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 41-54, with sketch map.

Describes certain exposures of the Eocene and Miocene in this region and correlates them with other deposits of Georgia.

199 Fogh (Carl S.). Some geological features of the mine of Velardena, Mexico.

Eng. and Mg. Jour., vol. lvii, pp. 29-30.

Describes the ore bodies and the dikes which cut them.

200 Fontaine (William Morris). Notes on some fossil plants from the Trinity division of the Comanche series of Texas.

U. S. Nat. Mus., Proc., vol. xvi, pp. 261-282, pls. xxxvi-xliri.

Discusses the lithologic character of the bed in which the fossils were found and the characteristics of the plants collected, including eight new species. 201 Frazer (Persifor). The sixth session of the International Congress of Geologists.

Am. Geol., vol. xiv, pp. 259-271.

Gives an account of the excursions and proceedings of this session held at Zurich, Switzerland, in August, 1894.

202 —— [On the red horizons.]

Am. Phil. Soc., Proc., vol. xxxiii, pp. 216-217. Discusses a paper by B. S. Lyman on the same subject.

203 Frech (F.). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 171-172 († p.). Remarks on the comparison of the middle Paleozoic faunas of Europe and North America.

204 —— Section in Congress Canyon opposite Point Sublime [Ariz.]. Int. Cong. Geol., Compte Rendu, 5th session, pp. 476-481. Describes exposures of Archean, Algonkian, Cambrian, and Carboniferous rocks in this canyon, and gives the author's conclusions.

205 Fultz (Francis M.). Interruption during the deposition of the Burlington limestone.

Am. Geol., vol. xiv, pp. 246-249.

Discusses the evidences of disturbances during the Burlington epoch in the Mississippi Valley.

206 — Evidences of disturbance during the deposition of the Burlington limestones.

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 56-58.

Discusses the disturbances occurring in the Burlington limestone as indicated by changes in fossil forms, lithologic characters, erosion, and unconformability.

G.

207 Gaudry (A.). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 192-193.

Remarks on the desirability of a chronological classification of Pleistocene deposits.

208 Geer (Gerard de). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 155-156 (p.).

Remarks on statistical analyses of fossil faunas, with special reference to the number of individuals found.

209 — [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 193-194, 196 and 198. Remarks on the importance of a genetic classification of Pleistocene deposits and the possibility of a local chronologic classification.

209a Geikie (Archibald). Text Book of Geology, third edition. Macmillan & Co., London and New York, 1893.

Review: Am. Geol., vol. xiii, pp. 66-70.

209b Geikie (James). The great Ice age.

Third edition, London, Edward Stanford.

Review: Jour. of Geol., vol. ii, pp. 730-747, by R. D. Salisbury.

209c Gibson (A. M.). Report on the coal measures of Blount Mountain.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 319 (8 l.); Am. Geol., vol. xiii, p. 284 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

210 Gilbert (Grove Karl). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 151-155. Discusses the physical and biotic methods of correlation of rocks.

211 —— Physical geography of the region.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 261-267.

Describes the physical and climatic features of the parts of the United States traversed by the Rocky Mountain excursion of the International Congress of Geologists.

212 — From the Ohio to the Mississippi River. General sketch.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 289-290.

Mentions the different exposures of Silurian, Devonian, and Carboniferous rocks and describes the glacial phenomena of the region traversed by the geological excursion.

213 — Great Salt Lake and Lake Bonneville. Fault Scarps. Itinerary, Pocatello, Idaho, to Salt Lake City, Utah.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 374-380.

Describes the geologic history of Lake Bonneville, the fault scarps of the mountains of the Great Basin, and the geology along the railroad from Pocatello to Salt Lake City.

214 — Great Salt Lake Valley, and Itinerary, Salt Lake City to Spanish Fork Canyon [Utah].

Int. Cong. Geol., Compte Rendu, 5th session, pp. 391-397.

Describes the geologic history of Great Salt Lake Valley and the local geology along the railroad to Spanish Fork Canyon.

215 —— Itinerary, Chicago to Niagara Falls.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 453-458.

Describes the local geology between Chicago and Niagara Falls, through Michigan and the Province of Ontario, and the geologic history of Niagara Falls.

216 — Itinerary, Albuquerque, N. Mex., to Flagstaff, Ariz., and to the Grand Canyon.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 468-474.

Describes the geology along the route traversed by the western excursion of the International Congress of Geologists.

217 — The name "Newark" in American stratigraphy.

Jour. of Geol., vol. ii, pp. 55-59.

Discusses the principles of stratigraphic nomenclature in reference to the use of the term "Newark" in geologic literature.

218 — Continental problems of geology.

Smith. Inst., Ann. Rept., 1891-92, pp. 163-173.

Noticed in Bibliography and Index for 1892 and 1893.

218a — The chemical equivalence of crystalline and sedimentary rocks.

Abstract: Am. Geol., vol. xiii, pp. 213-214.

219 Gorby (S. S.). [Natural resources of Indiana.]

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 9-16.

Reviews the developments in the coal, building stone, clays, gas, and petroleum industries of Indiana in 1893.

220 Grabau (Amadeus W.). The pre-Glacial channel of the Genesee River.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 359-369.

Abstract: Am. Geol., vol. xiv, pp. 397–398 ($\frac{1}{2}$ p.).

Describes the modern channel of the river, the topography of the adjacent region, the relations of the Genesee and Wyoming valleys and the Dansville-Rochester Valley, and gives a summary of conclusions.

221 Grant (Uly S.). The State of Minnesota.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 302-311.

Describes the topography, the outcrops of Archean and Algonkian, Cambrian, and Silurian formations, and the glacial deposits of the portion of the State crossed by the excursion.

222 — La Crosse to Minneapolis and Minneapolis to Moorhead.

Itinerary.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 312-317.

Describes the local geology along the route traversed by the excursion of the International Congress of Geologists.

223 — The geology of Kekequabic Lake, in northeastern Minnesota, with special reference to an augite soda-granite.

Minn. Geol. and Nat. Hist. Surv., 21st Ann. Rept., pp. 9-58, pls. i-ii, figs. 1-4.

Describes the topography and reviews the previous literature on the region. Describes the ancient clastic and igneous rocks and the field relations and petrographic characters of the granite.

224 —— Preliminary report of field work during 1893 in northeastern Minnesota.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 67-78.

Describes the topography and the lithologic character and structure of the Animike and Keweenawan beds of the region.

225 — Volcanic rocks in the Keewatin of Minnesota.

Science, vol. xxiii, p. 17.

Describes the petrographic characteristics of some volcanic rocks occurring in Keewatin strata.

226 — Note on the Keweenawan rocks of Grand Portage Island, north coast of Lake Superior.

Am. Geol., vol. xiii, pp. 437-439.

Describes the sedimentary and igneous rocks of this island and considers that the former belong to the lower part of the Keweenawan.

227 Gresley (W. S.). Cone-in-cone: how it occurs in the Devonian series in Pennsylvania, United States of America, with further details of its structure.

Geol. Soc. London, Quart. Jour., vol. l, pp. 731-739, pls. xxxv-xxxvi.

Abstract: Am. Geol., vol, xiv, pp. 399-400 (1/3 p.).

Describes the occurrence of cone-in-cone structure in Devonian beds of Pennsylvania.

228 Gresley (W. S.). The "slate binders" of the "Pittsburg" coal bed.

Am. Geol., vol. xiv, pp. 356-365, figs. 1-2.

Describes the character of the slate partings and discusses the different theories which may account for the formation of similar beds.

229 Grimsley (G. Perry). The granites of Cecil County, in northeastern Maryland.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 59-67, pls. 4-5, and pp. 78-114. Abstracts: Jour. of Geol., vol. ii, pp. 865-866; Am. Geol., vol. xiv, p. 398 (\frac{1}{2} p).

Describes the rock exposures and the microscopic characters of the granite, diorite, staurolitic mica-schist, and granite-gneiss found in this region. Gives a summary of conclusions.

229a Griswold (L. S.), Davis (W. M.) and. Eastern boundary of the Connecticut Triassic.

Geol Soc. Am., Bull., vol. v, pp. 515-530.

See Davis (W. M.) and Griswold (L. S.), No. 139.

229b Gulliver (F. P.). Ice sheet on Newtonville sand plain.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 178 (\frac{1}{3} p.) Noticed in Bibliography and Index for 1892 and 1893.

230 Gurlt (Adolf). On a remarkable deposit of wolfram ore in the United States.

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 236-242.

Describes an occurrence of wolfram ore in Fairfield County, Conn., in crystalline limestone and gneiss.

H.

231 **Hague** (Arnold). The great plains of the North. General sketch. Itinerary from Jamestown, N. Dak., to Livingston, Mont.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 319-325.

Describes the general geologic features of the great plains and the local geology of the route traversed by the Rocky Mountain excursion of the International Congress of Geologists.

232 — The Yellowstone Park.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 336-359.

Describes the geologic history of the park and the physical and geologic features of the route through the park traversed by the excursion.

232a — Geologic history of the Yellowstone National Park.

Smith. Inst., Ann. Rept., 1891-92, pp. 133-151.

Noticed in Record of North American Geology for 1887-1889.

233 Hall (James). The Livonia salt shaft; its history and geological relations, etc.

N. Y. State Mus., 47th Ann. Rept., pp. 205-214.

Gives an account of the geologic work done during the sinking of the Livonia shaft and describes the relations of the formations.

Bull. 135——4

234 Hall (James). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 170 (1/4 p.).

Remarks on the importance of considering both physical and faunal characters and the unequal value of fossils in the correlating of rocks.

[BULL. 135.

235 — and Clarke (J. M.). Paleontology of New York, vol. viii, pt. 2.

N. Y. State Mus., 47th Ann. Rept., pp. 797-851.

Includes a synopsis of contents of vol. viii, pt. ii, and a summary of "The evolution of the genera of the Palcozoic Brachiopoda" and description of new species figured in the same volume.

236 — An introduction to the study of the Brachiopoda, intended as a handbook for the use of students. Part II.

N. Y. State Mus., 47th Ann. Rept., pp. 945-1137.

Continues the description of genera began in part i, discusses the evolution and classification of the genera of the Brachiopoda, and gives a table of classification and an alphabetical index to genera and subgenera of the Brachiopoda.

236a — — An introduction to the study of the genera of Paleozoic Brachiopoda, vol. viii, part ii, fascicle i.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 319 (4 p.); Am. Jour. Sci., 3d ser., vol. xlviii, pp. 71-72.

Noticed in Bibliography and Index for 1892 and 1893.

237 Hallock (William). Note on further observations of temperature in the deep well at Wheeling, W. Va.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 173-175.

In tabular form shows the temperature of the water which had leaked into the well to a depth of 3,196 feet.

238 Halse (Edward). Notes on some gold-bearing veins of Zacatecas, Mexico.

Eng. and Mg. Jour., vol. lviii, p. 78 and pp. 105-107. Notes on the vein structure and character of the ore.

239 — Gold in Zacatecas, Mexico.

Eng. and Mg. Jour., vol. lviii, pp. 605-606. Brief description of the ore deposits.

240 **Harrington** (B. J.). The composition of limestones and dolomites from a number of geological horizons in Canada.

Can. Rec. Sci., vol. vi, pp. 27-32.

Gives the chemical composition of Cambrian, Silurian, Carboniferous, and Triassic limestones from different localities of Canada.

241 — On nepheline, sodalite, and orthoclase from the nepheline syenite of Dungannon, Hastings County, Ontario.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 16-18.

Abstract: Am. Geol., vol. xiv, p. 68 (5 1.).

Describes the chemical composition of the minerals mentioned.

242 Harris (Gilbert D.). The Tertiary geology of southern Arkansas.

Ark. Geol. Surv., Ann. Rept., 1892, vol. ii, pp. 1-207, with geologic map, pls. i-vii, and figs. 1-34.

Abstracts: Jour. of Geol., vol. ii, p. 867 (\(\frac{1}{2} \) p.); Am. Geol., vol. xiv, pp. 394-395 (\(\frac{1}{2} \) p.).

Reviews the literature on the Tertiary of this region. Describes the character of the rocks on which the Tertiary beds were deposited, the different stages of the Tertiary epoch and the fossil fauna, and includes the author's summary.

243 — On the geological position of the Eocene deposits of Maryland and Virginia.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 391-304, figs. 1-3.

Reviews previous determinations of fossils collected in this region and gives a general section of the Eocene series of the Southern States.

244 Harris (Hunter L.). A new instance of stream capture.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 27-29.

Describes briefly the drainage of Hominy Creek and Pigeon River, in North Carolina.

245 Harris (T. W.). The kames of the Oriskany Valley [New York].
Am. Geol., vol. xiii, pp. 384-390.

Describes the drainage systems of central and western New York and the glacial deposits of the Oriskany Valley.

246 Hastings (J. B.). Some notes on Idaho mines.

Eng. and Mg. Jonr., vol. lvii, pp. 267-268 (correspondence). Describes placer deposits of Snake River Valley.

247 — The Boise Basin, in Idaho.

Sci. Am. Suppl., vol. xxxviii, pp. 15540-15541; Eng. and Mg. Jour., vol. lviii, p. 56.

Describes the placer deposits and the character and structure of the quartz veins from which the placer gold was derived.

248 **Hatcher** (J. B.) A median horned rhinoceros from the Loup Fork beds of Nebraska.

Am. Geol., vol. xiii, pp. 149-150.

Names and describes Teleoceras major, a new genus from the Loup Fork beds of Nebraska.

249 — Discovery of Diceratherium, the two-horned rhinoceros, in the White River beds of South Dakota.

Am. Geol., vol. xiii, pp. 360-361 (correspondence).

Describes the type specimen found in the Oreodon beds (Protoceras beds of Wortman).

250 — On a small collection of vertebrate fossils from the Loup Fork beds of northwestern Nebraska; with note on the geology of the region.

Am. Nat., vol. xxviii, pp. 236-248, pls. i-ii.

Describes two new species from the Miocene of Nebraska and the lithologic character and structure of the Loup Fork beds in which they are found.

251 **Haworth** (Erasmus). Relative value of limestone, sandstone, and shale for stratigraphic work in Kansas.

Kans. Univ. Quart., vol. ii, pp. 102-104.

States that in Kansas the limestones are more important for stratigraphic purposes than either sandstone or shale, on account of their regularity and persistency in lateral extent.

252 — A geologic section along the Atchison, Topeka and Santa Fe Railroad, from Cherryvale to Lawrence and from Ottawa to Holliday [Kansas].

Kans. Univ. Quart., vol. ii, pp. 118-126.

Describes the strata along the line of this section and correlates certain beds with those of other sections previously described.

253 — Résumé of stratigraphy of eastern Kansas.

Kans. Univ. Quart., vol. ii, pp. 126-129.

Gives a general sketch of the succession of the formations in eastern Kansas as shown by the several sections previously described.

254 — The topography of eastern Kansas.

Kans. Univ. Quart., vol. ii, pp. 129-136.

Describes the general topographic features of eastern Kansas.

255 — The surface gravels of eastern Kansas.

Kans. Univ. Quart., vol. ii, pp. 136-142.

Describes the distribution of the gravels, and considers that they are residual products derived from the weathering of the underlying formations.

256 — and **Kirk** (M. Z.). A geologic section along the Neosho River from the Mississippian formation of the Indian Territory to White City, Kans., and along the Cottonwood River from Wyckoff to Peabody.

Kans. Univ. Quart., vol. ii, pp. 104-115.

Describes the limestones, sandstones, and shales outcropping along the Neosho and Cottonwood rivers.

257 — and **Piatt** (W. H. H.). A geologic section along the Verdigris River from the State line to Madison [Kans.]

Kans. Univ. Quart., vol. ii, pp. 115-118.

Describes the stratigraphy along the Verdigris River.

258 Hayes (C. Willard). Geology of a portion of the Coosa Valley, in Georgia and Alabama.

Geol. Soc. Am., Bull., vol. v, pp. 465-480, pl. 18.

Abstract: Am. Geol., vol. xiii, p. 142 (8 l.).

Describes the physical features of the region and the succession of the Cambrian, Silurian, and Devonian rocks. Discusses the structure and gives a sketch of its Paleozoic and post-Paleozoic history.

259 — On the Devonian (Oriskany) in the southern Appalachians.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 237-238 (communicated).

Mentions fossils of Devonian facies found in a ferruginous sandstone in Alabama which rests on Trenton or Hudson River strata. Considers the unconformity between the beds to be due to overlap of deposition and not to faulting.

260 Hayes (C. Willard). Ringgold folio. Georgia, Tennessee.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 2.

Describes the geography and the occurrence and character of the Cambrian, Silurian, Devonian, and Carboniferous strata and the mineral resources, including coal, iron, and the soils, of the region. Includes topographic, colored areal geologic, economic geologic, and structure section maps and a sheet of columnar sections.

261 — Kingston folio. Tennessee.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 4.

Describes the geography and drainage, the occurrence and lithologic character of the Cambrian, Silurian, Devonian, and Carboniferous strata, the geologic structure and the occurrence of coal, iron ores, and soils of the region. Includes topographic, colored areal geologic, economic geologic, and structure section maps and a sheet of columnar sections.

262 — Chattanooga folio. Tennessee.

U. S. Geol, Surv., Geologic Atlas of the United States, folio 6.

Describes the physiography, the occurrence and distribution of the Cambrian, Silurian, Devonian, and Carboniferous strata, the geologic structure, and the coal and iron deposits and soils of the region. Includes topographie, colored areal geologic, economic geologic, and structure section maps and a sheet of columnar sections.

263 — Sewanee folio. Tennessee.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 8.

Describes the physiography and drainage of the region, the occurrence and distribution of the Silurian, Devonian, and Carboniferous strata, the geologic structure and the mineral resources, including coal and iron. Contains topographic, colored areal geologic, economic geologic, and structure section maps and a sheet of columnar sections.

264 — and Campbell (M. R.). Geomorphology of the southern Appalachians.

Nat. Geog. Mag., vol. vi, pp. 63-126, pls. 4-6.

Reviews the previous work in the region. Describes the several types of the deformed Cretaceous peneplain, the deformation of the Cretaceous and Tertiary peneplains, and the drainage development as affected by dynamic movements. Includes a discussion of the sedimentary record.

265 **Herrick** (C. L.). Observations upon the so-called Waverly group of Ohio.

Ohio Geol. Surv., vol. vii, pp. 495-515.

Describes the character and distribution of the Waverly strata and gives list of fossils from different localities.

266 Hershey (Oscar H.). The Elk Horn Creek area of St. Peter sandstone, in northwestern Illinois.

Am. Geol., vol. xiv, pp. 169-179, with map.

Describes the lithologic character of the Lower Magnesian limestone, the St. Peter sandstone, and the Trenton limestone in the area and the deformation they have undergone. Gives a general summary of the geologic features of the region.

266a Hershey (Oscar II.). The Pleistocene rock gorges of northwestern Illinois.

Abstract: Jour. of Geol., vol. ii, pp. 240-241.

Noticed in Bibliography and Index for 1892 and 1893.

267 Hilgard (E. W.). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 167 (71).

Remarks on the consideration of the abundance and scarcity of species in the correlation of strata.

268 Hill (B. II.). Notes on Uintacrinus socialis Grinnell.

Kans. Univ. Quart., vol. ii, pp. 20-21.

Gives a diagram and brief description of the crinoid.

269 Hill (E. J.). An early observation on the history of the Great Lakes.

Am. Geol., vol. xiv, p. 405 (1/2 p.) (correspondence).

Gives an extract from a report of Alexander Henry in 1761, published in 1809.

270 Hill (Robert T.). Notes on the Tertiary and later history of the Island of Cuba.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 196-212.

Describes the metamorphic and igneous rocks, the pre-Tertiary sedimentaries, the Tertiary limestones, the post-Tertiary folding, the terraces and elevated coral reefs, and the cienagas. Discusses the different phases of the geologic history of the island as indicated by its topography.

271 — Geology of parts of Texas, Indian Territory, and Arkansas adjacent to Red River.

Geol. Soc. Am., Bull., vol. v, pp. 297-338, pls. 12-13.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 141 (* p.); Am. Geol., vol. xiii, pp. 208-209 († p.).

Describes the physiography of the region. Gives a list of the Cretaceons, Tertiary, and Pleistocene formations and their subdivisions, whose outcrops at different localities are described. Gives lists of fossils found at certain horizons, discusses the oscillations of land and sea, and includes the author's conclusions as to the Cretaceous section of the region. Plate 12 contains a geologic map and cross sections.

272 Hillebrand (W. F.). [Beaver Creek meteorite.]

Am. Jour. Sci., 3d. ser., vol. xlvii, pp. 431-435.

Discusses the chemical composition of this meteorite.

273 **Hind** (Wheelton). [On the occurrence of the genus Naiadites in the coal formation of Nova Scotia.]

Geol. Soc. London, Quart. Jour., vol. 1, pp. 437-442.

Gives a list of synonyms of Naiadites and describes the character of the genus.

274 **Hinde** (George Jennings). Note on the radiolarian chert from Angel Island and from Buri-Buri Ridge, San Mateo County, Cal.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 235-240.

Describes the occurrence of Radiolaria in cherts and the details of those forms which can be partially identified. 275 **Hinde** (George Jennings). [Origin of the novaculites of Arkansas.] Geol. Soc. London, Quart. Jour., vol. 1, pp. 391-392.

In discussion of paper by F. Rutley on the "Origin of certain novaculities and quartzites."

276 **Hitchcock** (C. H.). Glaciation of the White Mountains, New Hampshire.

Geol. Soc. Am., Bull., vol. v, pp. 35-37.

Discusses the evidences which indicate that glaciation has extended over the highest of the White Mountains.

276a — Ancient eruptive rocks in the White Mountains.
Abstract: Am. Geol., vol. xiii, p. 213 (3 p.).

277 **Hobbs** (William H.). Volcanite, an anorthoclase-augite rock chemically like the dacite.

Abstracts: Geol. Soc. Am., Bull., vol. v, pp. 598-602; Am. Geol., vol. xiii, p. 214 (7 l.).

Describes the petrographic character and chemical composition of a volcanic rock from the Lipari Islands.

278 — On a recent diamond find in Wisconsin and of the probable origin of this and other Wisconsin diamonds.

Am. Geol., vol. xiv, pp. 31-35, with map.

Describes the location and occurrence of the diamonds that have been found in Wisconsin.

279 — Differential faults.

Am. Geol., vol. xiv, pp. 35-37.

Describes a strike fault occurring in the Green Mountains of Massachusetts and Connecticut.

279a — Geological structure of the Hoosatonic Valley, lying east of Mount Washington, Massachusetts.

Abstract: Am. Geol., vol. xiii, p. 142 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

279b — The geologic structure of the Mount Washington mass of the Taconic range.

Abstract: Am. Nat., vol. xxviii, pp. 158-160.

Noticed in Bibliography and Index for 1892 and 1893.

280 **Hollick** (Arthur). Additions to the paleobotany of the Cretaceous formation of Long Island [NewYork].

Torrey Bot. Club, Bull., vol. xxi, pp. 49-65, pls. 174-180.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, p. 402.

Describes eight new species from this horizon.

281 — Fossil salvinias, including description of a new species.

Torrey Bot. Club, Bull., vol. xxi, pp. 253-257, pl. 205.

Refers to the literature of this genus and describes Salvinia elliptica Newb, from the Upper Cretaceous of Washington.

282 — A new fossil nelumbo from the Laramie group at Florence,

Torrey Bot. Club, Bull., vol. xxi, pp. 307-310.

Describes and figures a leaf of Nelumbo laramiensis n. sp.

283 **Hollick** (Arthur). Observations on the geology and botany of Marthas Vineyard [Mass.].

N. Y. Acad. Sci., vol. xiii, pp. 8-22.

Abstract: Am. Nat., vol. xxviii, pp. 265-266 (\frac{1}{3} p.).

Reviews the previous descriptions of the geology of Marthas Vineyard.

284 — [On previous descriptions of Spiraxis major and Spiraxis randalli from the Chemung sandstones.]

N. Y. Acad. Sci., Trans., vol. xiii, pp. 118-119.

Refers to descriptions of these species by Dr. Newberry and compares them with Cladoselache newberryi.

285 — Some further notes on the geology of the north shore of Long Island [NewYork].

N. Y. Acad. Sci., Trans., vol. xiii, pp. 122-130.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, p. 402.

Discusses the evidences which indicate the presence of Cretaceous strata and the distribution of the glacial deposits in this region.

285*a* — Recent investigations in the Cretaceous formation on Long Island, New York.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 175 (½ p.).

286 — Notes on the northward extension of the Yellow Gravel in New Jersey, Staten Island, Long Island, and eastward.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 175-176.

Brief note on the distribution of the Yellow Gravel.

287 **Holmes** (J. A.) Geology of the sand-hill country of the Carolinas.

Abstract: Geol. Soc. Am., Bull., vol. v, pp. 33-34.

Describes the section between the Neuse and Savannah rivers and the general features of the Cretaceous and Tertiary deposits.

288 **Holst** (Nils Olaf). [Classification of Pleistocene deposits.]
Int. Cong. Geol., Compte Rendu, 5th session, pp. 197-198.
Remarks on the unity of the Glacial period.

289 **Hopkins** (T. C.). Springs: the influence of stratigraphy on their emergence, as illustrated in the Ozark uplift.

Am. Geol., vol. xiv, pp. 365-368, with map.

Gives a general section of Paleozoic strata of northern Arkansas and describes the characters of the beds and the distribution of the springs.

289a — Marbles and other limestones.

Reviews: Jour. of Geol., vol. ii, pp. 339-341, by R. A. F. Penrose, jr.; Am. Nat., vol. xxviii, p. 337 ($\frac{1}{3}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

289b — Simonds (F. W.) and. The geology of Benton County, Ark.

Ark. Geol. Surv., Ann. Rept., 1891, vol. ii, pp. 1-75.

See Simonds (F. W.) and Hopkins (T. C.), No. 511.

290 Hovey (E. O.). Microscopic structure of siliceous oolite.

Geol. Soc. Am., Bull., vol. v, pp. 627-629, pl. 21. Abstract: Am. Geol., vol. xiii, pp. 223-224 (½ p.).

Describes the microscopic structure of siliceous oolite from Pennsylvania and New Jersey.

291 Hovey (E. O.). A study of the cherts of Missouri.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 401-409.

Abstracts: Jour. of Geol., vol. ii, p. 756 $(\frac{1}{2}$ p.); Am. Geol., vol. xiv, p. 196 $(\frac{1}{2}$ p.).

Describes the petrographic and chemical characteristics of the cherts and discusses their origin.

292 — Note on the petrography of certain basaltic bowlders from Thetford, Vt.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 161-164.

Gives a chemical analysis of the material and describes the petrographic characters.

292a Howe (W. T. H.), Penfield (S. L.) and. On the chemical composition of chondrodite, humite, and clinohumite.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 188-206.

See Penfield (S. L.) and Howe (W. T. H.), No. 417.

293 Howell (Edwin E.). Beaver Creek meteorite.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 430-435.

Describes the locality and finding of this meteorite and includes a discussion of its chemical composition by W. F. Hillebrand and of its microscopic characters by G. P. Merrill.

294 **Howorth** (Henry). [Mammoth remains of Canada and Alaska.] Geol. Soc. London, Quart. Jour., vol. 1, pp. 8-9.

In discussion of paper by G. M. Dawson on "Notes on the occurrence of mammoth remains in the Yukon district of Canada and Alaska."

295 Hubbard (Lucius L.). Macroscopic minerals of Michigan.

Michigan, Rept. of the State Board of Geol. Surv. for 1891 and 1892, pp. 174-176.

Gives a list of macroscopic minerals found in Michigan.

296 Hughes (T. McKenny). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 59 (4 p.).

Remarks on the complexity of the data to be considered in the correlation of rocks.

297 — [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 194-195.

Remarks on the possibility of chronologic and genetic classifications.

298 — Note on Walnut Canyon and its cliff dwellings.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 475-476. Describes the Carboniferous section exposed in this canyon.

299 Hull (Edward). [Mammoth remains of Canada and Alaska.]

Geol. Soc. London, Quart. Jour., vol. 1, p. 9 (4 p.).

In discussion of paper by G. M. Dawson, "Notes on the occurrence of mammoth remains in the Yukon district of Canada and Alaska."

300 — [Origin of the novaculites of Arkansas.]

Geol. Soc. London, Quart. Jour., vol. l, p. 392 (p.).

In discussion of paper by F. Rutley on the "Origin of certain novaculities and quartzites."

301 Huntington (Oliver Whipple). Further observations upon the procedurence of diamonds in meteorites.

Am. Acad. Arts Sci., Proc., vol. xxix, pp. 204-211.

Abstract: Am. Geol., vol. xiii, pp. 284-285 ($\frac{1}{5}$ p.).

Gives an account of the experiments employed in determining the presence of diamonds in the Canyon Diablo meteorite.

[BULL. 135,

302 — The Smithville meteoric iron.

Am. Acad. Arts Sci., Proc., vol. xxix, pp. 251-260, figs. 1-2.

Gives a chemical analysis of the material and an account of the finding of other meteoric iron masses in this portion of Tennessee, and the evidences indicating that they possess common characteristics and may have formed originally a part of the same mass.

302a — Kunz (George F.) and. The diamond in the Canyon Diablo meteoric iron.

Abstract: Eng. and Mg. Jour., vol. lvii, p. 394. Noticed in Bibliography and Index for 1892 and 1893.

303 **Hurlburt** (E. B.). On alunite from Red Mountain, Ouray County, Colo.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 130-131.

Describes the chemical and crystallographic characters of alunite from Colorado.

304 Hyatt (Alpheus). Trias and Jura in the Western States.

Geol. Soc. Am., Bull., vol. v, pp. 395-434.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 142-143; Am. Geol., vol. xiii, p. 148 ($\frac{3}{3}$ p.).

Discusses the age and faunal relations of the American and Sailors canyons deposits, California, and describes the fauna of the Upper Jura of California. Discusses the relative age of the rocks and describes the characters of fossils from different localities.

305 — Phylogeny of an acquired characteristic.

Am. Phil. Soc., Proc., vol. xxxii, pp. 349-640, pls. 1-14.

Describes the evidences which show that the tendency of shells toward becoming arcuate and coiled is general in the descendants of straight shells and not confined to any special series or time. Describes genera and species of Nautiloidea.

I.

305a Iddings (Joseph P.). The eruptive rocks of Electric Peak and Sepulchre Mountain, Yellowstone National Park.

Abstract: Am. Geol., vol. xiv, pp. 117-118.

Noticed in Bibliography and Index for 1892 and 1893.

305b — Genetic relationships among igneous rocks.

Abstracts: Am. Nat., vol. xxviii, p. 515 (½ p.); Am. Geol., vol. xiii, p. 195 (101).

Noticed in Bibliography and Index for 1892 and 1893.

305c — A dissected volcano.

Abstract: Am. Nat., vol. xxviii, p. 603 ($\frac{1}{3}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

306 Iddings (Joseph P.). Petrographical character of the layas.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 520-524.

Describes the petrographic character of the basaltic rocks collected by C. D. Walcott in the Grand Canyon of the Colorado.

307 — and Weed (Walter H.). Livingston Folio. Montana.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 1.

Abstract: Am. Jour. Sci., 3d ser., vol. xlviii, pp. 170-172.

Describes the geography and topography, the geologic relations of the mountain ranges, the character and occurrence of the Algonkian, Cambrian, Devonian, Carboniferous, Juratrias, Cretaceous, Tertiary, and Pleistocene strata and of the igneous rocks, and the occurrence of gold and coal. Includes topographic, colored areal geologic, economic geologic, and structure section maps, and a sheet of columnar sections.

307a — Yellowstone Valley from Livingston to Cinnabar.

Int. Cong. Geol., Compte Rendn, 5th Session, pp. 326-335. See Weed (W. H.) and Iddings (J. P.), No. 615.

307b Indiana, Department of Geology and Natural Resources. Eighteenth Annual Report, 1893.

· Abstract: Am. Geol., vol. xiv, pp. 125-126.

308 Ingall (Elfric Drew). Preliminary note on the limestones of the Laurentian system.

Can. Rec. Sci., vol. vi, pp. 88-91.

Describes the inclusions of gneisses and similar rocks in these limestones, and considers that they represent areas of gneiss altered into limestone in place and that their location has been determined by the bends and contortions of these rocks.

309 Ingersoll (Charles A.). On hemimorphic wulfenite crystals from New Mexico.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 193-195.

Describes the crystallographic characters of the crystals.

310 Ingram (Henry B.). The great bluestone industry.

Pop. Sci. Monthly, vol. xlv, pp. 352-359.

Abstract: Jour. of Geol., vol. ii, p. 647 (p.).

Describes the occurrence and character of flagstones in New York of Devonian age.

J.

311 James (Joseph F.). On the value of supposed algae as geological guides.

Am. Geol., vol. xiii, pp. 95-101.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 172-173 (\frac{1}{3} p.).

Quotes from different anthors as to the geologic occurrence and range of algae and their value as evidence in determining geologic horizons.

312 James (Joseph F.). Manual of the paleontology of the Cincinnati

Cin. Soc. Nat. Hist., Jour., vol. xvi, pp. 178-208.

Continues the description of fossils found in the Cincinnati group, from vol. xv, p. 159.

[BULL. 135.

313 — The St. Peters sandstone.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 115-135.

Gives a historical sketch of the earlier description of the St. Peters sandstone. Describes its distribution and lithologic character and mentions some of the fossils found in it.

313a — Remarks on the genus Arthrophycus Hall.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 172 (3 p.).

- 313b —— Studies in problematic organisms: the genus Fucoides.

 Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 173 (9 l.).
- 314 Jardin (Ed.). Formation du tuf calcaire ou travertin et des dépots siliceux par la végetation des sources d'eau chaude.

 Soc. Acad. de Brest, 2d ser., vol. xix, pp. 33-75.

Reviews the paper by W. H. Weed on the travertine deposits of the Yellowstone National Park and mentions the occurrence of deposits by hot spring waters in Virginia, Arkansas, and California.

315 **Jenney** (Walter P.). The lead and zinc deposits of the Mississippi Valley.

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 171-225 and 642-646.

Describes the topography of the lead and zinc mining regions of the Mississippi Valley, the secular upheavals and depressions, their influence on the formation of the ore deposits and the geologic occurrence of the ore bodies in Missouri and Wisconsin, and discusses the theories as to their manner of formation and deposition.

316 Jennings (E. P.). The Mesabi iron range.

Science, vol. xxiii, p. 73.

Describes the character and structure of the ore bodies in this region.

317 Joggar (T. A., jr.). Some conditions of ripple marks.

Am. Geol., vol. xiii, pp. 199-201 (correspondence).

Reviews paper by J. E. Spurr on "False bedding in stratified drift deposits."

318 Jones (Arthur J.). Coal Measures of Powsheik County [Iowa].

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 59-60.

Brief note on the occurrence of Coal Measures in this county.

319 — Cardiocarpus in Iowa.

Iowa Acad. Sci., Proc., vol. i, pt. iv, p. 61.

Note on the occurrence of seeds of this genus found in a seam of bituminous coal.

320 Jordan (E. T. J.). Natural gas.

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 198-218.

Discusses the evidences as to the loss of pressure in the gas wells of Indiana and the origin of natural gas.

K.

321 Keith (Arthur). Harpers Ferry folio. Maryland, Virginia, and West Virginia.

U. S. Gcol. Surv., Geologic Atlas of the United States, folio 10.

Describes the geography and drainage of the region, the occurrence of quartz-porphyry, andesite, Catoctin schist, and diabase, the occurrence and distribution of the Cambrian, Juratrias, and Tertiary strata, the geologic structure and the deposits of iron, copper, and building stones. Includes topographic, colored areal geologic, economic geologic, and structure section maps.

322 — Geology of the Catoctin belt.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 285-395, pls. xix-xxxix, fig. 43.

Describes the physical features and reviews the literature of this region—the eastern mountain belt of Maryland and Virginia. Describes the occurrence and composition of the granite, quartz-porphyry, andesite, and Catoctin schist, and discusses the relations of these igneous and volcanic rocks. Describes the occurrence and lithologic composition of the sedimentary beds of Cambrian, Silurian, and Juratrias age. Discusses the geologic structure and the geomorphology of the region.

323 **Kemp** (James Furman). Preliminary report on the geology of Essex County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 627-666.

Gives a list of 38 papers on the geology and mineralogy of the Adirondacks. Discusses the general geologic relations and reviews the schemes of classification of rocks of this region previously published. Describes the geology of the different townships of the county, illustrated by maps showing the distribution of the crystalline and sedimentary formations.

324 — [Relation of deformation to ore deposition.]

Geol. Soc. Am., Bull., vol. v, p. 32 (1/3 p.).

In discussion of paper by W. P. Blake on the "Wisconsin lead and zinc deposits."

325 — Gabbros on the western shore of Lake Champlain [N. Y.].

Geol. Soc. Am., Bull., vol. v, pp. 213-224.

Abstracts: Am. Geol., vol. xiii, pp. 214–215 ($\frac{1}{2}$ p.); Am. Nat., vol. xxviii, pp. 947–948.

Reviews the previous descriptions of the geology of the Adirondacks; describes the distribution of the gabbros, the composition of the anorthosytes, the occurrence and petrographic character of the basic gabbros, the titaniferous magnetite ore bodies and the contacts of gabbro and limestone.

326 — The ore deposits at Franklin Furnace and Ogdensburg, N. J.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 76-96.

Abstract: Am. Geol., vol. xiv, p. 202 (4 p.).

Describes the minerals and ore bodies of these localities; describes the general geologic relations, the character, and the structure of the ore bodies and discusses the origin of the ore. Gives a list of all minerals and a list of 32 papers on minerals and ores found at these localities. 327 Kemp (James Furman). An orbicular granite from Quonochontogue Beach, Rhode Island.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 140-144, pl. ii.

Abstract: Am. Geol., vol. xiv, p. 53 (p.).

Describes the occurrence of granite bowlders and their petrographic character.

328 — Additional note on leucite, in Sussex County, N. J.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 339-340.

Abstract: Am. Nat., vol. xxviii, p. 873 (6 l.).

Describes the occurrence of leucite in a dike rock of this locality.

328a — and Hollick (A.). The granite at Mounts Adam and Eve,

Warwick, Orange County, N. Y.

Abstract: Am. Geol., vol. xiii, p. 427 (\frac{1}{3} p.).

Noticed in Bibliography and Index for 1892 and 1893.

328b — and Marsters (V. F.). The trap dikes of the Lake Champlain region.

Abstract: Am. Geol., vol. xiii, pp. 426-427 (3 p.).

Noticed in Bibliography and Index for 1892 and 1893.

329 **Kennedy** (W.) Geology of Jefferson County, Tex.

Am. Geol., vol. xiii, pp. 268-275.

Gives the section displayed by a well boring to a depth of 400 feet. The greater portion of the county is considered to be of very recent origin.

330 — The age of the iron ores of east Texas.

Science, vol. xxiii, pp. 22-25.

Reviews the work previously done in this region. Describes the character of the ore bodies and discusses the evidence bearing on their geologic age.

331 Keyes (Charles Rollin). Crustal adjustment in the Upper Mississippi Valley.

Geol. Soc. Am., Bull., vol. v, pp. 231-242.

Abstract: Am. Geol., vol. xiii, pp. 210-211 ($\frac{1}{5}$ p.).

Describes the structure and character of the deformations of the Carboniferous basin of the Mississippi Valley and the character of the folds and faults of the region. Includes the author's summary of conclusions.

332 — The nature of coal horizons.

Jour. of Geol., vol. ii, pp. 178-186.

Describes the character of a coal horizon at time of formation, the stratigraphy of coal beds, and a coal horizon as it now exists.

333 — Origin of anthracite.

Am. Geol., vol. xiii, p. 411-415.

Reviews a paper by J. J. Stevenson on the origin of anthracite and describes some of the physical changes which vegetable material undergoes in the formation of coal.

333a Keyes (Charles Rollin). Coal deposits of Iowa.

Iowa Geol. Surv., vol. ii, p. 536, pls. i-xviii, figs. 1-222.

Discusses the origin of coal. Describes the geologic features of the Carboniferous basin of the Mississippi Valley, the geology of the coal area, the lithologic and stratigraphic characteristics of the Coal Measures, and the local features of the coal beds of the various counties of the State.

334 — Cretaceous formations of northwestern Iowa.

Abstract: Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 24-25.

Mentions the subdivisions of the Cretaceous found in this part of Iowa.

335 — Derivation of the Unione fauna of the Northwest.

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 25-29.

Describes the geographic and geologic distribution of Unionidae in North America.

336 — Process of formation of certain quartzites.

Abstract: Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 29-31. Describes the formation of the Sioux quartzite of Iowa.

336a — The Coal Measures of Iowa.

Abstracts: Eng. and Mg. Jour., vol. lvii, pp. 269-270, 295-297, and 317-318; Am. Geol., vol. xiii, pp. 353-354.

Noticed in Bibliography and Index for 1892 and 1893.

336b —— Some Maryland granites and their origin.

Review: Am. Geol., vol. xiii, p. 63 ($\frac{1}{2}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

336c — Epidote as a primary constituent of eruptive rocks.

Review: Am. Geol., vol. xiii, p. 63 (4 p.).

Noticed in Biliography and Index for 1892 and 1893.

336d Kindle (E. M.), Marsters (V. F.) and. Geologic literature of Indiana (stratigraphic and economic).

Ind. Acad. Sci., Proc., 1893, pp. 156-191.

See Marsters (V. F.) and Kindle (E. M.), No. 402.

336e King (Clarence). The age of the earth.

Smith. Inst., Ann. Rept., 1892-93, pp. 335-352.

Noticed in Bibliography and Index for 1892 and 1893.

337 King (Francis P.). A preliminary report on the corundum deposits of Georgia.

Ga. Geol. Surv., Bull. No. 2, pp. 133, with geologic map of north Georgia.

Gives a historical sketch of corundum and a description of its physical features, alterations, and associate minerals. Describes its geographic and geologic distribution in Georgia, and gives a list of 33 American papers on corundum.

338 — Natural and artificial abrasives.

Ga. Geol. Surv., Bull. No. 2, pp. 119-133.

Describes the character and occurrence of pumice, infusorial earth, tripoli, buhrstone, grindstones, oilstones, and whetstones.

339 Kingsley (J. S.). The classification of the Arthropoda.

Am. Nat., vol. xxviii, pp. 118-135 and 220-235.

Reviews the previous classifications of Arthropoda, presents the author's scheme of classification, with a description of the characters of different groups, and includes a bibliography of the literature cited, consisting of 81 papers.

[BULL. 135.

339a Kirk (M. Z.), Haworth (E.) and. A geologic section along the Neosho River from the Mississippian formation of the Indian Territory to White City, Kans., and along the Cottonwood River from Wyckoff to Peabody.

Kans. Univ. Quart., vol. ii, pp. 104-115. See Haworth (E.) and Kirk (M. Z.), No. 256.

340 Knowlton (F. H.). Fossil flora of Alaska.

Geol. Soc. Am., Bull., vol. v, pp. 573-590.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 137 (2 p.); Am. Geol., vol. xiii, p. 137 (4 l.).

Gives a historical review of the literature of the subject and a list of fossil plants heretofore collected in Alaska, and discusses the geologic age of the beds as shown by the fossil flora.

341 — Fossil wood from the Black Hills, South Dakota.

Jour. of Geol., vol. ii, pp. 260-261.

Describes the structure of the wood of genus Araucarioxylon.

342 — Fossil plants as an aid to geology.

Jour. of Geol., vol. ii, pp. 365-382.

Abstract: Am. Geol., vol. xiv, p. 335 (3 p.).

Discusses some of the principles of paleobotany, the use of fossil plants in restricted areas, the study of fossil plants by means of internal structure, and the subsidiary use of fossil plants.

343 — Note on a few fossil plants from the Fort Union group of Montana, with a description of one new species.

U. S. Nat. Mus., Proc., vol. xvi, pp. 33-36, pls. i-ii.

Describes and figures Populus meedsii n. sp. and Pterospermites cupanioides Newby. sp.

344 — A new fossil hepatic from the Lower Yellowstone in Montana. Torrey Bot. Club., Bull., vol. xxi, pp. 458-460, pl. 219. Describes and figures Precissites wardii n. gen. et sp.

344a Kreider (D. A.), Penfield (S. L.) and. Mineralogical notes. Am. Jour. Sci., 3d ser., vol. xlviii, pp. 141-144. See Penfield (S. L.) and Kreider (D. A.), No. 448.

334b Kummel (H. B.), Salisbury (R. D.) and. Surface geology. Lake Passaic, an extinct glacial lake.

> N. J. Geol. Surv., Rept. for 1893, pp. 225-328. See Salisbury (R. D.) and Kummel (H. B.), No. 492.

345 Kunz (George F.). Topaz from Texas.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 403-404 (communicated).

Gives the crystallographic measurements of topaz, and remarks on the characters of a diamond from Wisconsin.

346 Kunz (George F.). A new locality of true emeralds.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 429-430.

Describes the occurrence and physical character of emeralds found in North Carolina.

347 — Mineralogical notes.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 144-145.

Notes on topaz from Texas and diamonds from Wisconsin.

347a — and **Huntington** (O. W.). The diamond in the Canyon Diable meteoric iron.

Abstract: Eng. and Mg. Jour., vol. lvii, p. 394.

Noticed in Bibliography and Index for 1892 and 1893.

L.

348 Lakes (Arthur). Colorado's new gold camps.

Eng. Mag., vol. vii, pp. 623-638.

Describes the occurrence of gold ores at Cripple Creek, the silver ores of Creede, and the newly discovered gold belt at Leadville.

349 Lane (Alfred C.). Geologic activity of the earth's originally absorbed gases.

Geol. Soc. Am., Bull., vol. v, pp. 259-280.

Abstract: Am. Geol., vol. xiii, pp. 138-139.

Describes the nature of the absorbed gases and their importance in the crystallization of plutonic rocks. Discusses the possibility of deep-seated cracking, igneous phenomena and their causes, and the characteristics of contact and magnatic zones.

350 — Microscopic characters of rocks and minerals of Michigan.

Michigan, Rept. of State Board of Geol. Surv. for 1891-92, pp. 176-183. Describes the occurrence of quartz-diabase, amphibolite and hornblende schists and lamprophyres.

351 — What is Archean?

Science, vol. xxiii, p. 128.

Discusses the use of the terms Azoic and Archean.

352 Lawson (Andrew C.). The geology of Carmelo Bay.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 1-59, pls. 1-4.

Abstract: Am. Nat., vol. xxviii, pp. 57-58.

Describes the general physiography and geology of the region, the petrographic characters of the Santa Lucia granite of the Carmelo and Monterey series and of the eruptive rocks. Discusses the evidences of the ancient baselevels of the Pacific Coast. In this work Professor Lawson was assisted by Mr. Juan de la C. Posada.

353 — The Post-Pliocene diastrophism of the coast of southern California.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 115-160, pls. 8-9.

Reviews: Jour. of Geol., vol. ii, pp. 235-238, by R. D. Salisbury; Am. Geol., vol. xiv, pp. 335-338; Am. Nat., vol. xxviii, pp. 340-341 (½ p.).

Discusses the evidences which indicate an uplift of 800 to 1,500 feet along the coast of southern California during post-Pliocene time, and of a differential movement of the crust in the same region.

Bull. 135----5

354 Lawson (Andrew C.). The geomorphology of the coast of northern California.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp, 241-272.

Discusses the evidences of a general uplift along the northern California coast line in Pliocene time and of the more recent subsidence of the Golden Gate.

[BULL. 135.

355 — A multiple diabase dike.

Am. Geol., vol. xiii, pp. 293-297, pl. vii.

Describes a diabase dike occurring on an island near the northeast coast of Lake Superior, in which the dike is split up into 28 vertically intrusive sheets in a breadth of 14 feet. These sheets represent but one invasion of the magma, and the granite which they penetrate is apparently homogeneous.

356 — Note on the Chehalis sandstone.

Am. Gcol., vol. xiii, pp. 436-437 (correspondence).

Describes the occurrence of this sandstone in Washington, mentions the fossils found in it, which indicate that it belongs to the Eocene or Miocene, and discusses its bearing in determining the age of the Puget group.

357 Leonhard (A. G.). Occurrence of zinc in northeastern Iowa.

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 48-52.

Describes the character and occurrence of the ore and discusses the manner of its deposition.

358 — Satin spar from Dubuque [Iowa].

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 52-55.

Describes the occurrence of calcite in a cave near Dubuque, Iowa.

359 Leverett (Frank). [Origin of the "fringe."]

Geol. Soc. Am., Bull., vol. v, p. 17 (7 l.).

In discussion of remarks by W. Upham on the "Origin of the fringe on Long Island."

360 — [Character of material deposited during the retreat of the ice sheet.]

Geol. Soc. Am., Bull., vol. v, p. 84 (4 p.).

In discussion of paper by Warren Upham on "Evidences of the derivation of the kames, eskers, and moraines of the North American ice sheet, chiefly from its englacial drift."

360a — Changes of drainage in the Rock River Basin, in Illinois.

Abstracts: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 179 (3 p.); Am. Geol., vol. xii, p. 179 (3 p.).

360b — Evidences of the diversity of the older drift in northwestern Illinois.

Abstract: Am. Geol., vol. xii, p. 229 (1/3 p.).

360e — Chamberlin (T. C.) and. Further studies of the drainage features of the Upper Ohio Basin.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 247-283.

See Chamberlin (T. C.) and Leverett (Frank), No. 63.

360d Lewis (Henry Carvill). Papers and notes on the Glacial geology of Great Britain and Ireland. Edited by Henry W. Crosskey.

London: Longmans, Green & Co., 1894.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlviii, pp. 73-74; Jour. of Geol., vol. ii, pp. 747-750, by T. C. Chamberlin.

361 Lincoln (D. F.). The amount of glacial erosion in the Finger Lake region of New York.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 105-113.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 177-178.

Describes the outcrops of Silurian and Devonian strata and the topography and glaciated deposits in this region. Discusses the origin of the trough-like lake basins and includes a bibliography.

362 Lindgren (Waldemar). Sacramento folio. California.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 5.

Describes the geology of the gold belt of California and the occurrence of the auriferous slates, igneous rocks, Tertiary and Pleistecene strata, and the gold, copper, and iron deposits of the region. Includes topographic, colored areal geologic, economic geologic, and structure section maps.

363 — The gold-silver mines of Ophir, Cal.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 243-284, pls. xvii-xviii.

Describes the topographic and geologic features of the region, the petrographic characters of the granodiorite, amphibolite, and dike rocks, the different vein systems, the mineralogic characters of the ores, and the distribution of gold and silver in the veins. Discusses the movements along the veins and gives the author's conclusions.

364 — An auriferous conglomerate of Jurassic age from the Sierra Nevada.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 275-280.

Describes the lithologic character and the structure of the Mariposa and Calaveras formations of Jurassic and Carboniferous age occurring in Placer County, Cal., and gives a summary of the author's conclusions.

365 — and Turner (H. W.). Placerville folio. California.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 3.

Describes the general geology of the gold belt of California and the occurrence and distribution of the auriferous slates and Neocene gold-bearing gravels of the region. Includes topographic, colored areal geologic, economic geologic, and structure section maps.

- 366 Lonsdale (E. H.). Southern extension of the Cretaceous in Iowa. Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 39-43.

Mentions some of the exposures of the Cretaceous in Iowa and describes the topography of the region in which they occur and the removal of portions of these beds by the glacial ice sheet.

367 — Topography of the granite and porphyry region of Missouri. Iowa Acad. Sci., Proc., vol. i, pt. iv., pp. 43-48.

Describes the topography of the region and its relation to the Archean and Cambrian rocks of the region.

N. Y. State Mus., 47th Ann. Rept., pp. 219-324.

Describes the geologic formations passed through in sinking the Livonia shaft to a depth of 1,432 feet and gives the vertical section displayed and a list of fossils found at various horizons.

369 Lyman (Benjamin Smith). Age of the Newark brownstone.

Am. Phil. Soc., Proc., vol. xxxiii, pp. 5-10.

Abstract: Am. Gcol., vol. xiii, p. 284 (61.).

Quotes from several descriptions of fossils found at this horizon, which indicate that some of these beds may be of Paleozoic rather than of Mesozoic age.

370 — Some new red horizons.

Am. Phil. Soc., Proc., vol. xxxiii, pp. 192-215, three plates.

Abstracts: Jour. of Geol., vol. ii, pp. 644-645; Am. Nat., vol. xxviii, pp. 878-879.

Reviews the evidences on which the red horizons cast of the Blue Ridge have been assigned to the Mesozoic. Describes the outcrops in Connecticut, New Jerscy, Pennsylvania, Virginia, and North Carolina, and gives lists of all the fossils found at different localities in these States. Considers that certain of these beds may be of Permian age.

371 —— Some Coal Measure sections near Peytona, W. Va.

Am. Phil. Soc., Proc., vol. xxxiii, pp. 282-309, two maps and cross sections.

Describes a large number of exposures of the Coal Measures in this region.

372 — The name "Newark" in American stratigraphy.

Jour. of Geol., vol. ii, pp. 59-61.

Differs with G. K. Gilbert as to the use of the term "Newark." See No. 217.

M.

373 McCalley (Henry). Bauxite mining.

Science, vol. xxiii, pp. 29-30.

Describes the character and chemical composition of some of the Georgia and Alabama bauxite deposits.

374 McCallie (S. W.). A preliminary report on the marbles of Georgia. Ga. Geol. Surv., Bull. No. 1, p. 87.

Gives a historical sketch of the marble industry, discusses the origin of limestones, and describes the marbles of Fannin, Gilmer, Pickens, and Cherokee counties, Ga.

375 McCarn (H. L.). Notes on the geology of the gold field of Cripple Creek, Colorado.

Science, vol. xxiii, pp. 31-35.

Describes the structure of the ore bodies and discusses the evidence as to their origin.

376 McGee (W J). The potable waters of eastern United States.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 1-47, figs. 1-5.

Describes the occurrence and source of potable waters and the methods of obtaining and utilizing cistern water, stream water, ground water, and phreatic water supplies.

377 McGee (W J). [Extra-morainic drift of New Jersey.]

Geol. Soc. Am., Bull., vol. v, pp. 17-18.

Discusses the evidences which have been found of the existence of glacial deposits south of the terminal moraine in New Jersey.

378 — [Terrestrial submergence southeast of the American Continent.]

Geol. Soc. Am., Bull., vol. v, pp. 21-22.

In discussion of paper by J. W. Spencer on the same subject.

379 — [Cenozoic history of eastern Virginia and Maryland.]
Geol. Soc. Am., Bull., vol. v, p. 24 (* p.).

In discussion of paper by N. H. Darton on the same subject.

[On the Columbia and Lafayette formations.] Geol. Soc. Am., Bull., vol. v, p. 100 (* p.).

Describes the relations of the Columbia and Lafayette formations, in the discussion of a paper by Warren Upham on "The succession of Pleistocene formations in the Mississippi and Nelson River basins."

381 — Graphic comparison of post-Columbia and post-Lafayette erosion.

Abstracts: Am. Assoc. Adv. Sci., Proc., vol. xhi, p. 179 ($\frac{1}{5}$ p.); Am. Geol., vol. xii, p. 180 ($\frac{1}{5}$ p.).

382 — Glacial canyons.

Jour. of Geol., vol. ii, pp. 350-364.

Discusses the effects of the several agencies involved in the development of glacial canyons.

383 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 160-166.

Explains the principles of correlation developed in the study of the Coastal Plain and Atlantic and Gulf slopes of the United States.

384 —— [Classification of Pleistocene deposits.]

Int. Cong. Gcol., Compte Rendu, 5th session, pp. 198-207.

Remarks on the importance of land forms as products of geologic agencies in Pleistocene time, discusses the claims of genetic classification, and presents the author's scheme of a classification of the Pleistocene deposits.

385 — The Prairies. Itinerary from Kansas City, Mo., to Chicago, Ill.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 449-452.

Describes the surface features of the prairies and the local geology between the points named along the route traversed by the western excursion of the International Congress of Geologists.

386 — The Lafayette formation.

Review: Jour. of Geol., vol. ii, pp. 435-439, by J. W. Spencer.

Abstract: Am. Geol., vol. xiv, pp. 115-116.

Noticed in Bibliography and Index for 1892 and 1893.

387 — Williams (G. H.), Willis (B.) and Darton (N. H.). Geology of Washington and vicinity.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 219-251.

Describes the general and local physiography, the rocks of the Piedmont Plateau and the Coastal Plain, and the crystalline and elastic rocks of the immediate vicinity of Washington.

388 Manson (Marsden). A reply to "Causes and conditions of glaciation."

> Am. Geol., vol. xiv, pp. 192-194 (correspondence). Reviews statements of a recent paper on the same subject.

389 Marcou (Jules). Growth of knowledge concerning the Texas Cretaceous.

Am. Geol., vol. xiv, pp. 98-105.

Reviews the previous work on the Cretaceous deposits of Texas and gives a table of "Evolution of knowledge of the Texas Cretaceous."

390 — Note on the geological map of the State of New York.

Am. Geol., vol. xiv, pp. 257-259 (correspondence).

Quotes from the 12th Ann. Report of the State Geologist for the year 1892, with comments.

391 Marsh (Othniel C.). Restoration of Camptosaurus.

Am. Jour. Sci., 3d ser., vol. xlvii, Appendix, pp. 245-246, pl. vi; Geol. Mag., dec. iv., vol. i, pp. 193-195, pl. vi; Sci. Am. Suppl., vol. xxxvii, pp. 15209-15210.

This restoration is based on a type specimen of Camptosaurus dispar from the Atlantosaurus beds of Wyoming.

392 — Restoration of Elotherium.

Am. Jour. Sci., 3d ser., vol. xlvii, Appendix, pp. 407-408, pl. ix; Geol. Mag.; dec. iv, vol. i, pp. 294-295, pl. x.

The restoration is based on type specimen of Elotherium crassum from the Miocene beds of Colorado and others from the same horizon of South Dakota.

393 — A new Miocene mammal.

Am. Jour. Sci., 3d ser., vol. xlvii, Appendix, p. 409.

Describes and figures the last upper molar of an animal called Heptacodon curtus from the Miocene of South Dakota.

394 — Footprints of vertebrates in the Coal Measures of Kansas. Am. Jour. Sci., 3d ser., vol. xlviii, Appendix, pp. 81-84, pls. ii-iii; Geol.

Mag., dec. iv, vol. i, pp. 337-339, pl. xi; Sci. Am. Suppl., vol. xxxviii, pp. 15491-15492.

Describes five new genera and species from the Carboniferous of Kansas.

395 — The typical Ornithopoda of the American Jurassic.

Am. Jour. Sci., 3d ser., vol. xlviii, Appendix, pp. 85-90, pls. iv-vii. Describes Camptosaurus, Dryosaurus, Laosaurus, and Nanosaurus.

396 — Eastern division of the Miohippus beds, with notes on some of the characteristic fossils.

Am. Jour. Sci., 3d ser., vol. xlviii, Appendix, pp. 91-94.

Describes two new genera and five new species from the Miocene beds of Oregon.

397 — Miocene Artiodactyla from the eastern Miohippus beds.

Am. Jour. Sci., 3d ser., vol. xlviii, Appendix, pp. 175-178, figs. 1-7. Describes one new genus and a new species from the Miocene of South Dakota.

398 Marsh (Othniel C.). Description of Tertiary Artiodactyla.

Am. Jour. Sci., 3d ser., vol. xlviii, Appendix, pp. 259-274, figs. 1-34.

Review: Am. Nat., vol. xxviii, pp. 867-869.

Describes 13 new species and 3 new genera of ungulate mammals from the Miocene.

399 — A gigantic bird from the Eocene of New Jersey.

Am. Jour. Sci., 3d ser., vol. xlviii, p. 344.

Describes Barornis regens from the upper marl beds.

400 — A new Miocene tapir.

Am. Jour. Sci., 3d ser., vol. xlviii, p. 348 ($\frac{1}{3}$ p.).

Describes Tanyops undans from the Miocene of South Dakota.

401 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 156-159.

Remarks on the study of the succession of vertebrate life and presents a columnar section to illustrate the vertebrate life in America.

402 Marsters (Vernon F.) and Kindle (E. M.). Geologic literature of Indiana (stratigraphic and economic).

Ind. Acad. Sci., Proc., 1893, pp. 156-191.

Comprises a bibliography and index of stratigraphic and economic geologic literature of Indiana.

403 Matthew (G. F.). Post-Glacial faults at St. John, New Brunswick.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 501-503, pl. xi.

Describes briefly faults of small displacement occurring in post-Glacial deposits.

404 — Movements of the earth's crust at St. John, New Brunswick, in post-Glacial times.

New Brunswick Nat. Hist. Soc., Bull., No. xii, pp. 34-42.

Describes the character of certain recent faults in this vicinity, and gives a table showing the amount of each displacement.

405 — The outlets of the St. John River [New Brunswick].

New Brunswick Nat. Hist. Soc., Bull., No. xii, pp. 43-62.

Describes the earlier outlets of this river and discusses the genesis of the valleys which form the drainage system of the region.

406 — Ancient myriapods.

Can. Rec. Sci., vol. vi, pp. 93-99.

Reviews the previous description of fossil myriapods and gives a brief description of some of the characteristics of the several families.

406a — Illustrations of the fauna of the St. John group, No. VIII.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlviii, pp. 72-73 ($\frac{2}{8}$ p.); Am. Geol., vol. xiv, pp. 187-188.

Noticed in Bibliography and Index for 1892 and 1893.

407 **Matthew** (W. D.). The intrusive rocks near St. John, New Brunswick.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 185-203, pl. v.

Describes the general character of the Laurentian rocks of the region and the petrographic characters of the granite-diorite and gabbro, and gives a summary of results.

408 Matthew (W. D.). The crystalline rocks near St. John, New Brunswick, Canada.

New Brunswick Nat. Hist. Soc., Bull., No. xii, pp. 16-33.

Describes the general character of the formations in this vicinity and discusses the origin and composition of igneous rocks. Describes the granite, gabbro, and volcanic rocks of the region.

408a — Antennæ in trilobites.

Abstract: Am. Nat., vol. xxviii, pp. 266–267 ($^\circ_3$ p.). Noticed in Bibliography and Index for 1892 and 1893.

409 Mawby (W.). Notes on the Triassic rocks of New Jersey, United States of America.

Liverpool Gool. Soc., Proc., vol. vii, pp. 206-212.

Describes the general distribution of Triassic rocks of eastern North America and compares them with the Trias of Europe. Describes the general character and distribution of the glacial deposits of New Jersey.

410 **Meissner** (C. A.). Analysis of limestones and dolomites of the Birmingham (Ala.) district.

Ala. Ind. and Sei. Soc., Proc., vol. iv, pp. 12-23.

Describes the occurrence of limestone and dolomite in this region and gives chemical analyses of some of these rocks.

411 Memminger (C. J.). Florida kaolin deposits.

Eng. and Mg. Jour., vol. lvii, p. 436.

Brief description of kaolin deposits of Lake County, Fla., with a chemical analysis.

412 Merrill (George Perkins). [Beaver Creek meteorite.]
Am. Jour. Sei., 3d ser., vol. xlvii, p. 435.

Discusses the microscopic characteristics of this meteorite.

412a — Emmons (S. F.) and. Geological sketch of Lower California.

Geol. Soc. Am., Bull., vol. v, pp. 489-514, pl. 19.

See Emmons (S. F.) and Merrill (G. P.), No. 184.

413 Miller (S. A.). Paleontology.

Ind. Dept. Geol. and Nat. Res., 18th Rept., pp. 257-333, pls. i-xii.

Describes a large number of new species, mainly from the Carboniferous and Silurian deposits of the Mississippi Valley.

414 — and **Faber** (C. L). New species of fossils from the Hudson River group, and remarks upon others.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 22-33, pl. i.

Describes seven new species of fossils from the Silurian of Ohio.

415 — Description of some Cincinnati fossils.

Cin. Soc. Nat. Hist., Jour., vol. xvii, pp. 137-158.

Describes ten new species from the Hudson River group of Ohio and Indiana.

415a Minnesota, Geological and Natural History Survey. Twenty-first Annual Report.

Abstracts: Am. Geol., vol. xiii, pp. 425-426; Am. Nat., vol. xxviii, p. 593 (\(\frac{1}{8} \) p.).

415b Minor (J. C., jr.), Penfield (S. L.) and. On the chemical composition and related physical properties of topaz.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 387-396. See Penfield (S. L.) and Minor (J. C., jr.), No. 449.

416 Moeller (W. H.). The Mercur gold deposits in the Camp Floyd district, Utah.

Eng. and Mg. Jour., vol. lvii, p. 51 (correspondence).

Describes the character and structure of the gold deposits.

417 **Mudge** (E. H.). Drainage systems of the Carboniferous area of Michigan.

Am. Geol., vol. xiv, pp. 301-308.

Describes the topography and drainage systems of the Carboniferous area in Michigan and discusses the genesis of the river systems.

N.

418 Nason (Frank L.). The economic geology of Albany County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 459-481, pls. 1-7.

Describes the occurrence of building stones, flagstones, clays, and sand banks in this county.

419 — Economic geology of Ulster County [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 569-600, pls. 1-5.

Describes the occurrence of Rosendale or natural cement and the building stone and clays of this county.

420 — Origin of the iron pyrites deposits in Louisa County, Va.

Eng. and Mg. Jour., vol. lvii, pp. 414-416.

Describes the vein formation of these ore bodics, compares them with the New Jersey iron ore deposits, and discusses the evidence as to the origin of the ores, and suggests that they were leached out from the shore rocks at the time of deposition of the inclosing sedimentaries, and were precipitated contemporaneously with the formation of the latter.

421 — [The lead and zinc deposits of the Mississippi Valley.]

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 636-642.

In discussion of paper by W. P. Jenney on the same subject.

422 — The chemical composition of some of the white limestones of Sussex County, N. J.

Am, Geol., vol. xiii, pp. 154-164.

Gives several chemical analyses of the limestones in this county, and discusses the evidence indicating that the white crystalline limestone and the blue "magnesian" limestone are of contemporaneous origin.

423 — Summary of facts proving the Cambrian age of the white limestones of Sussex County, N. J.

Am. Geol., vol. xiv, pp. 161-169.

Gives a summary and discussion of the evidences which indicate that the white limestones, heretofore considered to form a part of the Azoic crystalline rocks, belong to the Cambrian formation.

424 Newell (Frederick H.) Results of stream measurements.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 95-155, figs. 6-24.

Describes the character and methods of obtaining the data and gives the results obtained in different streams in the Western States.

[BULL. 135.

424a New Jersey, Geological Survey. Annual Report, 1892.

Abstract: Am. Nat., vol. xxviii, pp. 336-337 (1/2 p.).

424b Niles (William H.). A geological study of Lake Mohonk and Lake Minnewaska, New York.

Abstract: Am. Geol., vol. xiii, p. 211 (7 l.).

425 **Norton** (William Harmon). Notes on the lower strata of the Devonian series in Iowa.

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 22-24.

Divides the series mentioned into four stages, and describes the lithologic character of the beds and mentions some of the contained fossils.

Ο.

426 Orton (Edward). Geological scale and geological structure of Ohic.

Ohio Geol. Surv., vol. vii, pp. 3-44.

Gives a vertical section of the geologic formations of Ohio and describes their character and distribution.

427 — The clays of Ohio, their origin, composition, and varieties.
Ohio Geol. Surv., vol. vii, pp. 45-68.

Describes the origin of clay bods and their geologic distribution.

428 — The coal fields of Ohio.

Ohio Geol. Surv., vol. vii, pp. 253-290.

Discusses the origin of coal and describes the various coal seams of the Carboniferous strata in Ohio.

429 — Geological surveys of Ohio.

Jour. of Geol., vol. ii, pp. 502-516.

Gives a historical sketch of the geological surveys of Ohio.

430 — From the Ohio River to Chicago. Itinerary.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 291–298.

Describes the region traversed by the Western excursion, with special reference to the gas wells.

431 Orton (Edward, jr.). The clay-working industries of Ohio.

Ohio Geol. Surv., vol. vii, pp. 69-254.

Describes the origin, chemical composition, and physical properties of clay, and gives an account of the clay-working industries.

431a Osann (A.). Eleolite rocks of Trans-Pecos, Texas.

Abstract: Am. Nat., vol. xxviii, pp. 514-515.

Noticed in Bibliography and Index for 1892 and 1893.

431b — Nepheline-mellilite rocks of Texas.

Abstract: Am. Nat., vol. xxviii, pp. 799-800 (\frac{1}{3} p.).

Noticed in Bibliography and Index for 1892 and 1893.

432 Osborn (H. F.). The evolution of teeth in Mammalia in its bearing upon the problem of phylogeny.

N. Y. Acad. Sci., Trans., vol. xii, p. 187. Abstract: Am. Geol., vol. xiii, p. 357 (½ p.).

433 — A division of the eutherian mammals into the Mesoplacentalia and Cenoplacentalia.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 234-237.

Separates these mammals into two groups, one distinctive of the Mesozoic and the other of the Tertiary.

433a — A new suborder of the Ancylopoda.

Abstract: Am. Geol., vol. xiii, p. 357 (9 l.).

Noticed in Bibliography and Index for 1892 and 1893.

433b — and Wortman (J. L.). Fossil mammals of the Lower Miocene White River beds; collection of 1892.

Am. Mus. Nat. Hist., Bull., vol. vi, pp. 199-228, pls. ii-iii.

Gives a table showing the succession of species in the White River Miocene. Describes new characters of Rhinoceroses, the osteology of Metamynodon, and the characters of Oreodon and Anthracotherium.

P.

434 Packard (R. L.). Variscite from Utah.

hornblende picrite.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 297-298.

Abstract: Am. Nat., vol. xxviii, p. 873 (5 l.).

Describes the characteristics of this material and gives its chemical analysis.

435 Palache (Charles). The soda-rhyolite north of Berkeley, Cal.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 61-72, pl. 5.

Abstract: Am. Nat., vol. xxviii, p. 602 (p.).

Describes the occurrence, geologic relations, and petrographic and chemical characteristics of a soda-rhyolite occurring in this vicinity.

436 — The lherzolite-serpentine and associated rocks of the Potrero, San Francisco, Cal.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 161-180.

Describes the outcrops and petrographic character of the serpentine and of an intrusive rock, and discusses their relations to the San Francisco sandstone.

437 — On a rock from the vicinity of Berkeley [Cal.] containing a new soda amphibole.

Univ. of Cal., Dept., of Geol., Bull., vol. i, pp. 181–192, pls. 10–11. Describes the minerals and secondary veins of the rock and the microscopic and chemical characters of the amphibole.

438 Patton (Horace B.). Microscopic study of some Michigan rocks.

Michigan, Report of State Board of Geol. Surv. for 1891-92, pp.

184-186.

Describes the general characters of the igneous rocks of Michigan, with special mention of diabase altered to kaolin and quartz, and of

439 Pavlow (A.). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 195-196.

Discusses the principles of chronologic and genetic classification.

440 Peale (Albert C.). Natural mineral waters of the United States. U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 51-88.

Gives a definition of mineral water, discusses its origin, the source of mineralization, and its geologic and geographic distribution and gives a list of American mineral spring resorts.

441 — Livingston to the Snake Plains. Itinerary, Bozeman to Butte, Mont.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 365-367.

Describes the geology of the route traversed by the Rocky Mountain excursion between these points.

441a — The Paleozoic section in the vicinity of Three Forks, Montana. With petrographic notes by G. P. Merrill.

Abstract: Am. Geol., vol. xiv, p. 394 (‡ p.).

Noticed in Bibliography and Index for 1892 and 1893.

441b Pearce (Richard). The occurrence of gold in ores of the Cripple Creek district [Colorado].

Abstract: Eng. and Mg. Jour., vol. lvii, p. 271. Noticed in Bibliography and Index for 1892 and 1893.

442 Peckham (S. F.). On the origin of bitumens; a retrospect.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 389-395.

Gives an account of observations in different parts of the United States on the occurrence of petrolenm and bitumen, and concludes that they have not had a uniform derivation, and discusses the probability of their distillation by metamorphic action.

443 — Petroleum in southern California.

Science, vol. xxiii, pp. 74-75.

Gives a historical sketch of the development of the petroleum industry in California, and presents a section showing the succession of strata in certain wells.

443a Peet (C. E), Salisbury (R. D.) and. Surface geology. Drift phenomena of the Palisade ridge.

N. J. Geol. Surv., Rept. for 1893, pp. 157-224. See Salisbury (R. D.) and Peet (C. E.), No. 493.

444 **Penfield** (S. L.). Contributions to the crystallization of willemite.

Am. Jour. Sci., 3d scr., vol. xlvii, pp. 305–309.

Abstract: Am. Nat., vol. xxviii, pp. 873-874 (\frac{1}{2} p.).

Describes the crystallographic characters and cleavage of willemite from New Mexico.

445 — On the crystallization of herderite.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 329-339.

Abstracts: Am. Geol., vol. xiii, p. 427 (8 l.); Am. Nat., vol. xxviii, p. 871 (\frac{1}{2} p.).

Describes the characteristics of herderite from five localities in Maine.

446 Penfield (S. L.). Mineralogical notes.

Am. Jour. Sei., 3d ser., vol. xlviii, pp. 114-118.

Describes the crystallographic characters of octahedrite from Arkansas, penfieldite, and the cleavage and parting planes of orthoclase and albite.

446a — Pentlandite.

Abstract: Am. Nat., vol. xxviii, p. 519 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

447 — and **Howe** (W. T. H.). On the chemical composition of chondrodite, humite, and elinohumite.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 188-206.

Abstracts: Am. Nat., vol. xxviii, pp. 872-873 ($\frac{2}{3}$ p.); Am. Geol., vol. xiii, pp. 358-359 ($\frac{1}{4}$ p.).

Describes the crystallographic characters of chondrodite from Warsaw and Brewster, N. Y.

448 — and Kreider (D. A.). Mineralogical notes.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 141-144.

Discusses the identity of hydrofranklinite and chalcophanite.

and Minor (J. C., jr.). On the chemical composition and related physical properties of topaz.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 387-396.

Abstract: Am. Geol., vol. xiii, p. 427 (10 l.).

Gives a list of the localities from which the specimens examined were obtained and the chemical analyses of some of the specimens, discusses the related physical properties, and compares the characteristics of topaz and herderite.

450 **Penhallow** (D. P.). Note on inter-Glacial plants from the Don Valley [Ontario].

Am. Geol., vol. xiii, pp. 93-95.

Describes Fraxinus quadrangulata Michx., Taxus baccata L. var. canadensis Gray, and Quercus obtusiloba Michx.

451 — Notes on Erian (Devonian) plants from New York and Pennsylvania.

U. S. Nat. Mus., Proc., vol. xvi, pp. 105-114, pls. ix-xiv.

Describes and figures a number of new species found in Devonian strata at different localities of the States named.

452 **Penrose** (R. A. F., jr.). The superficial alteration of ore deposits. Jour. of Geol., vol. ii, pp. 288-317.

Discusses the relation of alteration in ore deposits and in country rocks, the agents, method, chemical and physical effects, and depth of alteration, and the characteristics of alteration in iron, manganese, copper, lead, zine, gold, silver, and other metallic deposits. Describes the formation of haloid compounds in ore deposits in arid regions.

453 Phillips (William B.). The phosphate rocks of Tennessee.

Eng. and Mg. Jour., vol. lvii, p. 417.

Describes the character of the phosphate rock of Hickman County, Tenn., and the lithologic character of the associated strata. Gives a typical vertical section of the beds, which are of Devonian age, and chemical analyses of the phosphate. 454 Phillips (William B.). On the phosphate rock of Tennessee.

Ala. Ind. Sci. Soc., Proc., vol. iv, pp. 44-48.

Gives a brief description of the phosphate rock and its chemical analysis.

454a Piatt (W. H. H.), Haworth (E.) and. A geologic section along the Verdigris River from the State line to Madison [Kans.].

Kans. Univ. Quart., vol. ii, pp. 115-118.

See Haworth (E.) and Piatt (W. H. H.), No. 257.

455 Pirsson (L. V.). On the crystallization of enargite.

Am. Jour. Sei., 3d ser., vol. xlvii, pp. 212-215.

Abstracts: Am. Geol., vol. xiii, p. 359 (5 l.); Am. Nat., vol. xxviii, p. 870 (\frac{1}{3} p.).

Describes the crystallographic characters of enargite from the Ida and National Belle mines of Colorado.

456 — On some phonolite rocks from the Black Hills.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 341-346.

Abstract: Am. Nat., vol. xxviii, pp. 702-703.

Describes the chemical and petrographic characters of phonolite, from the Black Hills.

456a — The geology of Conanicut Island, Rhode Island.

Abstract: Am. Nat., vol. xxviii, pp. 420-421 (½ p.). Noticed in Bibliography and Index for 1892 and 1893.

457 — and **Wells** (H. L.). On the occurrence of leadhillite from Missouri, and its chemical composition.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 219-226.

Describes the occurrence, crystallographic characters, and chemical composition of leadhillite.

458 Pollard (C. L.). [Note on fossil leaves from Great Neck, Long Island, N. Y.]

N. Y. Acad. Sci., Trans., vol. xiii, pp. 180-181.

Note on the occurrence of fossil leaves in the Cretaceous on Long Island, N. Y.

459 Poole (Henry S.). The Pictou coal field; a geological revision.

Nova Scotian Inst. Sci., Proc. and Trans., 2d ser., vol. i, pp. 227-343, with geologic map and sections.

Describes several faults which occur in this district and the lithologic character of the Cambro-Silurian, Silurian, Devonian, Carboniferous, and Permian beds, and gives the sections exposed in a number of coal mines.

459a Posada (Juan de la C.). The geology of Carmelo Bay [California]. See Lawson (A. C.), No. 352.

460 Posepny (F.). The genesis of ore deposits.

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 197-369, figs. 1-100.

Reviews the general facts and theories concerning the origin of ore deposits, describes the constitution and effects of underground circulating waters, the character of ore deposits occurring in fissures and in soluble rocks, those occurring in distinctly stratified rocks and in crystalline schists and cruptive rocks, and those formed by chemical and mechanical influences of the surface region. Advocates the ascension theory of the formation of ore deposits.

461 Powell (John W.). Report of the Director.

U. S. Geol. Surv., 14th Ann. Rept., pt. i, p. 321.

Describes the plans for topography and geology for 1893-94, the progress of geologic work during 1892-93 in classifying and correlating sedimentary and igneous rocks, and gives a summary of the work in terrestrial physics. Includes the administrative reports of topographers and geologists in charge of the various divisions of the U. S. Geological Survey.

462 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 159-160 ($\frac{1}{3}$ p.). Considers that both physical and biotic evidence must be used in the correlation of rocks.

463 Pratt (J. H.). Mineralogical notes on cerrusite, calamine, and zircon.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 212-215.

Describes the crystallographic characters of cerrusite from Montana, calamine from Colorado, and zircon from Ontario.

464 **Prindle** (L. M.). Note on an apatite crystal from Alexander County, N. C.

Johns Hopkins Univ. Circ., vol. xiii, No. 112, p. 83.

Describes the crystallographic characters of the crystal.

465 Prosser (Charles S.). The Devonian system of eastern Pennsylvania and New York.

U. S. Geol. Surv., Bull. No. 120, pp. ix + 81, pls. i-ii, fig. 1.

Describes the lithologic character of the Devonian beds along several section lines in eastern Pennsylvania and New York and gives lists of fossils collected and the author's conclusions.

466 Pumpelly (Raphael). Geology of the Green Mountains in Massachusetts.

U. S. Geol. Surv., Monograph xxiii, pp. 34, pls. i-iii, figs. 1-8.

Discusses the structure and correlation of the Archean, Algonkian, Cambrian, and Silurian strata of the region.

467 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 173-174.

Remarks on the correlation of the deposits of the Lake Superior region.

468 Purington (Chester Wells). Geological and topographical features of the region about Atlanta, Ga.

Am. Geol., vol. xiv, pp. 105-108, with map of Georgia and sections.

Describes peculiar topographic forms resulting from the long-continued action of the atmosphere on the red clay and soils, which are the products of the disintegration of the gneiss of the region.

R.

469 Rand (Theodore D.). The Sadsbury steatite [Pennsylvania].

Phil. Acad. Nat. Sci., Proc., 1894, pp. 455-460.
Describes the outcrops of steatite occurring in Chester County, Pa.

470 Randall (F. A.). Preliminary report on the geology of Cattaraugus and Chautauqua Counties [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 713-719.

Gives diagrammatic, vertical, and cross sections of the strata of these counties, with notes on the distribution of the several formations.

471 Ransome (F. Leslie). The eruptive rocks of Point Bonita.

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 71-114, pls. 6-7.

Abstracts: Am. Geol., vol. xiv, pp. 321-326; Am. Nat., vol. xxviii, p. 419.

Describes the occurrence and petrographic characters of the spheroidal basalt and diabase, the relations of the cruptive rocks, and the character and occurrence of sedimentary rocks and their relations to the cruptive rocks in this vicinity.

472 — The geology of Angel Island [California].

Univ. of Cal., Dept. of Geol., Bull., vol. i, pp. 193-233.

Abstract: Jour. of Geol., vol. ii, pp. 863-864.

Describes the sedimentary formations and the occurrence, petrographic character, and contact metamorphism of the fourchite and serpentine rocks, and gives chemical analyses of the fourchite and serpentine.

473 Rauff (Hermann). Palæospongiologie. Erster Theil.

Paleontographica, Band. 40, pp. 1-346.

Reviews the literature of the subject and describes species, including a number from the Paleozoic strata of different parts of North America.

474 Raymond (R. W.). A new classification of economic geological deposits.

Eng. and Mg. Jour., vol. lviii, pp. 412-413.

Discusses the principles of classification in general and reviews the proposed classification of W. O. Crosby.

475 **Reid** (Harry F.). [On the upward movement within a glacier.]
Geol. Soc. Am., Bull., vol. v, pp. 84-85 (\frac{1}{2} p.).

In discussion of paper by W. Upham on "Evidences of the derivation of the kames, eskers, and moraines of the North American ice sheet, chiefly from its englacial drift."

476 Rickard (T. A.). [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 589-591.

In discussion of paper on the same subject by F. Posepny.

477 Ries (Heinrich). A Pleistocene lake bed at Elizabethtown, Essex County, N. Y.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 107-109.

Describes the formation of this lake bed and the process of lake filling now going on.

478 — On some new forms of wollastonite from New York.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 146-147 and 207-208.

Describes the crystallographic characters of this mineral.

479 Ries (Heinrich). Microscopic organisms in the clays of New York State.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 165-169.

Contains notes on the occurrence of diatoms in these clays and a list of species found.

480 — On the occurrence of Cretaceous clays at Northport, Long Island [N. Y.].

School of Mines Quart., vol. xv, pp. 354-355.

Gives a list of fossil plants found in these beds which indicate that they are of Cretaceous age.

481 Rowley (R. R.). New species of crinoids and brachiopods from the Missouri Hamilton.

Am. Geol., vol. xiii, pp. 151-154, figs. 1-10.

Describes four new species from the Hamilton beds of Callaway County, Mo.

481*a* Russell (Israel C.). Second expedition to Mount St. Elias, in 1891.

Abstract: Am. Geol., vol. xiv. pp. 190–191.

Noticed in Bibliography and Index for 1892 and 1893.

481b — A geological reconnoissance in central Washington.

Abstract: Am. Geol., vol. xiv, pp. 51-52 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

481c — Malaspina glacier.

Abstract: Am. Nat., vol. xxviii, pp. 1025-1027.

Noticed in Bibliography and Index for 1892 and 1893.

482 Rutley (Frank). On the origin of certain novaculites and quartzites.

Geol. Soc. London, Quart. Jour., vol. 1, pp. 377-392, pl. xix.

Abstract: Am. Geol., vol. xiv, p. 253 (1/2 p.).

Quotes from a paper by L. S. Griswold on the novaculites of Arkansas, and discusses the evidences as to the origin of these rocks.

S.

483 Safford (James M.). Phosphate-bearing rocks in middle Tennessee; preliminary notice.

Am. Geol., vol. xiii, pp. 107-109.

Describes the lithologic characters of the Devonian strata in which the phosphate occurs and the character of the phosphatic material.

484 Salisbury (Rollin D.). Superglacial drift.

Jour. of Geol., vol. ii, pp. 613-632.

Describes the character of superficial drift of alpine glaciers, piedmont glaciers, and of a continental ice sheet.

485 — The drift: its characteristics and relationships.

Jour. of Geol., vol. ii, pp. 708-724 and 837-851.

Defines drift and describes the thickness, lithologic composition, and structure of the drift, the topography of the drift and drift-covered area, the relation of the drift to the underlying rock, and the characteristics of the rock underlying the drift.

Bull. 135——6

486 Salisbury (Rollin D.). Surface geology: the Yellow gravel. N. J. Geol. Surv., Rept., 1893, pp. 39-72.

Describes the deposition and distribution of the Yellow gravel. Di cusses the evidences as to the age of these beds.

487 —— Surface geology: extra-morainic drift.
N. J. Geol. Surv., Rept., 1893, pp. 73-123.

Describes the character and distribution of the drift on the Triass formation and on the area to the north of it.

488 — Surface geology: the terminal moraine.
N. J. Geol. Surv., Rept., 1893, pp. 124-151.

Describes the course of the terminal moraine in New Jersey as show on the map which accompanies the report.

489 — Surface geology: drift deposits made under the influence of stagnant ice.

N. J. Geol. Surv., Rept., 1893, pp. 152-156.

Describes a peculiar type of terraces formed between a valley ic lobe and the bounding rock slope of the valley.

- 490 [On the twofold division of the Columbia formation.]

 Geol. Soc. Am., Bull., vol. v, p. 24 (\frac{1}{3} p.).

 In discussion of paper by N. H. Darton on the "Cenozoic history ceastern Maryland and Virginia,"
- 491 [Time break between the Lafayette and Columbia formations.
 Geol. Soc. Am., Bull., vol. v, p. 100 (61.).
 In discussion of paper on the "Succession of Pleistocene formation in the Mississippi and Nelson River basins," by Warren Upham.
- 491a A phase of superficial drift.

 Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 180 (7 l.).
- 491b An illustration of the effect of stagnant ice in Sussex County N. J.

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 180 (3 p.).

492 — and **Kümmel** (Henry B.). Surface geology: Lake Passaic an extinct glacial lake.

N. J. Geol. Surv., Rept., 1893, pp. 225-328.

Discusses the classification of shore features and lacustrine deposits and describes the shores of Lake Passaic, its lacustrine deposits, and the history and deformation of the lake basin.

493 — and **Peet** (Charles E.). Surface geology: drift phenomena or the Palisade ridge.

N. J. Geol. Surv., Rept., 1893, pp. 157-224.

Describes the topographic relations of the ridge, the glacial stria and erosion, the perched blocks, and other glacial phenomena.

494 Sardeson (F. W.) Note on "Nanno."

Am. Geol., vol. xiv, pp. 402-403 (correspondence).

Refers to a previous article and descriptions,

495 Schuchert (Charles.) A revised classification of the spire-bearing brachiopods.

Am. Geol., vol. xiii, pp. 102-107.

Describes the family and subfamily characters on which the new classification is based.

495a —— Spire-bearing genera of the Paleozoic Brachiopoda, Paleozoic of New York, vol. viii, part ii, fas. i.

Review: Am. Geol., vol. xiii, pp. 128-132.

Gives an abstract of "An Introduction to the study of the genera of the Paleozoic Brachiopoda," by James Hall, assisted by John M. Clarke; Paleontology of New York, vol. viii, part ii, fas. i.

495b — Diller (J. S.) and. Discovery of Devonian rocks in California.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 416-422. See Diller (J. S.) and Schuchert (C.), No. 154.

496 Scott (William B.) Notes on the osteology of Agricherus Leidy (Artionyx O. and W.).

Am. Phil. Soc., Proc., vol. xxxiii, pp. 243-251.

Abstract: Am. Nat., vol. xxviii, pp. 952-953 (3 p.).

Describes and figures fragmentary skeletons from the White River bad lands of South Dakota and discusses the systematic position of the genus.

497 — The structure and relationships of Ancodus.

Phil. Acad. Nat. Sci., Jour., 2d ser., vol. ix, pp. 461-497 and 536, pls. xxiii-xxiv.

Describes the dentition, skull, vertebral column, and limbs of A. brachyrbynchus, and discusses the relationships of Ancodus.

498 — The osteology of Hyænodon.

Phil. Acad. Nat. Sci., Jour., 2d ser., vol. ix, pp. 499-535.

Describes a new species and gives a restoration of Hyaenodon and discusses its relationships.

499 — Notes on the osteology of Ancodus (Hyopotamus).

Geol. Mag., dec. iv, vol. i, pp. 492-493.

Describes the principal characteristics of Ancodus brachyrhynchus from material found in the Tertiary beds of South Dakota.

499a — Mammalia of the Deep River beds.

Abstract: Am. Nat., vol. xxviii, pp. 790-791.

Noticed in Bibliography and Index for 1892 and 1893.

500 — The later Tertiary lacustrine formations of the West.

Abstracts: Geol. Soc. Am., Bull., vol. v, pp. 594-595; Am. Jour. Sci., 3d ser., vol. xlvii, pp. 139-140 (\frac{1}{2} p.); Am. Geol., vol. xiii, pp. 141-142.

Describes the distribution and faunal characteristics of the later Tertiary beds in western United States.

501 Scudder (Samuel H.). The effect of glaciation and of the Glacial period on the present fauna of North America.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 179-187.

In tabular form gives a list of described American Quaternary Coleoptera, showing their locality and the forms to which they are allied, their regional distribution in North America, and the species common to different regions.

to those of Florissant, Colo.

Am. Phil. Soc., Proc., vol. xxxii, pp. 163-245, pls. i-ix.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 481 (1/2 p.); Am. Nat., vol. xxviii, pp. 951-952.

Gives a historical account and list of the European Tertiary Tipulidæ and description of species from Colorado.

502a — American Tertiary Aphidæ.

Abstract: Am. Nat., vol. xxviii, p. 881 (3 p.).

Noticed in Bibliography and Index for 1892 and 1893.

502b —— Insect fauna of the Rhode Island coal field.

Abstract: Am. Gcol., vol. xiv, p. 330 (\frac{1}{5} p.). Noticed in Bibliography and Index for 1892 and 1893.

503 Seamon (W. H.). The present condition of the earth's interior as viewed from the standpoint of the nebular hypothesis.

Am. Geol., vol. xiv, pp. 20-25.

Discusses the different theories as to the condition of the interior of the earth.

504 Selwyn (Alfred R. C.). Volcanic rocks in the Keewatin.

Science, vol. xxiii, pp. 107-108.

In a letter to Professor Dana, dated Montreal, December 9, 1879, discusses the character of volcanic rocks in pre-Cambrian strata.

505 Shaler (Nathaniel Southgate). Pleistocene distortions of the Atlantic seacoast.

Geol. Soc. Am., Bull., vol. v, pp. 199-202.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 138 (p.); Am. Geol., vol. xiii, pp. 143-144.

Discusses the evidences of orogenic action in Pleistocene time in the region of Marthas Vineyard, and the extent, character, and origin of the movements.

506 —— Relation of mountain growth to formation of continents.

Geol. Soc. Am., Bull., vol. v, pp. 203-206.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 138-139 (3 p.); Am.

Geol., vol. xiii, p. 144 (\frac{1}{2} p.).

Describes the limitations as to the positions of mountains, and discusses the origin and occurrence of the broad belt of crust which supports the arches of strata formed by mountain-building forces, and on which the mountains lie in short ridges. Discusses the causes of mountain uplifting above sea level.

507 — Phonomena of beach and dune sands.

Geol. Soc. Am., Bull., vol. v, pp. 207-212.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 139 (3 p.); Am. Geol., vol. xiii, pp. 144-145 (3 p.).

Discusses the causes of the resistance of beach sands to erosion, and describes their action in protecting seacoasts from erosion and their source of supply. Describes the resistance of dune sands to the percolation of water and the manner in which the material is transported.

508 Shaler (Nathaniel Southgate). On the distribution of earthquakes in the United States since the close of the Glacial period.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 246-256.

Abstract: Am. Geol., vol. xiv, pp. 396-397 (p.).

Discusses the evidences of earthquake shocks indicated by the action of the ocean wave in moving poised blocks and unstable topographic forms along coast lines and by the overturning of unstable bodies on land. Gives the results of observations of these phenomena on the coast lines of the United States.

508a — The origin and nature of soils.

Am. Geol., vol. xiv, pp. 114-115 ($\frac{1}{3}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

508b Sherborn (Charles Davies). An index to the genera and species of Foraminifera.

Smith, Inst., Misc. Coll., vol. xxxvii, pt. i (a to non) ii+240 pp.

509 Siebenthal (C. E.). The geology of Dallas County, Ark.

Ark. Geol. Surv., Ann Rept., 1891, vol. ii, pp. 279-318.

Describes the topographic and geologic features of the county and the occurrence of potter's clay.

510 Simonds (Frederick W.). [Glacial geology of Lake Cayuga and vicinity, New York.]

Am. Geol., vol. xiv, pp. 58-62 (correspondence).

Reviews the paper by R. S. Tarr on Lake Cayuga, a rock basin.

511 — and **Hopkins** (T. C.). The geology of Benton County, Ark. Ark. Geol. Surv., Ann. Rept., 1891, vol. ii, pp. 1-75.

Describes the topographic features of the county, the drainage and springs, the lithologic character and distribution of the Silurian, Devonian, and Carboniferous formations, and the character and occurrence of economic products.

512 Simpson (Charles T.). On some fossil unios and other fresh-water shells from the drift at Toronto, Canada; with a review of the distribution of the Unionidæ of northeastern North America.

U. S. Nat. Mus., Proc., vol. xvi, pp. 591-595.

Gives a list of the fossils collected and discusses the geologic and geographic distribution of the Unionidæ in northeastern North America.

513 Simpson (George B.). A discussion of the different genera of Fenestellidæ.

N. Y. State Mus., 47th Ann. Rept., pp. 881-921.

Discusses the relations of the genera and includes remarks on the various genera of Fenestellidæ.

514 — Glossary and explanations of specific names of Bryozoa and corals described in volume vi, Palæontology of New York, and other reports.

N. Y. State Mus., 47th Ann. Rept., pp. 925-941.

515 Smith (Eugene A.). Geological surveys in Alabama.

Jour. of Geol., vol. ii, pp. 275-287.

Gives an account of the operations of the various geological surveys of Alabama.

516 — The post-Eocene formations of the Coastal Plain of Alabama.

Am. Jour. Sci., 3d scr., vol. xlvii, pp. 285-296.

Describes the Pleistocene, Pliocene, Miocene, and Eocene deposits of Alabama and reviews previous descriptions of these and other beds of the Mississippi Valley.

517 — Geological map and explanatory chart of Alabama.

Ala. Geol. Surv., Montgomery, Alabama.

Contains a colored geologic map of the State and a sheet explaining the lithologic character and distribution of the formations.

518 — Langdon (Daniel W., jr.), and Johnson (Lawrence C.). On the geology of the Coastal Plain of Alabama, Cretaceous, Tertiary, and post-Tertiary formations.

Ala. Geol. Surv., pp. xxiv+759, pls. i-xxix.

Contains a general sketch of the geology of Alabama and a description of the lithologic and faunal characters, and the distribution in Alabama of the Cretaceous, Tertiary, and post-Tertiary formations.

519 **Smith** (Erastus G.). Artesian wells as a source of water supply. Sci. Am. Suppl., vol. xxxvii, pp. 15065–15066.

Discusses briefly the geologic conditions essential to the existence of artesian wells and the chemical character of artesian water supply.

520 Smith (George Otis). Notes on crystals of scapolite, gypsum, and fayalite recently acquired by the university cabinet.

Johns Hopkins Univ. Circ., vol. xiii, No. 112, pp. 81-83.

Describes the crystallographic characters of the crystals mentioned.

521 Smith (James Perrin). The Arkansas Coal Measures in their relation to the Pacific Carboniferous province.

Jour. of Geol., vol. ii, pp. 187-203.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii. p. 482 (101.).

Compares the Coal Measures of Arkansas with the Permo-Carboniferous beds of Kansas and Nebraska and discusses the classification and age of the Arkansas coal beds and the character of the Carboniferous strata in other parts of western United States. Presents a table showing the correlation of the Arkansas Coal Measures with those of the Pacific Carboniferous province.

522 — The metamorphic series of Shasta County, Cal.

Jour. of Geol., vol. ii, pp. 588-612.

Describes the geologic structure in this county and the lithologic character and fauna of the Carboniferons and Juratrias formations.

523 — Age of the Auriferous slates of the Sierra Nevada.

Geol. Soc. Am., Bull., vol. v, pp. 243-258.

Abstracts: Am. Geol., vol. xiii, p. 215 (p.); Am. Nat., vol. xxviii,

pp. 414-415 (½ p.).

Reviews the opinions of other writers on this subject and the results shown by recent discoveries and determination of fossil forms from the Carboniferous, Triassic, and Jurassic strata at different localities in the Sierra Nevada. Discusses the correlation of the Mariposa and Aucellabearing rocks with the Jura of Europe.

524 Smyth (C. H., jr.). On gabbros in the southwestern Adirondack region [New York].

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 54-65.

Describes the petrographic characters of the gabbro of the southwest corner of Hamilton County and the contact of the gabbro and gneiss.

525 — A group of diabase dikes among the Thousand Islands, St. Lawrence River.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 209-214.

Describes the occurrence of the dikes and the microscopic character of the dike rocks.

526 — Report on a preliminary examination of the general and economic geology of four townships in St. Lawrence and Jefferson counties [N. Y.].

N. Y. State Mus., 47th Ann. Rept., pp. 687-709, with map.

Describes the character of the crystalline and sedimentary rocks of the region, and discusses the evidences as to their stratigraphic relations. Discusses the evidences as to the origin of the iron ores of the region, and describes the talc and marble industries.

527 — On a basic rock derived from granite.

Jour. of Geol., vol. ii, pp. 667-679.

Abstract: Am. Geol., vol. xiv, p. 195 (10 l.).

Describes the character and origin of the rock and the microscopic and chemical characteristics of the alteration product occurring in hematite deposits of Jefferson County, N. Y.

528 **Smyth** (Henry Lloyd). Relations of the Lower Menominee and Lower Marquette series in Michigan (preliminary).

Am. Jour. Sei., 3d ser., vol. xlvii, pp. 216-223.

Abstract: Am. Geol., vol. xiii, p. 359 ($\frac{1}{3}$ p.).

Describes the lithologic characters and succession of these two series, discusses their structure and distribution, and gives a summary of conclusions.

529 — The quartzite tongue at Republic, Mich.

Jour. of Geol., vol. ii, pp. 680-691, figs. 1-5.

Describes the geologic structure of the region and the characteristics of the quartzite and jasper tongues that extend from the main mass of quartzite.

530 Spencer (Arthur C.). Occurrence in Iowa of fossiliferous concretions similar to those of Mazon Creek.

Iowa Acad. Sci., Proc., vol. i, pt. iv, p. 55.

Describes the occurrence of plant remains in the Carboniferous of Iowa.

531 Spencer (Joseph W.). Deformation of the Lundy Beach and birth of Lake Erie.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 207-212.

Describes the formation of Lundy Beach and its effect on the drainage of the Great Lakes and gives an estimate of the rate of uplift in the Niagara district.

532 Spencer (Joseph W.). The duration of Niagara Falls.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 455-472

Abstracts: Am. Geol., vol. xiv, p. 204 (7 l.); Am. Nat., vol. xxviii, pp. 859-862.

[BULL. 135.

Reviews the different opinions as to the age of the falls, describes the topography and geology of the region, and discusses the history of the Great Lakes and Niagara River, the age of the falls as shown by terrestrial movements, and the relationship of the falls to geologic time. Gives a summary of conclusions.

533 — The rock basin of Cayuga Lake [New York].

Am. Geol., vol. xiv, pp. 134-135 (correspondence).

Reviews the evidence indicating that Lake Cayuga occupies a rock basin.

534 — The age of Niagara Falls.

Am. Geol., vol. xiv, pp. 135-136 (correspondence).

Gives a brief statement of the results of the writer's studies in the region of the Great Lakes.

535 — A review of the history of the Great Lakes.

Am. Geol., vol. xiv, pp. 289-301, pl. viii.

Discusses the evidence of a former high continental elevation and describes the character of the lake basin, the drainage of the region, the formation of the modern lakes, the history of the Niagara River, and the changes of the outlets of the lakes.

536 — Terrestrial submergence southeast of the American Continent.

Abstracts: Geol. Soc. Am., Bull., vol. v, pp. 19-21; Am. Geol., vol. xii, p. 168 (\(\frac{2}{3}\) p.); Am. Nat., vol. xxviii, p. 51 (\(\frac{2}{3}\) p.).

Discusses the evidences of a submergence in this region.

537 — Niagara Falls as a chronometer of geological time.

Abstract: Roy. Soc. of London, Proc., vol. 1, pp. 145-148. Communicated by Prof. T. G. Bonney.

538 — The Yumuri Valley of Cuba.

Geol. Mag., dec. iv, vol. i, pp. 499-502.

Describes the formation of the valley in Pleistocene time.

538a — The Paleozoic group: The geology of ten counties of north-western Georgia and resources.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, p. 78 (‡ p.).

Review: Jour. of Geol., vol. ii, pp. 335-339, by E. A. Smith. Noticed in Bibliography and Index for 1892 and 1893.

538b — The drainage of the Great Lakes in the Mississippi by way of Chicago.

Abstract: Am. Nat., vol. xxviii, p. 884 (\frac{1}{2} p.), by the author.

538e — The restoration of the Antillean Continent.

Abstract: Am. Nat., vol. xxviii, pp. 881-884, by the author.

539 Spurr (J. E.). The iron ores of the Mesabi range [Minnesota].

Am. Geol., vol. xiii, pp. 335-345.

Abstract: Eng. and Mg. Jour., vol. lvii, pp. 583-584.

Describes the structure of the rock formations, the character of the iron-bearing rocks and the changes they have undergone, and discusses the origin of the ore deposits.

540 — The iron-bearing rocks of the Mesabi range, in Minnesota.

Minn. Geol. and Nat. Hist. Surv., Bull., No. x, pp. viii+259, pls. i-xii. Abstract: Am. Geol., vol. xiv, pp. 251-252.

Review: Jour. of Geol., vol. ii, pp. 545-546, by T. C. Hopkins.

Describes the structure and stratigraphy of the range and the microscopic character of certain groups of the iron-bearing rocks. Discusses the classification of these rocks and the nature of the agents that have affected them, and the formation, structure, and origin of the ore bodies. Includes a summary statement of the author's conclusions.

541 — Preliminary report on field work done in 1893.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 115-124.

Describes the area mapped and the topographic and geologic methods employed. Discusses the origin and age of the granite of Giants range and describes the schists and Thompson slates of the Keewatin series, the Cretaceous outliers, and the glacial phenomena.

542 — False bedding in stratified drift deposits.

Am. Geol., vol. xiii, pp. 43-47, figs. 1-2.

Describes the mode of formation of false bedding in a stratified drift deposit in northeastern Minnesota.

543 — Oscillation and single current ripple marks.

Am. Geol., vol. xiii, pp. 201-206 (correspondence).

Continues the discussion of the evidence of ripple marks described in No. 542.

544 — The stratigraphic position of the Thompson slates.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 159-166.

Describes the geographic distribution of this series in eastern Minnesota and their relations to the surrounding rocks. Reviews previous correlations, and discusses the evidences indicating their geologic age and their correlation with the Keewatin of the Mesabi range rather than with the Animikie.

545 **Stanton** (Timothy W.). [On some Mesozoic and Tertiary exhibits at the World's Columbian Exposition.]

Am. Geol., vol. xiii, pp. 289-290 (correspondence).

Refers to the nomenclature of certain specimens from the Cretaceous and their geographic and stratigraphic occurrence.

545a — The Colorado formation and its invertebrate fauna.

Review: Jour. of Geol., vol. ii, pp. 751-752, by H. F. Bain.

Abstracts: Am. Nat., vol. xxviii, p. 510 ($\frac{1}{8}$ p.); Am. Geol., vol. xiv, p. 51 ($\frac{1}{8}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

545b — Diller (J. S.) and. The Shasta-Chico series.

Geol. Soc. Am., Bull., vol. v, pp. 435-464.

See Diller (J. S.) and Stanton (T. W.), No. 155.

545e Stanton (Timothy W.), Turner (H.W.) and. Notes on the geology of the Coast range of California.

Am. Geol., vol. xiv, pp. 92-98.

See Turner (H. W.) and Stanton (T. W.), No. 566.

546 Stevenson (John J.). Origin of the Pennsylvania anthracite.

Geol. Soc. Am., Bull., vol. v, pp. 39-70, pl. 2.

Abstract; Am. Nat., vol. xxviii, pp. 160-161.

Describes the coal areas of Pennsylvania and discusses the extent of deformation of the coal basins and the causes of variation in the volatile combustibles of Pennsylvania coals. Discusses the evidences of metamorphism in the formation of coal, reviews the different theories, and gives the author's hypothesis as to the origin of coal beds.

546a — Use of the name "Catskill."

Abstract: Am. Assoc. Adv. Sci., Proc., vol. xlii, p. 171 († p.).

547 Storms (W. H.). Ancient channel system of Calaveras County [Cal.].

Cal. State Mg. Bureau, 12th Rept., pp. 482-492, with two maps and cross sections.

Describes the character and occurrence of the ancient river channels of this region.

548 Stose (George W.). A specimen of Ceratiocaris acuminata Hall from the Water Lime of Buffalo, N. Y.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 369-371.

Gives a description of the specimen.

548a Streeruwitz (W. H. von). Trans-Pecos, Texas.

Abstract: Am. Nat., vol. xxviii, p. 263.

Noticed in Bibliography and Index for 1892 and 1893.

T.

549 Tarr (Ralph S.). The origin of drumlins.

Am. Geol., vol. xiii, pp. 393-407.

Reviews the theories advanced to explain the formation of drumlins. Describes their distribution and discusses the evidences as to their mode of formation. Concludes that they may have been formed by glacial erosion.

550 — Lake Cayuga a rock basin.

Geol. Soc. Am., Bull., vol. v, pp. 339-356, pl. 14.

Abstracts: Am. Gcol., vol. xiii, p. 216 (\frac{1}{4} p.); Am. Nat., vol. xxviii, p. 596 (\frac{1}{2} p.).

Describes the physical features of the region and reviews opinions of previous writers. Discusses the bearing of observations made and gives the author's summary. Includes a list of 21 papers on the geology of the Finger Lake region.

551 — Lake Cayuga a rock basin.

Am. Geol., vol. xiv, pp. 194-195 (correspondence).

Refers to certain comments on a previous paper on the same subject.

551a Tarr (Ralph S.). The economic geology of the United States.

MacMillan & Co., New York.

Reviews: Jour. of Geol., vol. ii, pp. 226-231, by R. A. F. Penrose, jr.; Am. Geol., vol. xiii, pp. 189-192.

551b —— Physical geography of Texas.

Abstract: Am. Nat., vol. xxviii, pp. 50-51 ($\frac{2}{3}$ p.). Noticed in Bibliography and Index for 1892 and 1893.

552 **Taylor** (F. B.). A reconnoissance of the abandoned shore lines of Green Bay [Michigan and Wisconsin].

Am. Geol., vol. xiii, pp. 316-327, with map.

Describes the character and location of some of the abandoned shore lines of Green Bay.

553 — A reconnoissance of the abandoned shore lines of the south coast of Lake Superior.

Am. Geol., vol. xiii, pp. 365-383, with map.

Describes the occurrence of the various shore lines, with special reference to the highest shore line, and gives a summary of observations and the author's conclusions.

554 — The limit of post-Glacial submergence in the highlands east of Georgian Bay [Ontario].

Am. Gcol., vol. xiv, pp. 273-289, with map.

Describes the glacial formations of the region and gives a summary and conclusions.

555 — The ancient strait at Nipissing [Ontario].

Geol. Soc. Am., Bull., vol. v, pp. 620-626, pl. 20.

Abstract: Am. Geol., vol. xiii, pp. 220-221 (3 p.).

Describes the Nipissing and other higher level beaches and glacial phenomena of the region and gives the author's conclusions.

555*a* Texas, Geological Survey. Fourth Annual Report, 1892.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 319-320 († p.).

556 Tight (W. G.). A glacial ice dam and a limit to the ice sheet in central Ohio.

Am. Nat., vol. xxviii, pp. 488-493, pls. 13-15.

Describes the glacial phenomena in the vicinity of the Licking River, in Licking County, Ohio.

557 — Contribution to the knowledge of the pre-Glacial drainage of Ohio.

Denison Univ., Bull., vol. viii, pp. 35-62.

Abstract: Am. Geol., vol. xiv, pp. 188-189.

Describes the present drainage systems of the Licking, Muskingum, Hocking, Scioto, and Miami rivers in Ohio, and discusses the evidences of the character of the pre-Glacial drainage of the region.

558 **Tilton** (J. E.). Origin of the present drainage system of Warren County [Iowa].

Iowa Acad. Sci., Proc., vol. i, pt. iv, pp. 31-33.

Describes the drainage systems and concludes that they were marked out in pre-Glacial time.

559 **Todd** (James E.). A preliminary report on the geology of South Dakota.

South Dakota Geol. Surv., Bull. No. 1, pp. 1-172, pls. i-v, figs. 1-2.

Describes the topographic and geologic features of the State, discusses the origin and distribution of rocks of Archean age, and describes the lithologic character and distribution of the sedimentary and eruptive rocks, and gives an account of the economic resources. Includes a preliminary geologic map of South Dakota and a table showing the geologic formations occurring in the State.

560 — Preliminary report of a reconnoissance in northwestern Minnesota in 1892.

Minn. Geol. and Nat. Hist. Surv., 21st Ann. Rept., pp. 68-78.

Describes the route traversed and the glacial phenomena of the region.

560a — Preliminary report of a reconnoissance in northwestern Minnesota during 1893.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 90-96.

Describes the character of the country traversed and the glacial deposits.

561 —— Pleistocene problems in Missouri.

Geol. Soc. Am., Bull., vol. v, pp. 531-548.

Abstracts: Am. Geol., vol. xiii, pp. 216–217 ($\frac{1}{5}$ p.); Am. Nat., vol. xxviii, p. 1027 ($\frac{1}{5}$ p.).

Describes the bowldery drift and loss of the pre-Glacial formations of Missouri, and discusses the subglacial lacustrine and fluviatile hypotheses as to the origin of the Pleistocene formations.

562 Turner (Henry W.). Jackson folio. California.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 11.

Describes the relations of land and water, and the dynamic movements affecting the Gold Belt of California in Paleozoic, Mesozoic, and Cenozoic times, and gives a generalized section of the strata. Describes the topography of the Jackson sheet and the character and distribution of the Auriferous slates, igneous rocks, the Tertiary rocks, including the Neocene auriferons gravels, and the Pleistocene beds. Describes the occurrence of the gold-quartz veins, gold-bearing gravels, copper, iron, coal, and building stones. Includes topographic, colored areal geologic, economic geologic, and structure section maps.

563 — The rocks of the Sierra Nevada.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 435-495, pls. xlviii-lix, figs. 49-51.

Describes the several divisions of the Auriferous slate series and the overlying Chico, Tejon, Ione, Neocene, and Pleistocene deposits. Describes the character and occurrence of the intrusive and extrusive igneous rocks.

564 — Geological notes on the Sierra Nevada.

Am. Geol., vol. xiii, pp. 228-249 and 297-316.

Describes the characteristics of each of the sedimentary formations recognized in the Sierra Nevada, ranging in age from the Silurian to Pleistocene. In the second part the author describes the occurrence and structure of the intrusive and extrusive igneous rocks.

665 Turner (Henry W.). Notes on the gold ores of California.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 467-473.

Describes the veins of the Auriferous slate series, the veins in granite, and the occurrence of gold with albite, barite, calcite, quartz in rhyolite, and cinnabar.

565a — Lindgren (W.) and. Placerville folio. California. U. S. Geol. Surv., Geologic Atlas of the United States, folio 3.

See Lindgren (W.) and Turner (H. W.), No. 365.

566 — and Stanton (T. W.). Notes on the geology of the Coast ranges of California.

Am. Geol. xiv, pp. 92-98.

Discusses the evidence indicating the conformability of the Chico and Tejon series at New Idria, Cal., and gives a list of fossils from Tejon strata collected in Fresno, Sonomo, Lake, and Yulo counties.

567 Tuttle (E. G.). The Sabinas coal field [Mexico].

Eng. and Mg. Jour., vol. lviii, pp. 390-392.

Describes the coal seams and the character of the coal, and gives its chemical analyses. Accompanied by a geologic sketch map and cross sections of the region.

568 Tyrrell (J. Burr). Notes on the Pleistocene of the Northwest Territories of Canada, northwest and west of Hudson Bay.

Geol. Mag., dec. iv, vol. i, pp. 394-399.

Abstract: Am. Geol., vol. xiv, pp. 338-340.

Describes the lithologic characters of the Cambrian, pre-Cambrian, and glacial deposits of this region, and presents a map of the Territories.

U.

569 **Udden** (J. A.). Erosion, transportation, and sedimentation performed by the atmosphere.

Jour. of Geol., vol. ii, pp. 318-331.

Abstract: Am. Nat., vol. xxviii, pp. 953-954.

Compares the erosive power of air and water and describes the conditions favorable to the erosion and transportation of the earth's material by wind and the character of the deposits thus formed.

570 Ulrich (E.O.). New and little known Lamellibranchiata from the Lower Silurian rocks of Ohio and adjacent States.

Ohio Geol. Surv., vol vii, pp. 627-693.

Describes and figures fossils from the Lower Silurian.

570a United States Geological Survey. Eleventh Annual Report, 1889-90.

Abstract: Am. Nat., vol. xxviii, p. 336 (4 p.).

570b — Twelfth Annual Report, 1890-91.

Abstract: Am. Geol., vol. xiv, pp. 113-114.

570c United States National Museum. Report, 1892.

Abstract: Am. Nat., vol. xxviii, pp. 866-867 (1/8 p.).

571 Upham (Warren). Wave-like progress of an epeirogenic uplift.

Jour. of Geol., vol. ii, pp. 383-395.

Discusses the evidences of an epeirogenic movement in the northern two-thirds of North America in late Tertiary and Quaternary times.

572 — Marine shell fragments in drumlins near Boston [Mass.]. Am. Jour. Sci., 3d ser., vol. xlvii, pp. 238-239 (communicated).

Mentions fossils found in drumlins near Boston and considers them pre-Glacial.

573 — Diversity of the glacial drift along its boundary.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 358-365.

Abstract: Am. Geol., vol. xiii, p. 223 (3 p.).

Describes the early and later drift of the Mississippi Valley, and discusses the oscillations of the boundary of the ice sheet during its general recession.

574 — British drift theories.

Am. Geol., vol. xiii, pp. 275-279.

Reviews the theories advanced by certain English writers to explain the formation of drift deposits.

575 —— Causes and conditions of glaciation.

Am. Geol., vol. xiv, pp. 12-20.

Reviews the recent literature on the origin and duration of the Glacial period, and remarks on the evidences of great erosion of the Lafayette formation in the United States in early Quaternary time.

576 —— The Niagara gorge as a measure of the post-Glacial period.

Am. Geol., vol. xiv, pp. 62-64 (correspondence).

Reviews the evidences indicating the extent of the glacial Lakes Warren and Algonquin and their bearing on the probable volume of the Niagara River.

577 — The Madison type of drumlins.

Am. Geol., vol. xiv, pp. 69-83, with map, pl. iii, figs. 4-7.

Abstract: Am. Geol., vol. xiii, pp. 222-223 (9 l.).

Describes drumlins with nucleal stratified sand in Massachusetts, and gives a more detailed description of similar drumlins in the vicinity of Madson, Wis.

578 — Tertiary and early Quaternary baseleveling in Minnesota, Manitoba, and northwestward.

Am. Geol., vol. xiv, pp. 235-246.

Abstracts: Jour. of Geol., vol. ii, p. 754 (1/2 p.); Am. Geol., vol. xiv, p. 199 (½ p.)

Describes the Tertiary and Quaternary baseleveling and the resultant topographic forms in this region. Discusses the evidence of the direction of the drainage during this period and the relationship of the later baseleveling to the Ice age.

579 — Evidence of superglacial eskers in Illinois and northward.

Am. Geol., vol. xiv, pp. 403-405 (correspondence).

Discusses certain glacial phenomena in Illinois and Minnesota.

580 **Upham** (Warren). Quaternary time divisible into three periods—the Lafayette, Glacial, and Recent.

Am. Nat., vol. xxviii, pp. 979-988.

Abstract: Am. Geol., vol. xiv, p. 203 ($\frac{1}{5}$ p.).

Reviews the previous opinions on the duration of the geologic subdivisions mentioned and discusses the classification proposed.

581 — Preliminary report of field work during 1893 in northeastern Minnesota, chiefly relating to the glacial drift.

Minn. Geol. and Nat. Hist. Surv., 22d Ann. Rept., pp. 18-66.

Describes the topography and the Archean outcrops of the region. Discusses the evidences of Cretaceous beds underlying the drift, and describes the glacial deposits.

582 — The origin of drumlins.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 2-17.

Abstract: Am. Nat., vol. xxviii, p. 596 († p.).

Describes the various forms of drumlins and their areal distribution and reviews the previous theories as to their origin. Considers them accumulations from englacial drift. Compares them with moraines, kames, and eskers.

583 — Deflected glacial striæ in Somerville [Mass.].

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 33-42.

Describes the occurrence of glacial strice and gives their observed courses at different points in the vicinity of Somerville, Mass.

584 — The fishing banks between Cape Cod and Newfoundland.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 42-48; Am. Jour. Sci., 3d ser., vol. xlvii, pp. 123-129.

Abstract: Am. Geol., vol. xii, pp. 190-191 (½ p.).

Describes the fishing banks of this region and discusses the evidences of a long-continued uplift at the close of the Tertiary period.

585 — [Extra-morainic drift of the Delaware Valley.]

Geol. Soc. Am., Bull., vol. v, pp. 16-17 (p.).

In discussion of papers by A. A. Wright and E. H. Williams, jr., on the glaciated regions of New Jersey and Pennsylvania.

586 — [Terrestrial submergence southeast of the American Continent.]
Geol. Soc. Am., Bull., vol. v, p. 22 (‡ p.).

In discussion of paper by J. W. Spencer on the same subject.

587 — Evidences of the derivation of the kames, eskers, and moraines of the North American ice sheet, chiefly from its englacial drift.

Geol. Soc. Am., Bull., vol. v, pp. 71-86.

Abstract: Am. Geol., vol. xii, p. 169 (3 p.).

Describes glacial phenomena of Long Island, near Rochester, and in portions of North Dakota and Manitoba, which are considered typical examples of the transportation and deposition of the materials of kames, eskers, and moraines.

588 **Upham** (Warren). The succession of Pleistocene formations in the Mississippi and Nelson River basins.

Geol. Soc. Am., Bull., vol. v, pp. 87-100.

Abstract: Am. Geol., vol. xii, pp. 170-171 (3 p.).

Describes the Lafayette formation, the glacial drift and marginal moraines, and the loess and other modified drift deposits of the Mississippi Valley and Lake Agassiz and its deltas. Discusses the evidences of elevation prior and subsequent to the Glacial epoch.

[BULL. 135.

589 — Pleistocene climatic changes.

Geol. Mag., dec. iv, vol. i, pp. 340-349.

Abstract: Am. Nat., vol. xxviii, p. 886 (1/8 p.).

Reviews the history of the Glacial period in North America and discusses the causes of the climatic changes.

589a — Tertiary and Quaternary stream erosion of North America.

Abstracts: Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 181-183; Am.

Geol., vol. xii, pp. 180-181 (½ p.).

V.

590 Van Hise (Charles R.). Summary of current pre-Cambrian North American literature.

Jour. of Geol., vol. ii, pp. 109-118 and 444-454.

Reviews recent papers on the pre-Cambrian strata of North America.

591 — The pre-Cambrian rocks of North America.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 110-150.

This paper is condensed from the final chapter of Bulletin No. 86 of the U. S. Geologic Survey, Correlation Papers, Archean and Algonkian, and noticed in Bibliography and Index for 1892 and 1893.

592 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 167, 172, and 173. Remarks on the methods employed in the correlation of pre-Cambrian rocks.

593 — Excursion to Lake Superior: pre-Cambrian geology of the Lake Superior region.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 489-512.

Describes the relations of the Basement Complex, Lower Huronian, Upper Huronian, and Cambrian in this region, and gives the author's general conclusions. Gives a list of 27 papers referring to the geology of the Lake Superior region.

594 — The succession in the Marquette iron district of Michigan.

Abstract: Geol. Soc. Am., Bull., vol. v, pp. 5-6.

Describes the stratigraphic relations of the formations of the region.

595 — Character of folds in the Marquette iron district.

Abstract: Am. Assoc. Adv. Sei., Proc., vol. xlii, p. 171 (1/2 p.).

The folding is described as resembling the fan structure of the Alps, except that it is a synclinorium rather than an anticlinorium.

595a — Correlation papers: Archean and Algonkian.

Abstract: Am. Nat., vol. xxviii, p. 944 (3 p.).

Noticed in Bibliography and Index for 1892 and 1893.

596 Vermeule (Cornelius Clarkson). Report on water supply, water power, the flow of streams, and attendant phenomena.

N. J. Geol. Surv., vol. iii, Final Report, pp. 1-352, appendixes i and ii, pp. 1-62.

Gives data concerning the amount of rainfall, evaporation, and stream gaugings of the drainage systems of New Jersey, and describes the process of stream pollution.

597 — Water supply and water power.

N. J. Geol. Surv., Rept., 1893, pp. 373-385, with map.

Describes the pollution of the Passaic and other rivers of New Jersey, and gives the location and capacity of certain localities to furnish water supply in the future.

W.

598 Wadsworth (M. E.). A sketch of the geology of the iron, gold, and copper districts [Michigan].

Michigan, Rept. of the State Board of Geol. Surv., 1891 and 1892, pp. 79-174.

Describes the general succession of the formations in Michigan, the lithologic character of the rocks associated with the iron ore bodies, and those of the gold and copper deposits.

599 Wahnschaffe (Felix). [Classification of Pleistocene deposits.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 195 and 196-197. Considers a chronologic classification possible for the Pleistocene

Considers a chronologic classification possible for the Pleistocene deposits of North Germany.

600 Walcott (Charles Doolittle). Notes on the Cambrian rocks of Pennsylvania, from the Susquehanna to the Delaware.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 37-41.

Abstract: Am. Nat., vol. xxviii, pp. 950-951.

Describes the lithologic and paleontologic characteristics of the Cambrian beds of Lancaster County and of the northern belt of limestone in Pennsylvania and New Jersey. Concludes that the basal quartzite is the same from Vermont to Alabama, that the basal sandstone in this belt is of Lower Cambrian age, and that the superjacent limestones of the northern part carry the Olenellus fauna, and in the central and southern part the limestones appear to be represented by shales.

601 — On the occurrence of Olenellus in the Green Pond Mountain series of northern New Jersey, with a note on the conglomerates.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 309-311.

Mentions the finding of Olenellus in the limestone in this region, and remarks on the occurrence of a conglomerate both under and overlying the limestone, and on the correlation of the conglomerate of this basin of sedimentation with those of another to the west and north.

602 — Pre Cambrian igneous rocks of the Unkar terrane, Grand Canyon of the Colorado, Arizona.

U. S. Geol, Surv., 14th Ann. Rept., pt. 2, pp. 497-519, pls. lx-lxv, figs. 52-53.

Describes the sections of the Chuar and Unkar terranes and of the Chuar lava butte. Discusses the conditions of deposition and age of these beds and their correlation with other Algonkian strata.

Bull. 135——7

603 Walcott (Charles Doolittle). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 168-170.

Remarks on the author's methods employed in the correlation of the Cambrian rocks of North America.

604 — Silurian vertebrate life at Canyon City [Colo.].

Int. Cong. Geol., Compte Rendu, 5th session, pp. 427-428.

Gives a brief description of the character of the ichthyic fauna found in Silurian rocks in the vicinity of Canyon City, Colo.

605 —— Itinerary, Niagara Falls to New York City.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 459-463.

Describes the geology along the railroad from Niagara Falls to New York City.

606 — [Terrestrial submergence southeast of the American Continent.]

Geol. Soc. Am., Bull., vol. v, p. 22 ($\frac{1}{2}$ p.).

In discussion of paper by J. W. Spencer on the same subject.

607 —— Paleozoic intraformational conglomerates.

Geol. Soc. Am., Bull., vol. v, pp. 191-198, pls. 5-7.

Abstract: Am. Nat., vol. xxviii, p. 1023 (½ p.).

Gives a definition of the term intraformational conglomerate and describes localities in Canada, Vermont, New York, Pennsylvania, and Tennessee where they occur, and discusses their origin.

608 —— Geologic time, as indicated by the sedimentary rocks of North America.

Am. Assoc. Adv. Sci., Proc., vol. xlii, pp. 129-169, with map of North America; Smith. Inst., Ann. Rept., 1892-93, pp. 301-334.

Abstract: Am. Nat., vol. xxviii, pp. 793-794.

Describes the growth and geographic conditions of the continent, the mode of formation and distribution of the deposits of the Cordilleran sea. Discusses the duration of Paleozoic time, as indicated by mechanical and chemical sedimentation, and gives an estimate of the duration of the different periods of post-Archean time.

609 — Note on some appendages of the trilobites.

Geol. Mag., dec. iv, vol. i, pp. 246-251, pl. viii.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, p. 481 (\frac{1}{3} p.); Am. Nat., vol. xxviii, p. 878 (\frac{1}{2} p.).

Refers to the recent discovery of the antennæ of trilobites and compares them with the extremities of certain specimens of Ceraurus, Calymene, and Asaphus.

609a — The North American Continent during Cambrian time.

Abstract: Am. Geol., vol. xiv, pp. 116-117.

Noticed in Bibliography and Index for 1892 and 1893.

610 Walker (T. L.). Notes on nickeliferous pyrite from Murray mine, Sudbury, Ontario.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 312-314.

Describes this mineral and gives its chemical analysis.

611 Wallace (Alfred R.). The Ice age and its work.

Pop. Sci. Mo., vol. vliv, pp. 681-689, 781-791, and vol. xlv, pp. 40-50 and 244-258.

Describes glacial phenomena of Europe and North America.

611a Ward (Lester F.). Principes et méthodes d'étude de corrélation au moyen des plantes fossiles.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 97-109.

Abstract: Am. Geol., vol. xiv, pp. 334-335 (3 p.).

Published in English in American Geologist, vol. ix, p. 34, and noticed in Bibliography and Index for 1892 and 1893.

612 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 167-168.

Gives a brief summary of methods of correlation of rock formations by means of fossil plants.

613 — The Cretaceous rim of the Black Hills [South Dakota].

Jour. of Geol., vol. ii, pp. 250-266.

Abstract: Am, Nat., vol. xxviii, pp. 794-795 (\frac{1}{3} p.).

Describes the occurrence of cycads in Cretaceous strata of the Black Hills and gives the section of the Cretaceous and Jurassic strata, with notes on the fossil plants collected. Discusses the bearing of the facts presented on the Lower Cretaceous of North America.

614 — Recent discoveries of cycadean trunks in the Potomac formation of Maryland.

Torrey Bot. Club, Bull., vol. xxi, pp. 291-299.

Gives a historical sketch of the discovery of cycadean trunks in the Cretaceous strata of Maryland.

615 Weed (Walter Harvey). The formation of hot-spring deposits.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 360-363.

Describes the formation of hot-spring deposits in the Yellowstone National Park.

616 — Livingston to Snake Plains. Itinerary, Livingston to Bozeman [Mont.].

Int. Cong. Geol., Compte Rendu, 5th session, pp. 364-365.

Describes the geologic structure of this region.

617 — The Laramie and the overlying Livingston formation in Montana, with report on the flora by F. H. Knowlton.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 404-405; Am. Geol., vol. xiv, pp. 391-392.

Noticed in Bibliography and Index for 1892 and 1893.

The glaciation of the Yellowstone Valley north of the Park.

Abstract: Am. Geol., vol. xiv, pp. 393-394 (\frac{1}{3} p.).

Noticed in Bibliography and Index for 1892 and 1893.

617b — and Iddings (J. P.). Yellowstone Valley, from Livingston to Cinnabar.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 326-335.

Describes the geology and structure of the region and its glacial phenomena.

617e Weed (Walter Harvey) and Iddings (J. P.). Livingston folio.

Montana.

U. S. Geol. Surv., Geologic Atlas of the United States, folio 1. See Iddings (J. P.) and Weed (W. H.), No. 307.

618 Weeks (Joseph D.). The Potomac and Roaring Creek coal fields in West Virginia.

U. S. Geol. Surv., 14th Ann. Rept., pt. 2, pp. 567-590, pls. lxxiii-lxxiv, figs. 73-75.

Describes the location of the coal basins, gives the sections displayed at various points and chemical analyses of the coals.

618a Wells (H. L.), Pirsson (L. V.) and. On the occurrence of leadhillite in Missouri, and its chemical composition.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 219–226. See Pirsson (L. V.) and Wells (H. L.), No. 457.

619 Westgate (Lewis G.). The mineralogical character of certain New Jersey limestones.

Am. Geol., vol. xiv, pp. 308-313.

Gives a chemical analysis of the limestone and describes the characters of pyroxene and biotite and the microscopic characters of the two special types of the rock, pyroxene rock and quartz rock.

620 — The age of the crystalline limestones of Warren County, N. J. Am. Geol., vol. xiv, pp. 369-379, with map.

Describes the petrographic characters of these limestones and their relationship with other crystalline limestones of the State, and reviews the opinions of other writers as to their age. Describes the relations of the limestones with the gneisses and eruptive rocks, and concludes that the limestones of this region are older than the blue magnesian limestone of Cambrian age.

621 Weston (T. C.). Notes on the "Quebec group."

Ottawa Nat., vol. viii, pp. 81-82.

Describes an exposure of these beds near Quebec.

622 — Notes on the Miocene Tertiary rocks of the Cypress Hills, Northwest Territory, Canada.

Nova Scotian Inst. Sci., Proc. and Trans., 2d ser., vol. i, pp. 223-227. Gives a section of the Miocene beds in this region and notes on the fossils found in them.

623 Wheeler (H. A.). The calculation of the fusibility of clays.

Eng. and Mg. Jour., vol. lvii, pp. 224-225 and 244.

Gives in tabular form the chemical analyses and fusibility of clays from different parts of Missouri, and discusses the results obtained.

624 White (Charles A.). The relation of biology to geological investigation.

U. S. Nat. Mus., Ann. Rept., 1892, pp. 245-368.

Describes the character and limitations of sedimentary formations and discusses the character, origin, and relation of fossil remains to structural geology, the chronological value of fossils, and the criteria of past aqueous conditions.

624a White (David). Flora of the outlying Carboniferous basins of southwestern Missouri.

Abstract: Am. Geol., vol. xiii, pp. 283-284 (\frac{1}{2} p.). Noticed in Bibliography and Index for 1892 and 1893.

625 White (Israel C.). From Cumberland, Md., to the Ohio River.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 279-288.

Describes the outcrops of the Devonian and Caboniferous rocks and the structure of the Appalachians in this region.

- 625a [Past drainage systems of the Upper Ohio basin.] Abstract: Am. Geol., vol. xiii, p. 219 (\frac{1}{3} p.).
- 626 White (Theodore Greely). The geology of Essex and Willsboro townships, Essex County, N. Y.

N. Y. Acad. Sci., Trans., vol. xiii, pp. 214-233, pls. vi-vii.

Describes the geology of the region, including strata of Archean, Cambrian, Silurian, and Pleistocene age. Includes a record of dikes and list of fossils collected.

626a Whiteaves (J. F.). The Cretaceous system of Canada.

Abstracts: Am. Geol., vol. xiii, p. 193 (9 l.); Am. Nat., vol. xxviii, p. 161 ($\frac{2}{3}$ p.).

Noticed in Bibliography and Index for 1892 and 1893.

626b — Note on the recent discovery of large unio-like shells in the Coal Measures of South Joggins, Nova Scotia.

> Abstracts: Am. Geol., vol. xiii, p. 193 (7 l.); Can. Rec. Sci., vol. vi, pp. 59-60 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

627 Whitfield (Robert Parr). On new forms of marine algae from the Trenton limestone, with observations on Buthograptus laxus Hall.

Am. Mus. Nat. Hist., Bull., vol. vi, pp. 351-358, pl. xi.

Considers that certain fossils that have been described as graptolites are true marine algae. Describes three new genera and species.

628 — Mollusca and Crustacea of the Miocene formations of New Jersey.

U. S. Geol. Surv., Mon. xxiv, 195 pp., pls. i-xxiv.

Reviews previous descriptions of fossils from these beds. Gives a list of the genera and species found and describes many of them.

629 — Contributions to the paleontology of Ohio.

Ohio Geol. Surv., vol. vii, pp. 407-494.

Describes fossils from the Paleozoic rocks of Ohio.

629a — Republication of descriptions of Lower Carboniferous Crinoidea from the Hall collection in the American Museum of Natural History, with illustrations of the original type specimens not heretofore figured.

Review: Am. Geol., vol. xiii, p. 124-125.

630 Whittle (Charles Livy). The occurrence of Algonkian rocks in Vermont and the evidence for their subdivision.

Jour. of Geol., vol. ii, pp. 396-429.

Describes the topographic and geologic features of the Green Monntains, and the lithologic and structural differences in the different divisions of the Algonkian series.

631 — The general structure of the main axis of the Green Mountains [Vermont].

Am. Jour. Sei., 3d ser., vol. xlvii, pp. 347-355.

Describes the rocks which underlie the Olenellus horizon in this region, which are referred to the Algonkian, and the orographic disturbances which they have suffered, and discusses the character of the folding of the Green Mountains.

632 Williams (E. H., jr.). South Mountain glaciation [Pennsylvania].

Geol. Soc. Am., Bull., vol. v, pp. 13-15.

Describes glacial phenomena of this region which form a fringe of the great terminal moraine in Pennsylvania.

633 — Extra-morainic drift between the Delaware and the Schuylkill [Pennsylvania].

Geol. Soc. Am., Bull., vol. v., pp. 281-296, pls. 9-11.

Abstract: Am. Geol., vol. xiii, p. 221 (\frac{1}{2} p.).

Describes the topographic features, drainage systems, and the glacial deposits and underlying rocks of the region.

634 — The age of the extra-morainic fringe in eastern Pennsylvania.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 34-37.

Describes the glacial deposits in the vicinity of Bethlehem, Pa., and concludes that they are of recent formation, and that the Ice age was of short duration.

635 Williams (George Huntington). The Appalachian region.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 268-273.

Describes the geologic formations of the Appalachian region, with special reference to the portion crossed by the Rocky Mountain excursion of the International Congress of Geologists.

636 — Washington, D. C., to Cumberland, Md. Itinerary.

Int. Cong. Geol., Compte Rendn, 5th session, pp. 274-279.

Describes the geologic features along the route traversed by the excursion.

637 — The distribution of ancient volcanic rocks along the eastern border of North America.

Jour. of Geol., vol. ii, p. 1-31.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 140-141; Am. Geol., vol. xiii, pp. 212-213 (\frac{1}{3} p.).

Reviews the opinions of various writers on the nature of ancient volcanic rocks and describes the distribution of the volcanic areas of eastern North America and gives the author's general conclusions.

637*a* Williams (George Huntington). Piedmontite from a new locality.

Abstract: Am. Nat., vol. xxviii, pp. 517-518 (* p.).

Noticed in Bibliography and Index for 1892 and 1893.

638 — and **Clark** (W. B.). Outline of the geology and physical features of Maryland.

Johns Hopkins Univ. Press, Baltimore, Md., 1893.

Abstract: Am. Jour. Sci., 3d ser., vol. xlvii, p. 320 (½ p.).

This is a reprint of chapters relating to physical geography and geology from the work entitled "Maryland and its Resources," prepared by members of the Johns Hopkins University faculty for the World's Columbian Exposition.

638a — McGee (W J), Willis (B.) and Darton (N. H.). Geology of Washington and vicinity.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 219-251.

See McGee (W J), Willis (B.), Darton (N. H.), and Williams (G. H.), No. 385.

639 Williams (Henry Slater). On the age of the manganese beds of the Batesville region of Arkansas.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 325-331.

Reviews the discussion as to the origin and age of these beds by R. A. F. Penrose, and discusses the paleontologic evidence which indicates that the manganese occurs at a distinct horizon between two limestones—the lower one containing Ordovician species which have been found in rocks called Upper Silurian, and the upper limestone carrying an Upper Silurian fauna which has been reported from Lower Silurian horizons.

640 — [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, pp. 170-171.

Remarks on the importance of considering the relation of organisms to conditions of environment.

641 — Dual nomenclature in geological classification.

Jour. of Geol., vol. ii, pp. 145-160.

Abstracts: Am. Jour. Sci., 3d ser., vol. xlvii, pp. 143-145; Am. Geol., vol. xiii, pp. 139-140.

Discusses the value of the time scale and formation scale in geologic classification.

641a Willis (Bailey). Relations of synclines of deposition to ancient shore lines.

Abstract: Am. Geol., vol. xiii, pp. 140-141.

641b — McGee (W J), Williams (G. H.), and Darton (N. H.). Geology of Washington and vicinity.

Int. Cong. Geol., Compte Rendu, 5th session, pp. 219-251.

See McGee (W J), Williams (G. H.), Willis (B.) and Darton (N. H.), No. 385.

642 Williston (S. W.). Kansas pterodactyls.

Kans. Univ. Quart., vol. 1, pp. 1-13, pl. 1, and vol. ii, pp. 79-80.

Gives a list of Pteranodon species hitherto named, and describes some of their characters and those of Nyctodactylus.

643 Williston (S. W.). Kansas mosasaurs.

Kans. Univ. Quart., vol. ii, pp. 83–84, pl. iii.

Gives a restoration of Clidastes.

644 — Restoration of Aceratherium fossiger Cope.

Kans. Univ. Quart., vol. ii, pp. 289-290, pl. viii.

Describes the strata in which the remains of the species were found and gives a figure of the restoration.

645 — On various vertebrate remains from the lowermost Cretaceous of Kansas.

Kans. Univ. Quart., vol. iii, pp. 1-4, pl. i.

Describes the remains of fishes and turtles found in these beds, including one new species, Cimoliosaurus n. sp.

646 — A new turtle from the Benton Cretaceous.

Kans. Univ. Quart., vol. iii, pp. 5-18, pls. ii-v.

Describes a new genus and species, Desmatochelys lowii, from the Cretaceous of Nebraska.

647 — Notes on Uintacrinus socialis Grinnell.

Kans. Univ. Quart., vol. iii, pp. 19-20.

Brief note on the discovery of a colony of this crinoid in Cretaceous strata of Kansas.

648 — Restoration of Platygonus.

Kans. Univ. Quart., vol. iii, pp. 23-39, pls. vii-viii.

Describes the occurrence of the remains found in Pliocene strata of western Kansas and their characteristics.

649 — and Case (E. C.). Kansas mosasaurs.

Kans. Univ. Quart., vol. i, pp. 15-32, pls. ii-vi.

Gives a list of the species found in Kansas, with notes on Clidastes velox and C. westii n. sp.

650 Winchell (Horace V.). A bit of iron range history.

Am. Geol., vol. xiii, pp. 164-170.

Reviews some of the literature on the iron mines of the Lake Superior region.

651 — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 591-593.

In discussion of paper on the same subject by F. Posepny.

652 Winchell (N. H.). Field observations of N. H. Winchell in 1892.

Minn. Geol. and Nat. Hist. Surv., 21st Ann. Rept., pp. 79-152.

Notes on the structure and stratigraphy of the Mesabi range, on the strata at Republic, Mich., and on the Potsdam sandstone at Potsdam, N. Y. Includes a paper on some problems of the Mesabi iron ore, previously published in the American Geologist.

653 — A sketch of the geological investigations in Minnesota.

Jour. of Geol., vol. ii, pp. 692-707.

Gives a historical sketch of the work accomplished by the geological surveys of Minnesota.

653a Winchell (N. H.) and Schuchert (C.). Sponges, graptolites, and corals from the Lower Silurian of Minnesota.

Abstract: Am. Geol., vol. xii, p. 331 ($\frac{1}{3}$ p.).

Noticed in Bibliogrophy and Index for 1892 and 1893.

654 Winslow (Arthur). Geological survey in Missouri.

Jour. of Geol., vol. ii, pp. 207-221.

Gives a historical sketch of the geological surveys of Missouri, describes the work undertaken, and gives a list of the publications.

655 — [The lead and zinc deposits of the Mississippi Valley.]

Am. Inst., Mg. Engrs., Trans., vol. xxii, pp. 634-636. In discussion of paper by W. P. Jenney on the same subject.

656 — [Geological distribution of the useful metals in the United States.]

Am. Inst. Mg. Engrs., Trans., vol. xxii, pp. 735-737.

In discussion of paper by S. F. Emmons on the same subject.

657 — [The genesis of ore deposits.]

Am. Inst. Mg. Engrs., Trans., vol. xxiii, pp. 588-599. In discussion of paper on the same subject by F. Posepny.

658 Wolff (J. E.). The geology of Hoosac Mountain and adjacent territory [Massachusetts].

U. S. Geol. Surv., Mon. xxiii, pp. 35-108, pls. iv-xi, figs. 9-29.

Describes the topography of the region and the petrographic character of the pre-Cambrian gneiss and the Cambrian (Stockbridge) limestone, and discusses the geologic structure and relations of the formations.

659 — The geological structure in the vicinity of Hibernia, N. J., and its relation to the ore deposits.

N. J. Geol. Surv., Rept., 1893, pp. 359-369.

Abstract: Am. Geol., vol. xiii, pp. 142-143.

Describes the character of the rocks, the geologic structure, and the probable extension of the iron-ore body.

660 Woodward (Anthony). For a minifera found in the Alabama chalk.

Ala. Geol. Surv., Rept., on the geology of the Coastal Plain of Alabama, p. 289 ($\frac{1}{2}$ p.).

Gives a list of Foraminifera, identified by the author, occurring in the Alabama chalk.

661 Woodward (Henry). [Mammoth remains of Canada and Alaska.]
Geol. Soc. London, Quart. Jour., vol. 1, p. 9 († p.).

In discussion of paper by G. M. Dawson, "Notes on the occurrence of mammoth remains in the Yukon districts of Canada and Alaska."

662 Woodworth (J. B.). Post-Glacial eolian action in southern New England.

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 63-71.

Abstract: Am. Geol., vol. xiii, p. 122 (8 l.).

Discusses the evidences of the carving of rock surfaces by drifting sand, and describes localities in New England where such phenomena have been observed, the wear on the pebble, and their lithologic character.

663 Woodworth (J. B.). Carboniferous fossils in the Norfolk County basin [Massachusetts].

Am. Jour. Sci., 3d ser., vol. xlviii, pp. 145-148.

Describes the occurrence of vegetable remains in sandy partings of a quartzose conglomerate, and gives the section of the Carboniferous rocks found in this region.

664 — The relation between baselevelling and organic evolution.

Am. Geol., vol. xiv, pp. 209-235.

Abstract: Jour. of Geol., vol. ii, pp. 753-754.

Reviews the various theories concerning land erosion, discusses the effect of river changes on organisms, and their distribution, and the relation of the development of the Jura-Cretaceous peneplain with the development of the contemporaneous fauna and flora, and gives a general summary of the facts presented.

665 — On traces of a fauna in the Cambridge slates.

Abstract: Bost. Soc. Nat. Hist., Proc, vol. xxvi, pp. 125-126. Describes trails occurring in these slates in the Boston basin.

666 — Some typical eskers of southern New England.

Bost. Soc. Nat. Hist., Proc., vol. xxvi, pp. 197-220.

Abstract: Am. Geol., vol. xiv, p. 396 ($\frac{1}{2}$ p.).

Gives a list of publications on the eskers of this region. Describes the characteristics and distribution of these eskers and discusses their origin.

667 Woolman (Lewis). Artesian wells and water horizons in southern New Jersey, with economical, geological, and paleontological notes.

N. J. Geol. Surv., Rept., 1893, pp. 389-421.

Gives the section displayed by several artesian wells in New Jersey and Delaware, with lists of fossils found.

668 Wortman (J. L.). Osteology of Patriofelia, a Middle Eocene creodont.

Am. Mus. Nat. Hist., Bull., vol. vi, pp. 129-164, pl. i.

Abstract: Am. Nat., vol. xxviii, pp. 1027-1028.

Describes Patriofelia and compares it with Oxyana, Hyanodon, and with seals. Discusses its probable habits and the classification and species.

669 — On the affinities of Leptarctus primus of Leidy.

Am. Mus. Nat. Hist., Bull., vol. vi, pp. 229-231.

Describes a new specimen.

669a — and Earle (Charles). Ancestors of the tapir.

Abstract: Am. Nat., vol. xxviii, p. 416 (½ p.).

Noticed in Bibliography and Index for 1892 and 1893.

669b — Osborn (H. F.) and. Fossil mammals of the Lower Miocene White River beds; collection of 1892.

Am. Mus. Nat. Hist., Bull., vol. vi, pp. 192-228, pls. ii-iii.

See Osborn (H. F.) and Wortman (J. L.), No. 433b.

670 Wright (Albert A.). On the ventral armor of Dinichthys.

Ohio Geol. Surv., vol. vii, pp. 620-626.

Reviews some of the previous descriptions of the ventral armor of Dinichthys.

671 — The ventral armor of Dinichthys.

Am. Geol., vol. xiv, pp. 313-320, pl. ix, figs. 1-2.

Describes material collected from the Cleveland shale of Ohio.

672 — Limits of the glaciated area in New Jersey.

Geol. Soe. Am., Bull., vol. v, pp. 7-13.

Abstract: Am. Geol., vol. xii, p. 166 ($\frac{2}{3}$ p.).

Describes the character of the glacial material, the topography of the region and its influence on glaciation, the determination of the limits of the glaciated area, and the duration and efficiency of glacial ice.

673 Wright (G. Frederick). Continuity of the Glacial period.

Am. Jour. Sci., 3d ser., vol. xlvii, pp. 161-187, figs. 1-7.

Abstracts: Am. Geol., vol. xiii, p. 286 (4 p.); Am. Nat., vol. xxviii, pp. 508-510.

Discusses the evidences as to whether the erosion of the rocky gorge of the Ohio and its tributaries was pre-Glacial or inter-Glacial, illustrated by four maps. Reviews the evidences of pre-Glacial erosion in the Delaware valley, and gives a summary of the events of the Glacial period.

674. — The Cincinnati ice dam.

Pop. Sei. Mo., vol. xlv, pp. 184-198.

Discusses the evidence which indicates the former existence of an ice dam in the vicinity of Cincinnati.

674a — [Past drainage systems of the Upper Ohio basin.]

Abstract: Am. Geol., vol. xiii, p. 219 ($\frac{1}{5}$ p.).

674b — Glacial history of western Pennsylvania.

Abstract: Am. Geol., vol. xiii, pp. 219-220 (3 p.).

675 Wurtz (Henry). The density of the earth.

Sci. Am. Suppl., vol. xxxvii, p. 15028.

Discusses some of the methods used by certain investigators to ascertain the earth's density.

676 — Gold genesis.

Sci. Am. Suppl., vol. xxxviii, pp. 15644-15645.

Reviews the theories as to the origin of gold.

Z.

677 Zittel (K. von). [Correlation of clastic rocks.]

Int. Cong. Geol., Compte Rendu, 5th session, p. 155 (p.).

Discusses briefly the relative value of plant and animal remains for purposes of correlation.



INDEX.

[The numbers refer to the entries in the Bibliography.]

Alabama.

515.

Alabama gold ores, Brewer, 37.

Bauxite mining, McCalley, 373.

Clayton Tertiary section, Aldrich, 5.

Devonian in the southern Appalachians, Hayes, 259.

Diatomaceæ, Cunningham, 116.

Foraminifera in the Alabama chalk, Woodward, 660.

Geological map of Alabama, Smith, E. A., 517. Geological surveys in Alabama, Smith, E. A.,

Geology of Coosa Valley, Hayes, 258.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Limestones and dolomites of Alabama, Meissner, 410.

Micro-geology of the Alabama Cretaceous, Cunningham, 118.

Cunningham, 118.

Microzoa of the Tertiary of Alabama, Cun-

Post-Eccene formations of the Coastal Plain, Smith, E. A., 516.

Alaska.

Coasts and islands of Bering Sea, Dawson, 140.

Fossil flora of Alaska, Knowlton, 340.

Mammoth remains in the Yukon district of Canada and Alaska, Dawson, 141.

[Mammoth remains of Canada and Alaska], Howorth, 294.

[Mammoth remains of Canada and Alaska], Hull, 299.

Archean and Algonkian.

ningham, 117.

Canada.

Intrusive rocks near St. John, Matthew, W.D. 407.

Limestones of the Laurentian system, Ingall, 308.

Mica deposits in the Ottawa district, Ells, 170. Pleistocene of the Northwest Territories, Tyrrell, 568.

Pre-Paleozoic decay of crystalline rocks, Bell, 23.

Volcanic rocks in the Keewatin, Selwyn, 504. Volcanic rocks of the Huronion, Dawson, 142. New England.

Geology of Hoosac Mountain, Wolff, 658.

Geology of the Green Mountains, Pumpelly, 466.

Archean and Algonkian-Continued.

New England-Continued.

Occurrence of Algonkian rocks in Vermont, Whittle, 630.

Structure of the main axis of the Green Mountains, Whittle, 631.

Appalachian region.

Age of the crystalline limestones of New Jersey, Westgate, 620.

Catoctin belt, Keith, 322.

Geological map of Alabama, Smith, E. A., 517. Geological structure in Hibernia, N. J., Wolff, 659.

Geology of Clinton County, Cushing, 119.

Geology of Essex County, White, 626.

Geology of Lawrence and Jefferson counties, Smyth, C. H., jr., 526.

Mount Greylock, Dale, 122.

Report on Essex County, Kemp, 323.

The Appalachian region, Williams, G. H., 635. Great Lakes region.

Excursion to Lake Superior, Van Hise, 593. Field observations in 1892, Winchell, N. H., 652.

Field work in 1893 in Minnesota, Grant, 224. Geology of Kekequabic Lake, Grant, 223.

Geology of the iron, gold, and copper districts, Wadsworth, 598.

Marquette iron district, Van Hise, 594.

Origin of spheroidal basalt, American Geologist, 7.

Relations of the Menominee and Marquette series, Smyth, H. L., 528.

Report on field work in 1893, Spurr, 541.

Report on field work in Minnesota in 1893, Upham, 581.

Stratigraphic position of the Thompson slates, Spurr, 544.

The State of Minnesota, Grant, 221.

Volcanic rocks in the Keewatin, Grant, 225. Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Geology of South Dakota, Todd, 559.

Livingston folio, Iddings and Weed, 307. Great Basin region.

Pre-Cambrian igneous rocks of the Grand Canyon, Walcott, 602.

Section in Congress Canyon, Frech, 204.

Miscellaneous.

Origin of ancient quartz rocks, Blake, 32.

Miscellaneous-Continued.

Pre-Cambrian rocks of North America, Van Hise, 591.

Summary of current pre-Cambrian literature, Van Hise, 590.

What is Archean?, Lane, 351.

Arizona.

Albuquerque to Flagstaff and the Grand Canyon, Gilbert, 216.

Genesis of ore deposits, Posepny, 460.

Laccolitie mountain groups of Colorado, Utah, and Arizona, Cross, 107.

Notes on Arizona mines, Comstock, 91.

Petrographical character of the lavas, Iddings, 306.

Pre Cambrian igneous rocks of the Grand Canyon, Walcott, 602.

Section in Congress Canyon, Frech, 204.

Walnut Canyon, Hughes, 298.

Arkansas.

Arkansas Coal Measures, Smith, J. P., 521. Bibliography of the geology of Arkansas,

Branner, 35.

Elevations of Arkansas, Branner, 33.

Geological surveys of Arkansas, Branner, 36. Geology of Benton County, Simonds and Hop-

kins, 511. Geology of Dallas County, Siebenthal, 509.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Induration of Tertiary rocks of Arkansas, Call, 45.

Lead and zine deposits, Jenney, 315.

Magnetic observations and meridian monuments in Arkansas, Branner, 34.

Manganese beds of Arkansas, Williams, H.

[Novaculites of Arkansas], Hinde, 275.

[Novaculites of Arkansas], Hull, 300.

Origin of novaculites, Rutley, 482.

Springs, Hopkins, 289.

Tertiary geology of southern Arkansas, Harris, 242.

Bahama Islands,

Reconnoissance of the Bahamas, Δ gassiz, 3. Bermuda Islands.

Notes from the Bermudas, Agassiz, 2.

Bibliography.

Amount of glacial erosion, Lincoln, 361.

Bibliography of the geology of Arkansas, Branner, 35.

Classification of the Arthropoda, Kingsley,

Corundum deposits of Georgia, King, 337.

Exeursion to Lake Superior, Van Hise, 593.

Geologie literature of Indiana, Marsters and Kindle, 402.

Geological excursion to the Rocky Mountains, Emmons, 183.

Emmons, 183. Geology of Washington and vicinity, McGee, etc., 387.

Glossary of specific names of Bryozoa and corals, Simpson, 514.

Index to the genera and species of Foraminifera, Sherborn, 508b.

Bibliography-Continued.

Lake Cayuga a rock basin, Tarr, 550.

Mount Greylock, Dale, 122.

Ore deposits at Franklin Furnace, N. J., Kemp, 326.

BULL. 135.

Publications on the geology and paleontology of New York, Clarke, 80.

Report on Essex County, Kemp, 323.

California.

Aneient channel system of Calaveras Connty, Storms, 547.

Auriferous conglomerate of California, Dunn, 163.

Auriferous conglomerate of Jurassic age, Lindgren, 364.

Auriferous slates of the Sierra Nevada, Smith, J. P., 523.

Devonian rocks in California, Diller and Schuehert, 154. Eruptive rocks of Point Bonito, Ransome,

471.
Folded vein in the Ready Relief mine, Fair-

banks, 192. Geological notes on the Sierra Nevada, Tur-

ner, 564. Geology of a section of Eldorado County, Fairbanks, 189.

Geology of Angel Island, Ransome, 472.

Geology of Carmelo Bay, Lawson, 352.

Geology of the Coast ranges, Turner and Stanton, 566.

Geology of Ventura, Santa Barbara, San Luis Obispo, Monterey, and San Bonito counties, Fairbanks, 190.

Geomorphology of northern California, Lawson, 354.

Gold ores of California, Turner, 565.

Gold-silver veins of Ophir, Cal., Lindgren, 363.

Hot springs and associated mineral deposits, Fairbanks, 193.

Jackson folio, Turner, 562.

Lherzolite-serpentine and associated rocks, Palache, 436.

Maetra from California, Dall, 124.

Mesozoic and Paleozoic in Shasta County, Fairbanks, 191.

Metamorphie series of Shasta County, Smith, J. P., 522.

Mineral deposits of Inyo, Mono, and Alpine counties, Fairbanks, 188.

Petroleum in California, Peekham, 443.

Placerville folio, Lindgren and Turner, 365.

Pliocene fresh-water fossils of California, Cooper, 92.

Post-Pliocene diastrophism of southern California, Lawson, 353.

Radiolarian chert from California, Hinde, 274. Red Rock, Goler, and Summit mining distriets, Fairbanks, 187.

Rock containing a new soda amphibole, Palache, 437.

Rocks of the Sierra Nevada, Turner, 563. Sacramento folio, Lindgren, 362.

Shasta-Chico series, Diller and Stanton, 155. Soda-rhyolite north of Berkeley, Palache, 435. California-Continued.

Tertiary revolution of the Pacific Coast, Diller, 153.

Trias and Jura in the Western States, Hyatt, 304.

Twelfth Report of State Mineralogist, Crawford, 103.

Cambrian.

Canada.

Composition of limestones in Canada, Harrington, 240.

Pleistocene of the Northwest Territories, Tyrrell, 568.

New England.

Geology of Hoosac Mountain, Wolff, 658.

Geology of the Green Mountains, Pumpelly, 466.

Mount Greylock, Dale, 122.

On the structure of the ridge between the Taconic and Green mountains, Dale, 120.

Appalachian region.

Age of the crystalline limestones of New Jersey, Westgate, 620.

Bertha zinc mines, Virginia, Case, 54.

Cambrian age of the white limestones, Nason, 423.

Cambrian rocks of Pennsylvania, Walcott, 600. Catoctin belt, Keith, 322.

Chattanooga folio, Hayes, 262.

Estillville folio, Campbell, 49.

Field observations in 1892, Winehell, N. II., 652.

Geologic relations from Green Pond to Skunnemunk Mountain, Darton, 132.

Geological map of Alabama, Smith, E. A., 517. Geology of Clinton County, Cushing, 119.

Geology of Coosa Valley, Hayes, 258.

Geology of Essex County, White, T. G., 626.

Geology of Lawrence and Jefferson counties, Smyth, C. H., jr., 526.

Geology of Mohawk Valley, Darton, 131.

Harpers Ferry folio, Keith, 321.

Kingston folio, Hayes, 261.

Olenellus in the Green Pond Mountain series, Walcott, 601.

Paleozoic overlaps in Virginia, Campbell, 50. Report on Essex County, Kemp, 323.

Ringgold folio, Hayes, 260.

Staunton folio, Darton, 134.

White limestones of New Jersey, Nason, 422. Great Lakes region.

Excursion to Lake Superior, Van Hise, 593.

Field work in 1893 in Minnesota, Grant, 224.

Geology of the iron, gold, and copper districts, Wadsworth, 598.

Keweenawan rocks of Grand Portage Island, Grant, 226.

The State of Minnesota, Grant, 221.

Mississippi Valley.

Itinerary, Chicago to the Mississippi River, Emmons, 175.

Lead and zinc deposits, Jenney, 315.

Missouri Paleozoic, Broadhead, 38.

Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Cambrian-Continued.

Rocky Mountain region—Continued.

Geology of South Dakota, Todd, 559.

Livingston folio, Iddings and Weed, 307.

Pikes Peak folio, Cross, 108.

Great Basin region.

Section in Congress Canyon, Frech, 204. Miscellaneous.

Recent discussions in geology, Dawson, 147. Canada.

General.

Canadian earthquakes, Dawson, 144.

Compositions of limestones in Canada, Harrington, 240.

Limestones of the Laurentian system, Ingall, 308.

[Mammoth remains of Canada and Alaska], Howorth, 294. [Mammoth remains of Canada and Alaska],

Hull, 299.

Paleozoie intraformational conglomerates, Walcott, 607.

Pre-Paleozoic decay of crystalline rocks, Bell, 23.

Alberta.

Geology of the Rocky Mountains, Coleman, 90. British Columbia.

[Beaver Creek meteorite], Hillebrand, 272.

Beaver Creek meteorite, Howell, 293.

Geology of the Rocky Mountains, Coleman, 90.

Mammoth remains in the Yukon district of Canada and Alaska, Dawson, 141.

On Cyphornis, Cope, 96.

Manitoba.

Derivation of kames, eskers, and moraines, Upham, 587.

Tertiary baseleveling, Upham, 578.

New Brunswick.

Crystalline rocks near St. John, Matthew, W. D., 408.

Intrusive rocks near St. John, Matthew, W. D., 407.

Movements of the crust in post-Glacial times, Matthew, G. F., 404.

Outlets of the St. John River, Matthew, G. F., 405.

Post-Glacial faults at St. John, Matthew, G. F., 403.

Northwest Territory.

Miocene rocks, Northwest Territory, Westen, 622.

Pleistocene of the Northwest Territories, Tyrrell, 568.

Nova Scotia.

Discovery of batrachians in the coal formation, Dawson, 143.

[On the genus Naiadites], Hind, 273.

On the genus Naiadites occurring in the coal formation, Dawson, 145.

Pietou coal field, Poole, 459.

Ontario.

Ancient strait at Nipissing, Taylor, 555.

Antholite from Ontario, Coleman, 88.

Chicago to Niagara Falls, Gilbert, 215.

Deformation of the Lundy Beach, Spencer, 531.

Canada-Continued.

Ontario-Continued.

Diabasedikes in the Thonsand Islands, Smyth, C. H. jr., 525.

Genesis of ore deposits, Posepny, 460.

Inter-Glacial fossils from the Don Valley, Coleman, 89.

Inter-Glacial plants from the Don Valley, Penhallow, 450.

Limit of post-Glacial submergence, Taylor,

554.

Mica deposits of the Ottawa district, Ells, 170. Multiple diabase dike, Lawson, 355.

Nepheline, sodalite, and orthoclase, Harrington, 241.

Nepheline syenite from Ontario, Adams, 1. Nickeliferous pyrite from Ontario, Walker,

Notes on fossils from Quebec, Ami, 8.

On some fossil Unios, Simpson, 512.

Quebec group, Weston, 621.

Sudbury nickel region, Bush, 43.

Volcanie rocks of the Huronian, Dawson, 142. Carboniferous (including Permian).

Canada.

Composition of limestones in Canada, Harrington, 240.

Discovery of batrachians in the coal formation, Dawson, 143.

Picton coal field, Poole, 459.

New England.

Carboniferous fossils in Norfolk County basin, Woodworth, 663.

Appalachian region.

Chattanooga folio, Hayes, 262.

Coal Measure sections, West Virginia, Lyman, 371.

Cumberland, Md., to the Ohio River, White, I. C., 625.

Estillville folio, Campbell, 49.

Geological map of Alabama, Smith, E. A., 517.

Kingston folio, Hayes, 261.

Paleozoic overlaps in Virginia, Campbell, 50. Potomac and Roaring Creek coal fields, Weeks, 618.

Ringgold folio, Hayes, 260.

Some new red horizons, Lyman, 370.

Staunton folio, Darton, 134.

The Appalachian region, Williams, G. H., 635. Mississippi Valley.

Coal deposits of Iowa, Keyes, 333a.

Coal fields of Ohio, Orton, 428.

Coal Measures of Poweshiek County, Iowa, Jones, 318.

Crustal adjustment in Mississippi Valley, Keyes, 331.

Deposition of the Burlington limestones, Fultz, 205, 206.

Geological scale and structure of Ohio, Orton, 426.

Geology of Benton County, Simonds and Hopkins, 511.

Geology of Oklahoma and northwest Texas, Cope, 94.

Indiana's structural features, Cubberly, 113. Lead and zinc deposits, Jenney, 315. Carboniferous (including Permian)—Continued.

Mississippi Valley—Continued.

Missouri Paleozoic, Broadhead, 38.

Peculiarities of Mystic coal seam, Bain, 12. Structure of the Mystic coal basin, Bain, 10.

Waverly group of Ohio, Herrick, 265.

Great Lakes region.

Drainage systems of the Carboniferous of Michigan, Mudge, 417.

Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Geology of South Dakota, Todd, 559. Pikes Peak folio, Cross,108.

Great Basin region.

Section in Congress Canyon, Frech, 204.

Walnut Canyon, Hughes, 298.

Sierra Nevada and Pacific Coast region.

Auriferous conglomerate of Jurassic age,

Lindgren, 364. Auriferous slates of the Sierra Nevada, Smith, J. P., 523.

Geological notes on the Sierra Nevada, Turner, 564.

Jackson folio, Turner, 562.

Mesozoic and Paleozoic in Shasta County, Fairbanks, 191.

Metamorphic series of Shasta County, Smith, J.P., 522.

Placerville folio, Lindgren and Turner, 365.

Colorado.

A new fossil Nelumbo, Hollick, 282.

Acanthite from Colorado, Chester, 65.

Alunite from Colorado, Hurlburt, 303.

Canyon City to Colorado Springs, Emmons, 180.

Colorado's new gold camps, Lakes, 348.

Crystallization of enargite, Pirsson, 455.

Description of igneous formations, Cross, 109.

Description of the Elk Mountains, Emmons, 171.

Description of the sedimentary formations, Eldridge, 166.

Exenrsion to the Canyon of the Colorado, Emmons, 182.

[Genesis of ore deposits], Emmons, 173.

Genesis of ore deposits, Posepny, 460.

Geological distribution of useful metals in United States, Emmons, 172.

Geology of Cripple Creek, McCarn, 375.

Great Plains of Colorado and Kansas, Emmons, 181.

Intrusive sandstone dikes in granite, Cross, 110.

Itinerary, Colorado Springs to Denver, Cross, 112.

Itinerary, Nathrop to Salida, Colo., Cross, 111. Laccolitic mountain groups of Colorado, Utah, and Arizona, Cross, 107.

Pikes Peak folio, Cross, 108.

Restoration of Elotherium, Marsh, 392.

Rocky Mountains of Colorado, Emmons, 179. Silurian vertebrate life at Canyon City, Walcott, 604.

Tertiary Tipulidæ, Sendder, 502.

Connecticut.

Differential faults, Hobbs, 279.

Connecticut-Continued.

Eastern boundary of the Connecticut Triassie, Davis and Griswold, 139.

Eskers of New England, Woodworth, 666. Remarkable deposit of wolfram ore, Gurlt,

Some new red horizons, Lyman, 370.

Correlation.

[Correlation of clastic rocks], Barrois, 14. [Correlation of clastic rocks], Claypole, 85. [Correlation of clastic rocks], Cope, 93.

[Correlation of clastic rocks], Davis, 138. [Correlation of clastic rocks], Frech, 203.

[Correlation of clastic rocks], Geer, 208. [Cerrelation of elastic rocks], Gilbert, 210.

[Correlation of clastic rocks], Hall, 234. [Correlation of elastic rocks], Hilgard, 267.

[Correlation of clastic rocks], Hughes, 296. [Correlation of clastic rocks], McGec, 383.

[Correlation of clastic rocks], Marsh, 401. [Correlation of clastic rocks], Powell, 462.

[Correlation of clastic rocks], Pumpelly, 467. [Correlation of clastic rocks], Van Hise, 592.

[Correlation of clastic rocks], Walcott, 603. [Correlation of clastic rocks], Ward, 612.

[Correlation of clastic rocks], Williams, G. H., 640.

[Correlation of clastic rocks], Zittel, 677. Cretaceous.

Atlantic Coastal Plain.

Artesian wells in New Jersey, Woolman, 677. Climatology and physical features of Maryland, Clark, 71.

Cretaceous and Tertiary geology, Clark, 69. Geological map of Alabama, Smith, E. A., 517. Geology of Long Island, Hollick, 285.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Geology of Washington and vicinity, McGee,

Greensands of New Jersey, Clark, 70.

Micro-geology of the Alabama Cretaceous, Cunningham, 118.

Sand-hill country of the Carolinas, Holmes, 287.

Gulf States.

Fossil plants from the Comanche series, Foutainc, 200.

Geology of Oklahoma and northwest Texas, Cope, 94.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Tertiary geology of southern Arkansas, Harris, 242.

Texas Cretaceous, Marcou, 389.

Mississippi Valley.

Cretaceous formations of Iowa, Keyes, 334. Crctaceous in Iowa, Lonsdale, 366.

Report on field work in Minnesota in 1893, Upham, 581.

Report on field work in 1893, Spurr, 541. Great Plains.

Great Plains of the North, Hague, 231.

Niobrara chalk, Calvin, 48.

Rocky Mountain region.

Cretaceous rim of the Black Hills, Ward, 613. Bull. 135——8

Cretaceous-Continued.

Rocky Mountain region—Continued.

Geological position of Bennettites dacotensis Macbride, Calvin, 46.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Geology of South Dakota, Todd, 559.

Livingston folio, Iddings and Weed, 307.

Pikes Peak folio, Cross, 108.

Yellowstone Valley, Weed and Iddings, 617b. Sierra Nevada and Pacific Coast region.

Geological notes on the Sierra Nevada, Tur-

Geology of Ventura, Santa Barbara, San Luis Obispo, Monterey, and San Benito counties, Fairbanks 190.

Jackson folio, Turner, 562.

Rocks of the Sierra Nevada, Turner, 563.

Shasta-Chico series, Diller and Stanton 155.

Tertiary revolution of Pacific Coast, Diller, 153.

Mexico.

Geological sketch of Lower California, Emmons and Merrill, 184.

Miscellaneous.

Relation between baseleveling and organic evolution, Woodworth, 664.

Tertiary and later history of Cuba, Hill, 270. Yumuri Valley of Cuba, Spencer, 538.

Devonian.

Canada.

Pictou coal field, Poole, 459.

Appalachian region.

Amount of glacial erosion, Lincoln, 361.

Bluestone industry, Ingram, 310.

Chattanooga folio, Hayes, 262.

Cone-in-cone, Gresley, 227.

Cumberland, Md., to the Ohio River, White. I. C., 625.

Devonian in the southern Appalachians, Haves, 259.

Devonian of eastern Pennsylvania and New York, Prosser, 465.

Estillville folio, Campbell, 49.

Geologic relations from Green Pond to Skunnemunk Mountain, Darton, 132.

Geological history of Rochester, Fairchild,

Geological map of Alabama, Smith, E. A., 517. Geology of Albany County, Darton, 129.

Geology of Coosa Valley, Hayes, 258.

Geology of Livonia salt shaft, Luther, 368.

Geology of Ulster County, Darton, 130.

Kingston folio, Hayes, 261.

Livonia salt shaft, Hall, 233.

Mesozoic and Paleozoic in Shasta County, Fairbanks, 191.

Palcozoic overlaps in Virginia, Campbell, 50.

Phosphate rock in Tennessee, Safford, 483. Phosphate rocks of Tennessee, Phillips, 453.

Report on field work in Chenango County Clarke, 79.

Ringgold folio, Hayes, 260.

Sewance folio, Hayes, 263.

Staunton folio, Darton, 134.

The Appalachian region, Williams, G. H., 356.

Devonian-Continued.

Mississippi Valley.

Devonian series in Iowa, Norton, 425.

Geological scale and structure of Ohio, Orton, 426.

Geology of Benton County, Simonds and Hopkins, 511.

Geology of Noble County, Dryer, 159.

Indiana's structural features, Cubberly, 113. Rocky Mountain region.

Geology of South Dakota, Todd, 559.

Geology of the Rocky Mountains, Coleman, 90.

Livingston folio, Iddings and Weed, 307.

Sierra Nevada and Pacific Coast region.

Devonian rocks in California, Diller and Schuchert, 154.

Dynamic geology.

Astronomical conditions favorable to glaciation, Becker, 19.

Canadian earthquakes, Dawson, 144.

Catoctin belt, Keith, 322.

Cenozoic geology of the middle Atlantic slope, Darton, 133.

Continental phenomena illustrated by ripple marks, Dodge, 158.

Crustal adjustment in Mississippi Valley, Keyes, 331.

Deflective effect of earth's rotation, Cobb, 86. Deformation of the Lundy Beach, Spencer, 531.

Description of the Elk Mountains, Emmons, 171.

Description of the sedimentary formations, Eldridge, 166.

Differential faults, Hobbs, 279.

Distribution of earthquakes in the United States, Shaler, 508.

Drainage features of Upper Ohio basin, Chamberlin and Leverett, 63.

Drainage systems of the Carboniferous of Michigan, Mudge, 417.

Duration of Niagara Falls, Spencer, 532.

Erosion, transportation, and sedimentation performed by the atmosphere, Udden, 569.

Fishing banks between Cape Cod and Newfoundland, Upham, 584.

Folded vein in the Ready Relief mine, Fairbanks, 192.

Folds in the Marquette iron district, Van Hise, 594.

Geologic relations from Green Pond to Skunnemunk Mountain, Darton, 132.

Geologic time as indicated by sedimentary rocks, Walcott, 608.

Geology of Carmelo Bay, Lawson, 352.

Geology of Washington and vicinity, McGee, etc., 387.

Geomorphology of northern California, Lawson, 354.

Geomorphology of southern Appalachians, Hayes and Campbell, 264.

Induration of Tertiary rocks in Arkansas, Call, 45.

Jackson folio, Turner, 562,

Kingston folio, Hayes, 261.

Dynamic geology-Continued.

Laccolitic mountain groups of Colorado, Utab, and Arizona, Cross, 107.

Lake Cayuga a rock basin, Tarr, 550, 551.

[Lead and zinc deposits of Mississippi Valley], Blake, 27.

Missouri Paleozoic, Broadhead, 38.

Movements of the crust in post-Glacial times, Matthew, G. F., 404.

Paleozoic overlaps in Virginia, Campbell, 50.

Phenomena of beach and dune sands, Shaler, 507.

Placerville folio, Lindgren and Turner, 365.

Pleistocene distortions of the Atlantic Coast, Shaler, 505.

Post-Glacial eolian action in New England, Woodworth, 662.

Post-Glacial faults at St. John, Matthew, G. F., 403.

Post-Pliocene diastrophism of southern California, Lawson, 353.

Recent discussions in geology, Dawson, 147. Relation between baseleveling and organic

evolution, Woodworth, 664.
Relation of mountain growth to the forma-

tion of continents, Shaler, 506.

Review of history of the Great Lakes, Speneer, 535.

Rock basin of Cayuga Lake, Spencer, 533.

Sacramento folio, Lindgren, 362.

Shawangunk Mountain, Darton, 127.

Springs, Hopkins, 289.

Structure of the main axis of the Green Mountains, Whittle, 631.

Terrestrial submergence southeast of the American Continent, Spencer, 536. [Terrestrial submergence southeast of the

American Continent], Walcott, 606. Tertiary and later history of Cuba, Hill, 270.

Tertiary baseleveling, Upham, 578.
Tertiary changes in southwestern Virginia

Campbell, 51.
Tertiary revolution of the Pacific Coast, Diller, 153.

The earth's originally absorbed gases, Lane,

The structure of Monument Mountain, Dale,

Topographic features east of the Blue Ridge, Cobb, 87.

Wasatch Mountains, Emmons, 177.

Wave-like progress of an epeirogenic uplift, Upham, 571.

Economic geology.

Alabama.

Alabama gold ores, Brewer, 37.

Bauxite mining, McCalley, 373.

Arizona.

Notes on Arizona mines, Comstock, 91.

Arkansas.

Arkansas Coal Measures, Smith, J. P., 521.

Geology of Benton County, Simonds and Hopkins, 511.

Geology of Dallas County, Siebenthal, 509.

Manganese beds of Arkansas, Williams, H. S., 639.

Economic geology-Continued.

California.

Auriferous conglomerate in California, Dunu, 163.

Geology of a section of Eldorado County, Fairbanks, 189.

Gold ores of California, Turner, 565.

Gold-silver veins of Ophir, Cal., Lindgren, 363.

Hot springs and associated mineral deposits, Fairbanks, 193.

Jackson folio, Turner, 562.

Mineral deposits of Inyo, Mono, and Alpine counties, Fairbanks, 188.

Petroleum in California, Peckham, 443.

Placerville folio, Lindgren and Turner, 365. Red Rock, Goler, and Summit mining dis-

tricts, Fairbanks, 187.

Sacramento folio, Lindgren, 362.

Twelfth Report of State Mineralogist, Crawford, 103.

Canada.

Pictou coal field, Poole, 459.

Sudbury nickel region, Bush, 43.

Colorado.

Colorado's new gold camps, Lakes, 348.

Description of the sedimentary formations, Eldridge, 166.

Geology of Cripple Creek, McCarn, 375. Georgia.

Bauxite mining, McCalley, 373.

Corundum deposits of Georgia, King, 337.

Marbles of Georgia, McCallic, 374.

Natural and artificial abrasiyes, King, 338, Ringgold folio, Hayes, 260.

Idaho.

Placer deposits, Hastings, 246, 247.

Plac

Geology of Noble County, Dryer, 159.

Indiana's structural features, Cubberly, 113. Natural gas, Jordan, 320.

[Natural resources of Indiana], Gorby, 219.

Coal deposits of Iowa, Keyes, 333a.

Coal Measures of Poweshiek County, Jones, 318.

Peculiarities of Mystic coal seam, Bain, 12. Sigourney deep well, Bain, 11.

Structure of Mystic coal basin, Bain, 10.

Zinc in Iowa, Leonhard, 357.

Kentucky.

Estillville folio, Campbell, 49.

Maryland.

Harpers Ferry folio, Keith, 321.

Potomac and Roaring Creek coal fields, Weeks, 618.

Minnesota.

Iron-bearing rocks of the Mesabi range, Spurr, 540.

Iron ores of the Mesabi range, Spurr, 539. Mesabi iron range, Jennings, 316.

Missouri.

[Lead and zinc deposits of Mississippi Valley], Blake, 27.

Montana.

Livingston folio, Iddings and Weed, 307.

Economic geology-Continued.

New Jersey.

Artesian wells in New Jersey, Woolman, 667.

Geological structure in Hibernia, N. J., Wolff, 659.

Ore deposits at Franklin Furnace, N. J., Kemp, 326.

Water supply, Vermeule, 596, 597.

New York.

Gabbros on western shore of Lake Champlain, Kemp. 325.

Geology of Albany County, Nason, 418.

Geology of Lawrence and Jefferson counties, Smyth, C. H., jr., 526.

Geology of Livonia salt shaft, Luther, 368. Geology of Ulster County, Nason, 419.

io

Clays of Ohio, Orton, 427.

Clay working industries of Ohio, Orton, 431.

Coal fields of Ohio, Orton, 428.

Ohio River to Chicago, Orton, 430.

Pennsylvania.

Potomac and Roaring Creek coal fields, Weeks, 618.

Slate binders of the Pittsburg coal bed, Gresley, 228.

South Dakota.

Artesian wells of eastern Dakota, Eldridge, 168.

Tennessec.

Chattanooga folio, Hayes, 262.

Estillville folio, Campbell, 49.

Kingston folio, Hayes, 261.

Phosphate rock in Tennessee, Safford, 483.

Phosphate rocks of Tennessee, Phillips, 453, 454.

Ringgold folio, Hayes, 260.

Sewanee folio, Hayes, 263.

l'exas.

Geology of Jefferson County, Kennedy, 329.

Iron ores of east Texas, Kennedy, 330.

tun.

Mercur gold deposits, Moeller, 416.

Virginia.

Bertha zinc mine, Virginia, Case, 54.

Estillville folio, Campbell, 49.

Harpers Ferry folio, Keith, 321.

Staunton folio, Darton, 134.

West Virginia.

Potomac and Roaring Creek coal fields, Weeks, 618.

Staunton folio, Darton, 134.

Wisconsin.

[Lead and zinc deposits of Mississippi Valley], Blake, 27.

Mineral deposits of Wisconsin, Blake, 26.

Wisconsin lead and zinc deposits, Blake, 30. Wyoming.

Geological reconnoissance in northwest Wyoming, Eldridge, 147.

Miscellaneous discussions.

A bit of iron range history, Winchell, H. V., 650.

Artesian wells as a source of water supply, Smith, E. G., 519.

Economic geology--Continued.

Miscellaneous discussions-Continued.

Classification of economical geological deposits, Crosby, 105.

Classification of economical geological deposits, Raymond, 474.

[Genesis of ore deposits], Becker, 20.

[Genesis of ore deposits], Blake, 28.

[Genesis of ore deposits], Cazin, 55.

[Genesis of ore deposits], Church, 68.

[Genesis of ore deposits], Emmons, 173.

Genesis of ore deposits, Posepny, 464.

[Genesis of ore deposits], Rickard, 476.

[Genesis of ore deposits], Winchell, H, V., 651. [Genesis of ore deposits], Winslow, 657.

Geological distribution of the useful metals, Emmons, 172.

[Geological distribution of useful metals], Church, 67.

[Geological distribution of the useful metals], Winslow, 656.

Geology of the iron, gold, and copper districts, Wadsworth, 598.

Gold genesis, Wurtz, 676.

Iron pyrite deposits in Virginia, Nason, 420.

[Lead and zinc deposits], Nason, 421.

[Lead and zinc deposits], Winslow, 655.

Nature of coal horizons, Keyes, 332.

Nickel, Charleton, 64.

Origin of anthracite, Keyes, 333.

Origin of bitumens, Peckham, 442.

Origin of the Pennsylvania anthracite, Stevenson, 546.

Recent discussions in geology, Dawson, 147. [Relation of deformation to ore deposition],

Chamberlin, 60. Relation of deformation to ore deposition, Kemp, 324.

Superficial alteration of ore deposits, Penrose, 452.

Economic products described.

Antimony, Crawford, 103.

Artesian wells, Bain, 11.

Artesian wells, Cubberly, 113.

Artesian wells, Dryer, 159.

Artesian wells, Eldridge, 167.

Artesian wells, Kennedy, 329.

Artesian wells, Smith, 519.

Artesian wells, Todd, 559.

Artesian wells, Woolman, 667.

Asbestus, Crawford, 103.

Asphalt, Crawford, 103.

Barite, Blake, 26.

Bauxite, McCalley, 373.

Bitumen, Crawford, 103.

Bitumen, Peckham, 442.

Borax, Crawford, 103.

Building stones, Crawford, 103.

Building stones, Gorby, 219.

Building stones, Eldridge, 167.

Building stones, Keith, 321.

Building stones, Nason, 418, 419.

Building stones, Simonds and Hopkins, 511.

Building stones, Todd, 559.

Building stones, Turner, 562.

Cement, Nason, 419.

Economic geology-Continued.

Economic products described—Continued.

[BULL. 135.

Chromic iron, Crawford, 103.

Clay, Darton, 134.

Clay, Emmons, 171. Clay, Gorby, 219.

Clay, Nason, 418, 419.

Clay, Orton, 427, 431.

Clay, Siebenthal, 509. Coal, Bain, 10, 12,

Coal, Campbell, 49.

Coal, Crawford, 103.

Coal, Dawson, 146.

Coal, Eldridge, 166, 167.

Coal, Gorby, 219.

Coal, Hayes, 260, 261, 262, 263.

Coal, Iddings and Weed, 307.

Coal, Jones, 318.

Coal, Keyes, 332, 333a.

Coal, Orton, 428. Coal, Poole, 459.

Coal, Stevenson, 546.

Coal, Todd, 559.

Coal, Turner, 562.

Coal, Weeks, 618.

Copper, Cazin, 55.

Copper, Crawford, 103.

Copper, Emmons, 172.

Copper, Keith, 321.

Copper, Lindgren, 362.

Copper, Penrose, 452. Copper, Posepny, 460.

Copper, Todd, 559.

Copper, Turner, 562.

Copper, Wadsworth, 598.

Corundum, King, 337.

Gold, Crawford, 103.

Gold, De Kalb, 151.

Gold, Dunn, 163.

Gold, Eldridge, 167.

Gold, Emmons, 171, 172.

Gold, Fairbanks, 187, 189, 193.

Gold, Hastings, 246, 247.

Gold, Iddings and Weed, 307.

Gold, Lakes, 348,

Gold, Lindgren, 362, 363.

Gold, Lindgren and Turner, 365.

Gold, McCarn, 375.

Gold, Penrose, 452.

Gold, Posepny, 460.

Gold, Todd, 559.

Gold, Turner, 562, 565.

Gold, Wadsworth, 598.

Gold, Wurtz, 676.

Graphite, Todd, 559.

Grindstones, King, 338.

Gypsum, Crawford, 103.

Infusorial earth, King, 338.

Iron, Crawford, 103.

Iron, Darton, 134.

Iron, Emmons, 171, 172.

Iron, Hayes, 260, 261, 262, 263.

Iron, Jennings, 316.

Iron, Keith, 321.

Iron, titaniferous, Kemp, 325.

Iron, Kennedy, 330.

Economic geology-Continued.

Economic products described-Continued.

Iron, Lindgren, 362.

Iron, Penrose, 452.

Iron, Posepny, 460.

Iron, Smyth, 526.

Iron, Spurr, 539, 540.

Iron, Todd, 559.

Iron, Turner, 562.

Iron, Wadsworth, 598.

Iron, Wolff, 659.

Irrigation, Newell, 424.

Lead, Blake, 28, 30.

Lead, Crawford, 103.

Lead, Emmons, 172.

Lead, Jenney, 315.

Lead, Nason, 421. Lead, Penrose, 452.

Lead, Posepny, 460.

Lead, Simonds and Hopkins, 511.

Lead, Todd, 559.

Magnesite, Crawford, 103.

Manganese, Crawford, 103.

Manganese, Emmons, 172.

Manganese, Penrose, 452.

Manganese, Todd, 559.

Marble, Darton, 134.

Marble, McCallie, 374.

Marble, Smyth, C. H., jr., 526.

Marcasite, Blake, 26.

Mica, Todd, 559.

Natural gas, Crawford, 103.

Natural gas, Gorby, 219,

Natural gas, Jordan, 320.

Natural gas, Orton, 430.

Nickel, Bush, 43.

Nickel, Charleton. 64.

Nickel, Emmons, 172.

Nickel, Todd, 559.

Nickel, Walker, 610.

Petroleum, Crawford, 103.

Petroleum, Eldridge, 167.

Petroleum, Gorby, 219.

Petroleum, Peckham, 443.

Phosphate, Phillips, 453, 454.

Phosphate, Safford, 483.

Platinum, Crawford, 103.

Pumice, King, 338.

Quicksilver, Crawford, 103.

Quicksilver, Emmons, 172.

Quicksilver, Fairbanks, 193.

Salt, Crawford, 103.

Salt, Luther, 368.

Silver, Comstock, 91.

Silver, Crawford, 103.

Silver, Emmons, 171, 172.

Silver, Lakes, 348.

Silver, Lindgren, 363.

Silver, Penrose, 452.

Silver, Posepny, 460.

Silver, Todd, 559.

Soda, Crawford, 103.

Tale, Smyth, 526.

Tin, Emmons, 172.

Tin, Todd, 559.

Wolfram, Gurlt, 230.

Economic geology-Continued.

Economic products described-Continued.

Zinc, Blake, 26, 28, 30.

Zinc, Case, 54.

Zinc, Crawford, 103.

Zine, Emmons, 172.

Zinc, Jenney, 315.

Zine, Kemp, 326.

Zinc, Leonhard, 357.

Zine, Nason, 421.

Zinc, Penrose, 452.

Zinc, Simonds and Hopkins, 511.

Florida.

Cenozoic geology along the Apalachicola River, Dall and Stanley-Brown, 125.

Florida kaolin deposits, Memminger, 411.

Vicksburg Eocene and Chattahoochee Mio-

cene, Foerste, 198.

Georgia.

Bauxite mining, McCalley, 373.

Cenozoic geology along the Apalachicola River, Dall and Stanley Brown, 125.

Corundum deposits of Georgia, King, 337.

Geological and topographical features about Atlanta, Purington, 468.

Geology of Coosa Yalley, Hayes, 258.

Marbles of Georgia, McCallie, 374.

Natural and artificial abrasives, King, 338.

Ringgold folio, Hayes, 260.

Vicksburg Eocene and Chattachoochce Miocene, Foerste, 198.

Glacial geology.

Alaska.

Mammoth remains in the Yukon district of Canada and Alaska, Dawson, 141.

[Mammoth remains of Canada and Alaska], Howorth, 294.

Canada.

Ancient strait at Nipissing, Taylor, 555.

Inter-Glacial fossils from the Don Valley, Coleman, 89.

Limit of post-Glacial submergence, Taylor, 554.

Mammoth remains in the Yukon district of Canada and Alaska, Dawson, 141.

Pleistocene of the Northwest Territories, Tyrrell, 568.

Pre-Paleozoic decay of crystalline rocks, Bell,

Tertiary baseleveling, Upham, 578.

Colorado.

Description of the Elk Mountains, Emmons, 171.

Greenland.

Glacial studies in Greenland, Chamberlin, 58. Illinois.

Superglacial eskers in Illinois, Upham, 579. Indiana.

Drift of the Wabash-Erie region, Dryer,

Geology of Lagrange County, Dryer, 160. Geology of Noble County, Dryer, 159.

Minnesota.

Conditions of ripple marks, Joggar, 317.

False bedding, Spurr, 542.

Geology of Itasca County, Culver, 115.

Glacial geology-Continued.

Minnesota—Continued.

Reconnoissance in Minnesota in 1892, Todd, 560.

Reconnoissance in Minnesota in 1893, Todd,

Report on field work in 1893, Spurr, 541.

Ripple marks, Spurr, 543.

Superglacial eskers in Illinois, Upham, 579. The State of Minnesota, Grant, 221.

Missouri.

Pleistocene problems in Missouri, Todd, 561.

Traces of a glacier at Kansas City, Case, 53.

Montana.

Yellowstone Valley, Weed and Iddings, 617b.

New England.
Eskers of New England, Woodworth, 666.

Fossils in drumlins of Boston basin, Crosby and Ballard, 106.

Glacial striæ in Somerville, Upham, 583.

Glaciation of the White Mountains, Hitch-cock, 276.

Pleistocene fossils from Winthrop, Mass., Dodge, 157.

New Jersey.

Continuity of the Glacial period, Wright, G. F., 673.

Drift deposits made under the influence of stagnant ice, Salisbury, 489.

[Drift fringe on Long Island], Chamberlin, 59. Drift phenomena of the Palisade ridge, Salisbury and Peet, 493.

Extra-morainic drift, Salisbury, 487.

[Extra-morainic drift of New Jersey], McGee, 377.

Glaciated area in New Jersey, Wright, 672. Lake Passaic, Salisbury and Kummel, 492.

New Jersey eskers, Culver, 114. The terminal moraine, Salisbury, 488.

Triassic rocks of New Jersey, Mawby, 409. New York.

Amount of glacial erosion. Lincoln, 361.

Geological history of Rochester, Fairchild, 195.

Geology of Long Island, Hollick, 285.

Glacial features of Long Island, Bryson, 42.

[Glacial geology of Lake Cayuga and vicinity], Simonds, 510.

Kames of the Oriskany Valley, Harris, 245.

Niagara gorge as a measure of post-Glacial period, Upham, 576.

Pleistocene history of Champlain Valley, Baldwin, 13.

Ohio.

Glacial ice dam in central Ohio, Tight, 556. Pennsylvania.

Continuity of the Glacial period, Wright, 673. Drainage features of Upper Ohio basin, Chamberlin and Leverett, 63.

[Drift fringe on Long Island], Chamberlin, 59. Extra-morainic drift, Williams, E. H., 633.

Extra-morainic fringe, Williams, E. H., 634. South Mountain glaciation, Williams, E. H, 632. South Dakota.

Geology of South Dakota, Todd, 559.

Glacial geology—Continued.

Vermont.

Pleistocene history of Champlain Valley, Baldwin, 13.

West Virginia.

Continuity of the Glacial period, Wright, G. F., 673.

Wisconsin.

Itinerary, Chicago to the Mississippi River, Emmons, 175.

Madison type of drumlins, Upham, 577 General papers.

Astronomical conditions favorable to glaciation, Becker, 19.

British drift theories, Upham, 574.

Causes and conditions of glaciation, Upham, 575.

Cincinnati ice dam, Wright, 674.

Classification of Pleistocene formations, Chamberlin, 57.

Derivation of kames, eskers, and moraines, Upham, 587.

Diversity of the glacial drift, Upham, 573.

[Formation of kames, eskers, and moraines], Chamberlin, 61.

Glacial canyons, McGee, 382.

Ohio to the Mississippi River, Gilbert, 212.

Origin of drumlins, Tarr, 549.

Origin of drumlins, Upham, 582.

Pleistocene climatic changes, Upham, 589.

Pseudo-cols, Chamberlin, 56.

Quaternary time divisible into three periods, Upham, 580.

Recent discussions in geology, Dawson, 147.

[Remarks on drumlins], Barton, 15.

[Remarks on drumlins], Davis, 136.

Reply to "Causes and conditions of glaciation," Manson, 388.

Review of history of the Great Lakes, Spencer, 535.

Succession of Pleistocene formations, Upham, 588.

Superglacial drift, Salisbury, 484.

The drift: its characteristics and relation ships, Salisbury, 485.

The Ice age, Wallace, 611.

Greenland.

Glacial studies in Greenland, Chamberlin, 58.

uatemaia

Kenntniss der jungen Eruptivgesteine der Guatemala, Bergeat, 24.

Idaho.

Boise Basin in Idaho, Hastings, 247.

Great Salt Lake and Lake Bonneville, Gilbert, 213.

Livingston to Snake Plains, Emmons, 176.

Notes on Idaho mines, Hastings, 246.

Trias and Jura in the Western States, Hyatt, 304.

Illinois.

Elk Horn Creek area of St. Peter sandstone, Hershey, 266.

Ohio to the Mississippi River, Gilbert, 212. The Prairies, McGee, 385.

Indiana.

A new species of Carcinosoma, Claypole, 81.

Indiana -- Continued.

Description of Cincinnati fossils, Miller and Faber, 415.

Drift of the Wabash-Erie region, Dryer, 161.

Fossils of the Clinton group, Foerste, 197.

Geologic literature of Indiana, Marsters and Kindle, 402.

Geology of Lagrange County, Dryer, 160.

Geology of Noble County, Dryer, 159.

Indiana's structural features, Cubberly, 113. Natural gas, Jordan, 320.

[Natural resources of Indiana], Gorby, 219. Ohio River to Chicago, Orton, 430.

Ohio to the Mississippi River, Gilbert, 212. Pleistocene river channel in Indiana, Beachler, 18.

Indian Territory.

Geology of parts of Texas, Indian Territor y and Arkansas, Hill, 271.

Iowa

A sandstone in which the grains are enlarged by secondary deposition of silica, Calvin, 47 Cardiocarpus in Iowa, Jones, 319.

Coal deposits of Iowa, Keyes, 333a.

Coal Measures of Poweshiek County, Jones, 318.

Cretaceous formations of Iowa, Keyes, 334. Cretaceous in Iowa, Lonsdale, 386.

Deposition of the Burlington limestones, Fultz, 205, 206.

Devonian series in Iowa, Norton, 425.

Formation of certain quartzites, Keyes, 336.

Fossiliferous concretions in Iowa, Spencer, 530.

Niobrara chalk, Calvin, 48.

Origin of the present drainage system of Warren County, Tilton, 558.

Peculiarities of Mystic coal seam, Bain, 12.

Satin spar from Dubuque, Leonhard, 358.

Sigourney deep well, Bain, 11.

Structure of the Mystic coal basin, Bain, 10. The Prairies, McGee, 385.

Zine in Iowa, Leonhard, 357.

Juratrias.

Canada.

Composition of limestones in Canada, Harrington, 240.

Atlantic Coastal Plain.

Age of the Newark brownstone, Lyman, 369 Catoctin belt, Keith, 322.

Eastern boundary of the Connecticut Triassic, Davis and Griswold, 139.

Harpers Ferry folio, Keith, 321.

Some new red horizons, Lyman, 370.

Triassic rocks of New Jersey, Mawby, 409.

Great Plains.

Geological position of Bennettites dacotensis Macbride, Calvin, 46.

Geological reconnoissance in Kansas and No Mans Land, Case, 52.

Geology of South Dakota, Todd, 559.

Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Livingston folio, Iddings and Weed, 307.

Pikes Peak folio, Cross, 108.

Juratrias-Continued.

Rocky Mountain region-Continued.

Yellowstone Valley, Weed and Iddings, 617b. Sierra Nevada and Pacific Coast region.

Auriferous conglomerate of Jurassic age, Lindgren, 364.

Auriferons slates of the Sierra Nevada, Smith, J. P., 523.

Geological notes on the Sierra Nevada, Turner, 564.

Gold ores of California, Turner, 565.

Jackson folio, Turner, 562.

Mesozoic and Paleozoic in Shasta County, Fairbanks, 191.

Metamorphic series of Shasta County, Smith, J. P., 522.

Rocks of the Sierra Nevada, Turner, 563.

Trias and Jura in the Western States, Hyatt, 304.

Miscellaneous.

Relation between baseleveling and organic evolution, Woodworth, 664. The name "Newark" in America stratigra-

phy, Gilbert, 217.

The name "Newark" in American strati-

The name "Newark" in American strategraphy, Lyman, 372.

Kansas.

Arkansas Coal Measures, Smith, J. P., 521.

Beitrage zur Kenntniss der Gattung Oxyrhina mit besonderer Berucksichtigung von Oxyrhina Mantelli Agassiz, Eastman, 165.

Geological reconnoissance in Kansas and No Mans Land, Case, 52.

Geologic section along Neosho River, Haworth and Kirk, 256.

Geologic section along the Verdigris River, Haworth and Piatt, 257.

Geologic section from Cherryvale to Lawrence, Haworth, 252.

Geology of Oklahoma and northwest Texas, Cope, 94.

Great Plains of Colorado and Kansas, Emmons, 181.

Invertebrata from the Neocomian of Kansas, Cragin, 102.

Kansas mosasaurs, Williston, 643.

Kansas mosasaurs, Williston and Case, 649. Kansas pterodactyls, Williston, 642.

Limestone, sandstone, and shale in Kansas, Haworth, 251.

Notes on Uintacrinus socialis Grinnell, Williston, 647.

On the skull of plesiosaurian Reptilia, Cope, 93.

Restoration of Aceratherium fossiger Cope, Williston, 645.

Restoration of Platygonus, Williston, 648.

Stratigraphy of eastern Kansas, Haworth, 253. Topography of eastern Kansas, Haworth, 254. Uintacrinus socialis Grinnell, Hill, 268.

Vertebrate remains from the Cretaceous, Williston, 645.

Vertebrates in Coal Measures of Kansas, Marsh, 394.

Kentucky.

Estillville folio, Campbell, 49.

Maine.

Anorthite and epidote, Clarke, 72.

Crystallization of herderite, Penfield, 445.

Maryland.

Catoctin belt, Keith, 322.

Climatology and physical features of Maryland, Clark, 71.

Cumberland, Md., to the Ohio River, White, I. C., 625.

Cycadean trunks in the Potomac formation, Ward, 614.

Eocene deposits of Maryland and Virginia, Harris, 243.

Geology and physical features of Maryland, Williams and Clark, 638.

Geology of Washington and viciuity, McGee, etc., 387.

Granites of Cecil County, Grimsley, 229.

Harpers Ferry folio, Keith, 321. Potomac and Roaring Creek coal fields,

Weeks, 618. Washington to Cumberland, Williams, G. H., 636.

Massachusetts.

Carboniferous fossils in Norfolk County basin, Woodworth, 663.

Continental phenomena illustrated by ripple marks, Dodge, 158.

Differential faults, Hobbs, 279.

Eskers of New England, Woodworth, 666.

Facetted pebbles on Cape Cod, Davis, 137.

Fossils in drumlins of Boston basin, Crosby and Ballard, 106.

Geology and botany of Marthas Vineyard, Hollick, 283.

Geology of Hoosae Mountain, Wolff, 658.

Geology of the Green Mountains, Pumpelly,

Glacial striæ in Somerville, Upham, 583.

Marine shell fragments in drumlins, Upham,

Miocene and Pliocene of Gay Head, Dall, 123. Mount Greylock, Dale, 122.

Origin of drumlins, Tarr, 549.

Pleistocene distortions of the Atlantic Coast, Shaler, 505.

Pleistocene fossils from Winthrop, Mass., Dodge, 157. Post-Glacial eolian action in New England,

Woodworth, 662.

The structure of Monument Mountain, Dale,

Traces of a fauna in the Cambridge slates, Woodworth, 665.

Mexico.

Genesis of ore deposits, Posepny, 460.

Geological sketch of Lower California, Emmons and Merrill, 184.

Geology of Mexico, Aguilera, 4.

Gold in Zacatecas, Mexico, Halse, 238, 239.

Sabinas coal field, Tuttle, 567.

The mines of Velardena, Mexico, Fogh, 199.

Michigan.

Abandoned shores of Green Bay, Taylor, 552. Abandoned shores of Lake Superior, Taylor, 553.

Michigan-Continued.

A bit of iron range history, Winchell, H. V.,

Chicago to Niagara Falls, Gilbert, 215.

Drainage systems of the Carboniferous of Michigan, Mudge, 417.

Excursion to Lake Superior, Van Hise, 593.

Field observations in 1892, Winchell, N. H.,

Folds in the Marquette iron district, Van Hise, 595. Geological distribution of useful metals in

the United States, Emmons, 172. Geology of the iron, gold, and copper districts,

Wadsworth, 598. Macroscopic minerals of Michigan, Hubbard,

Marquette iron district, Van Hise, 594.

Microscopic study of Michigan rocks, Patton, 438.

Quartzite tongue at Republic, Smyth, H. L., 529.

Relations of the Menomiuce and Marquette series, Smyth, H. L., 528.

Rocks and minerals from Michigan, Lane, 350. Mineralogy.

Condensed titles of papers.

Acanthite from Colorado, Chester, 65.

Allanite crystals from New Jersey, Eakle, 164.

Alunite from Colorado, Hurlburt, 303.

Anorthite and epidote, Clarke, 72.

Antholite from Ontario, Colemau, 88.

Apatite crystals from North Carolina, Prindle, 464.

Caswellite and quartz from New Jersey, Chester, 66.

Cerussite, calamine, and zircon, Pratt, 463. Chemical composition of chondrodite, humite,

and clinohumite, Penfield and Howe, 447.

Corundum deposits of Georgia, King, 337.

Crystallization of enargite, Pirsson, 455.

Crystallization of herderite, Penfield, 445.

Crystallization of willemite, Penfield, 444.

Diamonds in meteorites, Huntington, 301.

Hemimorphic wulfenite crystals, Ingersoll,

Leadhillite in Missouri, Pirsson and Wells,

Macroscopic minerals of Michigan, Hubbard,

Mica deposits in the Ottawa district, Ells, 170.

Mineralogical character of New Jersey limestones, Westgate, 619.

Mineralogical notes, Kunz, 347.

Mineralogical notes, Penfield, 446.

Mineralogical notes, Penfield and Kreider, 448.

Nepheline, sodalite, and orthoclase, Harrington, 241.

Nepheline syenite from Ontario, Adams, 1. New forms of wollastonite, Ries, 478.

Nickeliferous pyrite from Ontario, Walker, 610.

Notes on scapolite, gypsum, and fayalite, Smith, G. O., 520.

Mineralogy-Continued.

Condensed titles of papers-Continued.

On a recent diamond find in Wisconsin, Hobbs, 278.

Ore deposits at Franklin Furnace, N. J., Kemp, 326.

Physical properties of topaz, Penfield and Minor, 449. Rock containing a new soda amphibole, Pa-

lache, 437. Satın spar from Dubuque, Leonhard, 358.

Smithville meteoric iron, Huntington, 302. Summary of progress in mineralogy and petrography, Bayley, 17a.

Topaz from Texas, Kunz, 345.

Variscite from Utah, Packard, 434.

Minerals described.

Acanthite, Chester, 65.

Albite, Penfield, 446.

Allanite, Eakle, 164.

Alunite, Hurlburt, 303. Amphibole, Palache, 437.

Anorthite, Clarke, 72.

Anorthite, Clarke, 72.

Antholite, Coleman, 88.

Apatite, Ells, 170.

Apatite, Prindle, 464.

Biotite, Westgate, 619. Calamine, Pratt, 463.

Calcite, Leonhard, 358.

Caswellite, Chester, 66.

Cerussite, Pratt, 463.

Chalcophanite, Penfield and Kreider, 448.

Chalcopyrite, Bush, 43.

Chondrodite, Penfield and Howe, 447.

Diamond, Hobbs, 278.

Diamond, Kunz, 347.

Emerald, Kunz, 346.

Enargite, Pirsson, 455.

Epidote, Clarke, 72.

Fayalite, Smith, G. O., 520.

Gypsum, Smith, G. O., 520.

Herderite, Penfield, 445.

Herderite, Penfield and Minor, 448.

Hornblende, Adams, 1.

Hydrofranklinite, Penfield and Kreider, 448.

Leadhillite, Pirsson and Wells, 457.

Mica, Adams, 1.

Mica, Ells, 170.

Nepheline, Adams, 1.

Nepheline, Harrington, 241.

Octahedrite, Penfield, 446.

Orthoclase, Harrington, 241.

Orthoclasc, Penfield, 446.

Penfieldite, Penfield, 446.

Plagioclase, Adams, 1.

Pyrite, Walker, 610.

Pyroxene, Westgate, 619.

Quartz, Chester, 66.

Scapolite, Adams, 1.

Scapolite, Smith, G. O., 520.

Sodalite, Adams, 1.

Sodalite, Harrington, 241.

Topaz, Kunz, 345, 347.

Topaz, Penfield and Minor, 449.

Variscite, Packard, 434.

Willemite, Penfield, 444.

Mineralogy-Continued.

Minerals described—Continued.

Wollastonite, Ries, 478.

 $\label{eq:wulfenite} Wulfenite, Ingersoll, 309.$

Zircon, Pratt, 463.

Minnesota

A bit of iron range history, Winchell, H. V., 650.

Basic massive rocks of Lake Superior region, Bayley, 17.

Conditions of ripple marks, Joggar, 317.

False bedding, Spurr, 542.

Field observations in 1892, Winchell, N. H., 652.

Field work in Minnesota, Elftman, 169.

Field work in 1893 in Minnesota, Grant, 224.

Geological investigations in Minnesota, Winchell, N. H., 653.

Geology of Itasca County, Culver, 115.

Geology of Kekequabic Lake, Grant, 223.

Iron-bearing rocks of the Mesabi range, Spurr, 540.

Iron ores of the Mcsabi range, Spurr, 539.

Kewcenawan rocks of Grand Portage Island, Grant, 226.

La Crosse to Moorhead, Grant, 222.

Mesabi iron range, Jennings, 316.

Nanno, a new cephalopoden type, Clarke, 76. Reconnoissance in Minnesota in 1892, Todd, 560.

Reconnoissance in Minnesota in 1893, Todd, 560a.

Report of leveling party, Berkey, 25.

Report on field work in 1893, Spurr, 541.

Report on field work in Minnesota in 1893, Upham, 581.

Ripple marks, Spurr, 543.

Stratigraphic position of the Thompson slates, Spurr, 544.

Tertiary baseleveling, Upham, 578.

The State of Minnesota, Grant, 221.

Volcanic rocks in the Keewatin, Grant, 225.

Mississippi.

New Tertiary fossils from Mississippi, Aldrich, 6.

Missourı.

Cherts of Missouri, Hovey, 291.

Crinoids and brachiopods from the Hamilton, Rowley, 481.

Geological distribution of useful metals in the United States, Emmons, 172.

Geological survey in Missouri, Winslow, 654.

Genesis of ore deposits, Posepny, 460.

Granite and porphyry region of Missouri, Lonsdale, 367.

Lead and zinc deposits, Jenney, 315.

[Lead and zinc deposits], Nason, 421.

[Lead and zinc deposts of Mississippi Valley], Blake, 27.

Leadhillite in Missouri, Pirsson and Wells, 457.

Missouri Paleozoic, Broadhead, 38.

Pleistocene problems in Missouri, Todd, 561.

The Prairies, McGee, 385.

Traces of a glacier at Kansas City, Case, 53.

Montana,

A new fossil Hepatic, Knowlton, 344.

Fossil plants from the Fort Union group, Knowlton, 343.

Geological distribution of useful metals in the United States, Emmons, 172.

Georgetown mining district, Montana, Brown, 41.

Great Plains of the North, Hague, 231.

Livingston folio, Iddings and Weed, 307.

Livingston to Bozeman, Weed, 616.

Livingston to the Snake Plains, Emmons, 176.

Livingston to the Snake Plains, Peole, 441. Yellowstone Valley, Weed and Iddings, 617b. Nebraska.

A rhinoceros from Nebraska, Hatcher, 248. Arkansas Coal Measures, Smith, J. P., 521. New turtle from the Cretaceous, Williston, 646. Niobrara chalk, Calvin, 48.

Vertebrate fossils from the Loup Fork beds, Hatcher, 520.

Nevada.

Genesis of ore deposits, Posepny, 460.

Trias and Jura in the Western States, Hyatt,

New Hampshire.

Glaciation of the White Mountains, Hitchcock, 276.

New Jersey.

Age of Newark brownstone, Lyman, 369.

Age of the crystalline limestones of New Jersey, Westgate, 620.

Allanite crystals from New Jersey, Eakle, 164. Artesian wells in New Jersey, Woolman, 667. Cambrian age of the white limestones, Nason,

Cambrian rocks of Pennsylvania, Walcott, 600.

Caswellite and quartz from New Jersey, Chester, 66.

Continuity of the Glacial period, Wright, 673. Cretaceous and Tertiary geology, Clark, 69.

Drift deposits made under the influence of stagnantice, Salisbury, 489.

Drift phenomena of the Palisade Ridge, Salisbury and Peet, 493.

Extra-morainic drift, Salisbury, 487.

[Extra-morainic drift of New Jersey], McGee,

Geological distribution of useful metals in the United States, Emmons, 172.

Geological structure in Hibernia, N. J., Wolff, 659.

Geologic relations from Green Pond to Skunnemunk Mountain, Darton, 132.

Glaciated area in New Jersey, Wright, 672. Greensands of New Jersey, Clark, 70.

Lake Passaic, Salisbury and Kummel, 492.

Leucite in Sussex County, N.J., Kemp, 328. Microscopic structure of oolite, Hovey, 290.

Mineralogical character of New Jersey limestones, Westgate, 619.

Mollusca and Crustacea of the Miocene of New Jersey, Whitfield, 628.

New Jersey eskers, Culver, 114.

New Jersey-Continued.

Olenellus in the Green Pond Mountain series, Walcott, 601.

Ore deposits at Franklin Furnace, N.J., Kemp, 326.

Some new red horizons, Lyman, 370.

The terminal moraine, Salisbury, 488.

The Yellow gravel, Salisbury, 486.

Triassic rocks of New Jersey, Mawby, 409.

Water supply, Vermeule, 596, 597.

White limestones of New Jersey, Nason, 422. Yellow gravei in New Jersey and northward, Hollick, 286.

New Mexico.

Albuquerque to Flagstaff and the Grand Canyon, Gilbert, 216. Crystallization of willemite, Penfield, 444.

Excursion to the Canyon of the Colorado, Em-

mons, 182. Genesis of ore deposits, Posepny, 460. Hemimorphic wulfenite crystals, Ingersoll,

New York.

Amount of glacial erosion, Lincoln, 361.

Autodetus and paramorphic shells from the Devonian, Clarke, 74.

Basic rock derived from granite, Smyth, C. H., jr., 527.

Bluestone industry, Ingram, 310.

Ceratiocaris acuminata Hall, Stose, 548.

Chemical composition of chondrodite, humite, and clinohumite, Penfield and Howe, 447.

Cretaceous clays on Long Island, Ries, 480.

Deformation of the Lundy Beach, Spencer, 531. Derivation of kames, eskers, and moraines, Upham, 587.

Devonian of eastern Pennsylvania and New York, Prosser, 465.

Devonian plants from New York and Pennsylvania. Penhallow, 451.

Diatomaceous earth in the Adirondacks, Cox, 101.

Duration of Niagara Falls, Spencer, 532.

Early stages of Bactrites, Clarke, 75.

Field observations in 1892, Winchell, N. H., 652.

[Fossil leaves from Long Island], Pollard, 458. Gabbros in the Adirondack region, Smyth, C.

H., jr., 524. Gabbros on western shore of Lake Champlain,

Kemp, 325.
Geologic distribution of useful metals in the

United States, Emmons, 172. Geologic relations from Green Pond to Skun-

nemunk Mountain, Darton, 132. Geological history of Rochester, Fairchild,

195.

Geological map of New York, Marcou, 390.

Geology of Albany County, Darton, 129. Geology of Albany County, Nason, 418.

Geology of Cattarangus and Chautauqua counties, Randall, 470.

Geology of Clinton County, Cushing, 119.

Geology of Essex County, White, 626. Geology of Lawrence and Jefferson counties,

Smyth, C. H., jr., 526.

New York-Continued.

Geology of Livonia salt shaft, Luther, 368.

Geology of Long Island, Holliek, 285. Geology of Mohawk Valley, Darton, 131.

Geology of Ulster County, Darton, 130.

Geology of Ulster County, Nason, 419.

Glacial features of Long Island, Bryson, 42.

[Glacial geology of Lake Cayuga and vicinity], Simonds, 510.

Kames of the Oriskany Valley, Harris, 245.

Lake Cayuga a rock basin, Tarr, 550, 551. Livonia salt shaft, Hall, 233,

Microscopie organisms in clay, Ries, 479. New forms of wollastonite, Ries, 478.

New or rare species from the Livonia shaft Clarke, 78.

Niagara Falls to New York City, Walcott, 605.

Niagara gorge as a measure of post-Glacial period, Upham, 576. Occurrence, structure, and development of

Triarthrus beeki, Beecher, 21.

Origin of drumlins, Tarr, 549.

Paleobotany of the Cretaceous of Long Island, Hollick, 280.

Paleontology of New York, vol. viii, pt. 2, Hall, 235.

Paleozoic intraformational conglomerates, Walcott, 607.

Pleistocene history of Champlain Valley, Baldwin, 13.

Pleistocene lake bed in New York, Ries, 477. Pre-Glacial channel of the Genessee River, Grabau, 220.

Publications on the geology and paleontology of New York, Clarke, 80.

Relations of the Helderberg limestones and associated formations, Darton, 128.

Report on Essex County, Kemp, 323.

Report on field work in Chenango County, Clarke, 79.

Rock basin of Cayuga Lake, Spencer, 533.

Shawangunk Mountain, Darton, 127.

Succession of fossil faunas of Livonia salt shaft, Clarke, 77.

The age of Niagara Falls, Spencer, 534.

Yellow gravel in New Jersey and northward, Hollick, 286.

Nicaragua.

Gold fields of Niearagua, DeKalb, 151.

North Carolina.

An instance of stream capture, Harris, 244. Apatite crystals from North Carolina, Prin-

Deflective effect of earth's rotation, Cobb, 86. New locality of true emeralds, Kunz, 346.

Some new red horizons, Lyman, 370. Sand-hill country of the Carolinas, Holmes,

Topographical features east of the Blue Ridge, Cobb, 87.

North Dakota.

Derivation of kames, eskers, and moraines, Upham, 587.

Geology of Oklahoma and northwest Texas, Cope, 94.

A new Cladodont from the Ohio Waverly, Dean, 148.

Cladodus? magnificus, Claypole, 82.

Clays of Ohio, Orton, 427.

Clay-working industries of Ohio, Orton, 431.

Coal fields of Ohio, Orton, 428.

Description of Cincinnati fossils, Miller and Faber, 415.

Fossil fishes of Ohio, Claypole, 84.

Fossils from the Hndson River group, Miller and Faber, 414.

Fossils of the Clinton group, Foerste, 197. Geological scale and structure of Ohio, Orton,

Geological surveys of Ohio, Orton, 429.

Glacial ice dam in central Ohio, Tight, 556.

Ohio River to Chicago, Orton, 430.

Ohio to the Mississippi River, Gilbert, 212. New and little-known Lamellibranehiata, Ulrieh, 570.

New placederm from the Cleveland shale, Claypole, 83.

Paleontology of Ohio, Whitfield, 629.

Ventral armor of Diniehthys, Wright, 670, 671. Waverly group of Ohio, Herrick, 265.

Oklahoma.

Geology of Oklahoma and northwest Texas, Cope, 94.

Oregon.

Eastern division of the Miohippus beds, Marsh, 396.

New species and genus from the John Day Miocene, Eyerman, 186.

Tertiary revolution of the Pacific Coast, Diller, 153.

Trias and Jura in the Western States, Hyatt, 304.

Paleontology.

Cambrian.

Cambrian rocks of Pennsylvania, Walcott, 600. Geology of Essex County, White, T. G., 626.

On the structure of the ridge between the Taeonic and Green mountains, Dale, 120. Origin of oldest fossils, Brooks, 40.

Silurian.

Ceratiocaris acuminata Hall, Stose, 548.

Description of Cincinnati fossils, Miller and Faber, 415.

Fossils from the Hudson River group, Miller and Faber, 414.

Fossils of the Clinton group, Foerste, 197.

Geology of Essex County, White, T. G., 626.

Manganese beds of Arkansas, Williams, H. S., 639.

Nanno, a new eephalopoden type, Clarke, 76. New and little-known Lamellibranchiata, Ul-

New forms of marine algae, Whitfield, 627.

Notes on fossils from Quebec, Ami, 8.

Occurrence, structure, and development of Triarthus becki, Beecher, 21.

On the structure of the ridge between the Taeonic and Green mountains, Dale, 120.

Paleontology, Miller, 413.

Paleontology of Ohio, Whitfield, 629.

Paleontology-Continued.

Silurian-Continued.

Paleontology of the Cincinnati group, James, 312.

Silurian vertebrate life at Canyon City, Walcott, 604.

The St. Peter sandstone, James, 313.

Trilobites of the Trenton limestone, Blake, 31.
Devonian.
Autodetus and paramorphic shells from the

Devonian, Clarke, 74. Cladodus? magnificus, Claypole, 82.

Composite generic fundamenta, Clarke, 73.

Crinoids and brachiopods from the Hamilton, Rowley, 481.

Devonian in the southern Appalachians, Hayes, 259.

Devonian of eastern Pennsylvania and New York, Prosser, 465.

Devonian plants from New York and Pennsylvania, Penhallow, 451.

Devonian rocks in California, Diller and Schuchert, 154.

Devonian series in Iowa, Norton, 425.

Early stages of Bactrites, Clarke, 75.

New or rare species from the Livonia shaft, Clarke, 78.

New placoderm from the Cleveland shale, Claypole, 83.

[On previous descriptions of Spiraxis], Hollick, 284.

Paleontology of Ohio, Whitfield, 629.

Succession of fossil faunas of Livonia salt shaft, Clarke, 77.

Carboniferous.

A new cladodont from the Ohio Waverly, Dean, 149.

Carboniferous fossils in Norfolk County basin, Woodworth, 663.

Cardiocarpus in Iowa, Jones, 319.

Discovery of batrachians in the coal formation, Dawson, 143.

Fossiliferous concretions in Iowa, Spencer, 530.

Geology of Oklahoma and northwest Texas, Cope, 94.

Metamorphic series of Shasta County, Smith, J. P., 522.

[On the genus Naiadites], Hind, 273.

On the genus Naiadites, occurring in the coal formation, Dawson, 145.

Paleontology, Miller, 413.

Paleontology of Ohio, Whitfield, 629.

Vertebrates in Coal Measures of Kansas, Marsh, 394.

Waverly group of Ohio, Herrick, 265.

Juratrias.

Metamorphic series of Shasta County, Smith, J. P., 522.

Restoration of Camptosaurus, Marsh, 391. Cretaceous.

A new fossil nelumbo, Hollick, 282.

Artesian wells in New Jersey, Woolman, 667. Beiträge zur Kenntniss der Gattung Oxyrhina mit besonderer Beruckichtigung von Oxyrhina Mantelli Agassiz, Eastman, 165. Paleontology-Continued.

Cretaceous-Continued.

Cretaceous clays on Long Island, Ries, 480. Cretaceous rim of the Black Hills, Ward, 613. Cycadean trunks in the Potomac formation

Ward, 614.

Eutherian mammals, Osborn, 433.

Fossil leaves from Long Island, Pollard, 458. Fossil plants from the Comanche series, Fontaine, 200.

Fossil Salvinias, Hollick, 281.

Foraminifera in the Alabama chalk, Woodward, 660.

Geology of Oklahoma and northwest Texas, Cope, 94.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518. Invertebrata from the Neocomian of Kansas,

Cragin, 102.

Kansas mosasaurs, Williston and Case, 649.

[Mesozoic and Tertiary exhibits], Stanton,

545. Microscopic organisms in clay, Ries, 479.

New turtle from the Cretaceous, Williston,

Niobrara chalk, Calvin, 48.

Notes on Uintacrinus socialis Grinnell, Williston, 647.

On the skull of plesiosaurian Reptilia, Cope, 93.

Paleobotany of the Cretaceous of Long Island, Hollick, 280.

Uintacrinus sociallis Grinnell, Hill, 268.

Vertebrate remains from the Cretaceous, Williston, 645.

Tertiary, miscella neous.

Cenozoic deposits of Texas, Dumble, 162.

Clayton Tertiary section, Aldrich, 5.

Eutherian mammals, Osborn, 433.

Maetra from California, Dall, 124.

Marsh on Tertiary Artiodactyla, Cope, 100. Microzoa of the Tertiary of Alabama, Cun-

ningham, 117.

Osteology of Ancodus (Hyopotamus), Scott, 499.

Tertiary geology of southern Arkansas, Harris, 242.

Tertiary Tipulidæ, Scudder, 502.

Eocene.

Eocene deposits of Maryland and Virginia, Harris, 243.

Fossil flora of Alaska, Knowlton, 340.

Fossil plants from the Fort Union group, Knowlton, 343.

Geology of the Coast ranges, Turner and Stanton, 566.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Gigantic bird from the Eccene, Marsh, 399.

New Tertiary fossils from Mississippi, Aldrich, 6.

On Cyphornis, Cope, 96.

Osteology of Patriofelis, Wortman, 668.

Tertiary Artiodactyles, Marsh, 398.

Paleontology-Continued.

Miocene.

A Diceratherium from the White River beds, Hatcher, 249.

A new Miocene mammal, Marsh, 393.

A new Miocene tapir, Marsh, 400.

A rhinoceros from Nebraska, Hatcher, 248.

Artiodactyles from the Miohippus beds, Marsh, 397.

Eastern division of the Miohippus beds, Marsh, 396.

Fossil mammils of the White River beds, Osborn and Wortman, 433b.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Miocene and Pliocene of Gay Head, Dall, 123.

Miocene rocks, Northwest Territory, Weston,
622.

Mollusca and Crustacca of the Miocene of New Jersey, Whitfield, 628.

New species and genus from the John Day Miocene, Eyerman, 186.

Osteology of Hyænodon, Scott, 498.

Restoration of Elotherium, Marsh, 392.

Scott on Mammalia of Deep River beds, Cope, 99.

Tertiary Artiodactyles, Marsh, 398.

Vertebrate fossils from the Loup Fork beds, Hatcher, 250.

Pliocene.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Miocene and Pliocene of Gay Head, Dall, 123. Pliocene fresh-water fossils of California, Cooper, 92.

Restoration of Aceratherium fossiger Cope, Williston, 644.

Restoration of Platygonus, Williston, 648. Tertiary Artiodactyles, Marsh, 398.

Pleistocene.

Effect of glaciation on the present fauna of North America, Scudder, 501.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Inter-Glacial plants from the Don Valley, Penhallow, 450.

Marine shell fragments in drumlins, Upham, 572.

On some fossil Unios, Simpson, 512.

Pleistocene fossils from Winthrop, Mass., Dodge, 157.

Miscellaneous.

Beecher, 22.

Affinities of Leptarctus primus, Wortman, 669.

Algæ as geological guides, James, 311.

Anatomy of Dinichthys, Dean, 148.

Ancient myriapods, Matthew, G. F., 406.

A new fossil Hepatic, Knowlton, 344.

A new species of Carcinosoma, Claypole, 81. Appendages of the pygidium of Triarthrus,

Appendages of trilobites, Walcott, 609.

Classification of the Arthropoda, Kingsley, 339.

Derivation and homologies of some articulates, Dana, 123.

Paleontology-Continued.

Miscellaneous-Continued.

Derivation of the Unione fauna of the Northwest, Keyes, 335.

Diatomaceæ, Cunningham, 116.

Evolution of teeth in Mammalia, Osborn, 432.

Evolution of the ungulate mammals, Fairchild, 194.

Extinct Bovidæ, Canidæ, and Felidæ, Cope, 97. Fossil fishes of Ohio, Claypole, 84.

Fossil plants as an aid to geology, Knowlton, 342.

Genera of Fenestellidæ, Simpson, 513.

Introduction to study of the Brachiopoda, Hall, 236.

Kansas Pterodactyles, Williston, 642.

Morphology of Cladoselache, Dean, 150.

Osteology of Agriocherus Leidy, Scott, 496. Palæospongiologie, Rauff, 473.

Paleontology of New York, Hall, 235.

Paleozoic and Mesozoic fishes, Cope, 95.

Phylogeny of an acquired characteristic, Hyatt, 305.

Radiolarian chert from California, Hinde, 274.

Revised classification of the spire-bearing Brachiopoda, Schuchert, 495.

Structure and relationships of Ancodus, Scott, 497.

The study of fossil plants, Dawson, 146.

Traces of a fauna in the Cambridge slates, Woodworth, 665.

Typical Ornithopoda of the American Jurasric, Marsh, 395. Ventral armor of Dinichthys, Wright, 670,

671.
Vertebrate paleontology at the Columbian

Vertebrate paleontology at the Columbian Exposition, Eyerman, 185.

Genera and species described.

Abietites linkii (Roem.) Dunk, Fontaine, 200. Abra æqualis, Whitfield, 628.

Acambona White, Hall and Clarke, 236.

Acanthodictya hispida Hinde, Rauff, 473.

Acanthothyris D'Orbigny, Hall and Clarke, 236.

Aceratherium

occidentale Leidy, Osborn and Wortman, 433b.

platycephalum n. sp., Osborn and Wortman, 433b.

tridactylum Osborn, Osborn and Wortman, 433b.

trigonodum n. sp., Osborn and Wortman,

(Cœnopus) mite Cope, Osborn and Wortman, 433b.

Acidaspis

brevispinosa n. sp., Foerste, 197. ortoni, Foerste, 197.

Actæon shilohensis n. sp., Whitfield, 628. Actinocrinus blairi n. sp., Miller, 413.

brittsi n. sp., Miller, 413.

chouteauensis (?) n. sp., Miller, 413. fossatus n. sp., Miller, 413.

sedaliensis n. sp., Miller, 413.

Actinodesma subrecta, Whitfield, 629.

Paleontology-Continued.

Rauff, 473,

Genera and species described -- Continued.

Aralia nassaucusis n. sp., Hollick, 280.

Area (Latiarca?) idonca (?), Whitfield, 628.

(Scapharca) calipleura, Whitfield, 628.

(Scapharca) lienosa (?), Whitfield, 628.

(Striarca) centenaria, Whitfield, 628.

Aristozoe canadensis n. sp., Whitfield, 629.

Arnioceras nevadanum, Hyatt, 304.

Astarte cuneiformis, Whitfield, 628.

symmetrica, Whitfield, 628.

Astroconia granti Sollas, Rauff, 473.

Aulacorhynchus Dittmar, Hall and Clarke,

Austriella Bittner, Hall and Clarke, 236.

Astylomanon cratera, Rauff, 473.

Artena Conrad, Whitfield, 628.

distans, Whitfield, 628.

thomasi, Whitfield, 628.

Archæoscyphia minganensis (Billings) Hinde,

Araucarioxylon, Knowlton, 341,

```
Paleontology-Continued.
  Genera and species described-Continued.
    Actinomya kentonensis n. sp., Ulrich, 570.
    Adelphoceras, Hyatt, 305.
    Aelurodon meandrinus n. sp., Hatcher, 250.
        taxoides n. sp., Hatcher, 250.
    Aemondia ferrissi, Cragin, 102.
    Aethocystites n. gen., Miller, 413.
        sculptis n. sp., Miller, 413.
    Agaricocrinus blairi n. sp., Miller, 413.
        chouteauensis n. sp., Miller, 413.
        germanus n. sp., Miller, 413.
        sampsoni n. sp., Miller, 413.
    Agelacrinus blairi n. sp., Miller, 413.
        faberi S. A. Miller, Miller and Faber, 415.
    Agriochærus Leidy, Scott, 496.
    Agriomeryx migraus n. gen. et sp., Marsh,
     398.
    Allonychia ovata n. gen. et sp., Ulrich, 570.
        subrotunda n. sp., Ulrich, 570.
    Allopus littoralis n. gen. et sp., Marsh, 394.
    Allorisma andrewsi, Whitfield, 629.
        maxvillensis, Whitfield, 629.
    Ambocœlia Hall, Hall and Clarke, 236.
        spinosa n. sp., Clarke, 78.
       spinosa, Hall and Clarke, 235.
      Faber, 414.
    Amphiclina Laube, Hall and Clarke, 236.
    Amphidesma burnsi n. sp., Whitfield, 628.
    Amphigenia Hall, Hall and Clarke, 236.
    Amphispongia oblonga Salt., Rauff, 473.
    Amphitomella Bittner, Hall and Clarke, 236.
    Amplexus cinctutus n. sp., Miller, 413.
    Amyela communis, Whitfield, 628.
    Anabaia Clarke, Hall and Clarke, 236.
   Anastrophia Hall, Hall and Clarke, 236.
    Ancistroceras, Hyatt, 305.
    Ancodus brachyrhynchus, Scott, 497, 499.
        rostratus n. sp., Scott, 497.
    Angelinoceras n. gcn., Hyatt, 305.
```

attenuatum, Hyatt, 305.

boreale n. sp., Hyatt, 305. farnsworthi, Hyatt, 305.

cratera aryballium, Rauff, 473. balantium, Rauff, 473. cantharium, Rauff, 473. cylix, Rauff, 473. lecythium, Rauff, 473. patera, Rauff, 473, poterium, Rauff, 473. Ambonychia cincinnationsis n. sp., Miller and promiscum, Rauff, 473. pluriexcavatum n. sp., Rauff, 473. prototypum, Rauff, 473. Amphiclinodonta Bittner, Hall and Clarke, verrucosum 11. sp., Rauff, 473. verrucosum var. ballifera, Rauff, 473. Astylospongia præmorsa var. pusilla (?), Rauff, 473. Astylospongia (?) (Palæomanon?) bursa Hall, Rauff, 473. Athyris McCoy, Hall and Clarke, 236. brittsi n. sp., Miller, 413. densa n. sp., Hall and Clarke, 235. missouriensis n. sp., Miller, 413. ottervillensis n. sp., Miller, 413. subquadrata, Whitfield, 629. subtilita, Whitfield, 629. (Actinoconchus McCoy), Hall and Clarke, Anguinella Conrad, Whitfield, 628. virginiana, Whitfield, 628. (Cliothyris King), Hall and Clarke, 236. Anisactinella Bittner, Hall and Clarke, 236, (Seminula McCov), Hall and Clarke, 236. Anomaloceras anomalum, Hyatt, 305. (Spirigerella Waagen), Hall and Clarke, Anomalodonta S. A. Miller, Ulrich, 570. alata, Ulrich, 570. Atrypa Dalman, Hall and Clarke, 236. lati-corrugata n. sp., Focrste, 197. plicata n. sp., Ulrich, 570. marginalis, Foerste, 197. Anoplotheca Sandberger, Halland Clarke, 236. (Cœlospira Hall), Hall and Clarke, 236. (Gruenewaldtia) Tschernyschew, Halland (Leptocœlia Hall), Hall and Clarke, 236. Clarke, 236. Aturia morrissi Michelloti, Hyatt, 305. Anoptera misencri n. gen. et sp., Ulrich, 570. zizac, Bronn., Hyatt, 305. Anthracopupa ohioensis, Whitfield, 629. Anthracotherium curtum Marsh, Osborn and Atyrpina Hall, Hall and Clarke, 236. Wortman, 433b. Aucella karense n. sp., Osborn and Wortman, 433b. aviculæformis, Hyatt, 304. elongata n. sp., Hyatt, 304. Antocha Osten Sacken, Scudder, 502. erringtoni, var. arcuata, Hyatt, 304. principialis, Scudder, 502. Aphelops fossiger Cope, Hatcher, 250. orbicularis, Hyatt, 304. Aucullæa (Idonearca) terminalis n. var. rece-Aphetoceras n gen., Hyatt, 305. americanum n. sp., Hyatt, 305. dens, Cragin, 102.

```
PALEONTOLOGY, PETROLOGY, AND MINERALOGY, 1894.
WEEKS.
Paleontology-Continued.
                                                     Paleontology-Continued.
  Genera and species described-Continued.
                                                       Genera and species described-Continued.
    Autodetus beccheri n. sp., Clarke, 74.
                                                         Byssonychia—Continued.
        lindstræmi n. sp., Clarke, 74.
                                                             imbricata n. sp., Ulrich, 570.
    Avicula belviderensis n. sp., Cragin, 102.
                                                             obesa n. sp., Ulrich, 570.
        whitfieldi, Foerste, 197.
                                                             præcursa n. sp. or var., Ulrich, 570.
    Aviculopeeten (?) equilatera, Whitfield, 629.
                                                             richmondensis n. sp., Ulrich, 570.
        interlineatus, Whitfield, 629.
                                                             suberecta n. sp., Ulrieh, 570.
                                                             vera n. sp., Ulrich, 570.
    Axinea lentiformis (?), Whitfield, 628.
    Bactrites, Clarke, 75.
                                                         Callithamnopsis fruticosa n. gen., Whitfield,
    Bactrynium Emmrich, Hall and Clarke, 236.
    Balanus proteus, Whitfield, 628.
                                                         Calops cristatus n. gen. et sp., Marsh, 396, 398
    Barbatia marylandica, Whitfield, 628.
    Baropus lentus, n. gen. et sp., Marsh, 394.
    Barornis regens, Marsh, 399.
    Barrandella areyi n. sp., Hall and Clarke, 235.
    Barrandellia Hall, Hall and Clarke, 236.
    Barrandeoceras
        convolvans, Hyatt, 305.
        elrodi, Hyatt, 305.
        minganense, Hyatt, 305.
        natator, Hyatt, 305.
        sacheri, Hyatt, 305.
        sternbergi, Hyatt, 305.
        tyrannum, Hyatt, 505.
    Barycrinus stellifer n. sp., Miller, 413.
    Batocrinus blairi n. sp., Miller 413.
        brittsin.sp., Miller, 413.
        comparilis n. sp., Miller, 313.
        decrepitus n. sp., Miller, 413.
        divalis n. sp., Miller, 413.
                                                         Cardiocarpus, Jones, 319.
       icosidactylus Casseday, Miller, 413.
       irregularis Casseday, Miller, 413.
    Beecheria Hall, Hall and Clarke, 236.
                                                             granulata, Whitfield, 628.
    Belemnites pacificus, Hyatt, 304.
    Bellerophon
                                                             arata, Whitfield, 628.
        alternodosus, Whitfield, 629.
       eincinnatiensis n. sp., Miller and Faber,
                                                           field, 628.
        globularis n. sp., Miller and Faber, 414.
        sublævis (?), Whitfield, 629.
        (Bucania) opertus n. sp., Foerste, 197.
    Beyrichia hammelli n. sp., Miller and Faber,
                                                         Carpomanon
    Bittnerula n. gen., Hall and Clarke, 236.
    Blairocrinus arrosus n. sp., Miller, 413.
       bullatus n. sp., Miller, 413.
                                                               var. distorta, Rauff, 473.
    Bodmania n. gen., Miller and Faber, 414.
                                                         Carvomanon
       insuctum n. sp., Miller and Faber, 414.
    Bos crampianus n. sp., Cope, 97.
       scaphoceras n. sp., Cope, 97.
    Bouchardia Davidson, Hall and Clarke, 236.
                                                           Rauff, 473.
    Brachiospongia digitata, Rauff, 473.
                                                         Cenoceras
    Brachyphyllum texense n. sp., Fontaine, 200.
                                                             aratum, Hyatt, 305.
    Brontichthys clarki n. gen., Claypole, 83.
                                                             clausum, Hyatt, 305.
    Buccinanops variabilis n. sp., Whitfield, 628.
                                                             granulosum, Hyatt, 305.
    Bullinella jacksonensis var. exta. n. var., Har-
                                                             intermedium, Hyatt, 305.
      ris. 242.
                                                             lineatum, Hyatt, 305.
    Busycon carica, Whitfield, 628.
                                                         Centroceras, Hyatt, 305.
       scalarispira, Whitfield, 628.
    Byssonychia
       acutirostris n. sp., Ulrieh, 570.
```

alveolata n. sp., Ulrieh, 570.

byrnesi n. sp., Ulrich, 570.

grandis n. sp., Ulrich, 570.

eultrata, Ulrich, 570.

Calymene vogdesi, Foerste, 197. Camarophoria King, Hall and Clarke, 236. rhomboidalis n. sp., Hall and Clarke, 235. (Camarophorella Hall), Hall and Clarke, Camarospira Hall, Hall and Clarke, 236. Camarotoeehia Hall, Hall and Clarke, 236. (Liorbynehus Hall), Hall and Clarke, 236. (Plethorhynchus Hall), Hall and Clarke, Camcrella Billings, Hall and Clarke, 236. Camptosaurus dispar, Marsh, 391. Cancellaria alternata, Whitfield, 628. Canis indianensis Leidy, Cope, 97. Cantharus eumberlandianus, Whitfield, 628. Capellinia Hall, Hall and Clarke, 236. Carcinosoma ingens n. sp., Claypole, 81. Cardinia gibbosum (?), Hyatt, 304. Cardioceras dubium n. sp., Hyatt, 304. Cardita belviderensis n. sp., Cragin, 102. Carditamera aculeata, Whitfield, 628. Cardium (?) mudgei n. sp., Cragin, 102. Cardium (Cerastoderma) craticuloides, Whit-(nemocardíum) bisolaris n. sp., Cragin, Carpolithus harveyi n. sp., Fontaine, 200, obovatus n. sp., Fontaine, 200. glandulosum n. sp., Rauff, 473. stellatum-sulcatum (F. Rom.), Rauff, 473. inciso-lobatum (F. Rom.), Rauff, 473. roemeri (Hinde), Rauff, 473. Caryospongia juglans var. nuxmoschata Hall, Centronella Billings, Hall and Clarke, 236. (Oriskania Hall), Hall and Clarke, 236. (Romingerina Hall), Hall and Clarke, 236. (Selenella Hall), Hall and Clarke, 236. Ceratiocaris acuminata Hall, Stose, 548. Ceratostigma papillata n. gen. et sp., Clarke, 78.

```
Paleontology-Continued.
```

Genera and species described-Continued.

Ceraurus (Pseudosphærexochus) clintoni n. sp., Foreste, 197.

Cerithium claytonense n. sp., Aldrich, 5. serratoides n. sp., Aldrich, 6.

Chætocladus plumula n. gen. et sp., Whitfield,

Chætomorpha (?) prima n. sp., Whitfield, 627. Chama congregata, Whitfield, 628.

Chonetes reversa, Whitfield, 629.

scitula, Whitfield, 629. Cladodus (?) magnificus, Claypole, 82.

Cladoneura n. gen., Scudder, 502. willistoni, Scudder, 502.

Cladoselache n. gen., Dean, 149. newberryi n. sp., Dean, 148.

Cladura Osten Sacken, Scudder, 502. integra, Scudder, 502.

maculata, Scudder, 502. Clidastes, Williston, 643.

velox, Williston and Case, 649. westii n. sp., Williston and Case, 649.

Clionychia excavata n. sp., Ulrich, 570. subdunata n. sp., Ulrich, 570.

Cimoliosaurus n. sp., Williston, 645. snovii Williston, Cope, 93. Cistella Gray, Hall and Clarke, 236.

Coccosteus cuyahogæ n. sp., Claypole, 84. halmodcus (?) n. sp., Clarke, 78.

Cœbothyris Douville, Hall and Clarke, 236.

Cœlodus brownii n. sp., Cope, 95. Cœlogasteroceras, Hyatt, 305.

Coleolus clintonensis n. sp., Foerste, 197.

Coloceras globatum, Hyatt, 305.

Colpomya constricta n. sp., Ulrich, 570. Comphoceras ortoni n. sp., Foerste, 197.

Conchidium Linne, Hall and Clarke, 236. crassiplica n. sp., Hall and Clarke, 235.

georgiæ n. sp., Hall and Clarke, 235. greenii n. sp., Hall and Clarke, 235.

Conularia

bilineata n. sp., Foerste, 197. intertexta n. sp., Miller, 413. niagarensis, Foerste, 197.

Corallidomus n. gen., Whitfield, 629. concentricus n. sp., Whitfield, 629.

Corbula

elevata, Whitfield, 628. iodonea, Whitfield, 628.

subcontracta n. sp., Whitfield, 628.

Cornulites distans, Foerste, 197.

Coroniceras claytoni, Hyatt, 304.

albersi n. sp., Miller and Faber, 415. blairi n. sp., Miller, 413. carbonaria, Whitfield, 629.

(?) dubia, Foerste, 197.

greenii n. sp., Miller, 413.

Craniella (?) clintonensis, Foerste, 197.

Cranoceras, Hyatt, 305.

Crassatella melina, Whitfield, 628.

Crepidula fornicata (?), Whitfield, 628. plana (?), Whitfield, 628.

Crucibulum costatum, Whitfield, 628. Cruratula Bittner, Hall and Clarke, 236. Paleontology-Continued.

Genera and species described-Continued.

Cryptonella Hall, Hall and Clarke, 236. (Eunella Hall), Hall and Clarke, 236. Cryptopora Jeffreys, Hall and Clarke, 236.

Ctenodonta

cingulata, Ulrich, 570. perminuta n. sp., Ulrich, 570. retrorsa n. sp., Ulrich, 570.

Cyathocrinus gorbyi n. sp., Miller, 413. maxvillensis n. sp., Whitfield, 629. somersi, Whitfield, 629.

Cyathophycus quebecensis Dawson, Rauff, 473.

reticulatus Walcott, Rauff, 473.

Cyclicocrinus n. gcn., Miller, 413. canaliculatus n. sp., Miller, 413.

Cyclolituites, Hyatt, 305. americanus, Hyatt, 305.

Cyclonconcha mediocardinalis, Ulrich, 570. ovata n. sp., Ulrich, 570.

Cyclonema bilix, Foerste, 197.

Cycloporina n. gen., Simpson, 513. Cyclorhina Hall, Hall and Clarke, 236,

Cyclospira Hall, Hall and Clarke, 236.

(Protozyga) Hall, Hall and Clarke, 236. Cyclospira (?) sparsi-plica n. sp., Foerste, 197. Cymatoceras

elegans (?), Hyatt, 305. deslonchampsianum, Hyatt, 305. radiatum, Hyatt, 305. simplex (?), Hyatt, 305.

Cymatoneta

attenuata n. sp., Ulrich, 570. constricta n. sp., Ulrich, 570. productifrons n. sp., Ulrich, 570. recta n. sp., Ulrich, 570. semistriata n. sp., Ulrich, 570. typicalis n. sp., Ulrich, 570.

Cyphaspis clintonensis, Foerste, 197.

Cyphocrinus n. gen., Miller, 413. gorbyi n. sp., Miller, 413.

Cyphornis magnus n. gen. et sp., Cope, 96. Cypræa dalli n. sp., Aldrich, 6.

Cypricardinia undulostriata, Focrste, 197.

Cypricardites caswelli, Foerste, 197.

Cyrtia radians n. sp., Hall and Clarke, 235. Cyrtina Davidson, Hall and Clarke, 236.

lachrymosa n. sp., Hall and Clarke, 235. umbonata, var. alpenensis n. var., Hall and Clarke, 235.

Cyrtoceras clintonensis n. sp., Foerste, 197. cretaceum, Whitfield, 629.

howardi n. sp., Miller, 413.

thompsoni n. sp., Miller, 413. (Glyptoceras) eatonense, Foerste, 197.

(Glyptoceras) subcompressum, Foerste,

Cystiphyllum greenii n. sp., Miller, 413. Cyttaromyia, Scudder, 502.

cancellata, Scudder, 502. clathrata, Scudder, 502.

oligocena, Scudder, 502.

princetoniana, Scudder, 502. Dallina Beecher, Hall and Clarke, 236.

Dalmanites werthneri, Foerste, 197.

Genera and species described-Continued.

Daonella bochiformis, n. sp., Hyatt, 304. cardinoides, n. sp., Hyatt, 304. subjecta (?), Hyatt, 304.

Davidsonella Munier-Chalmas, Hall and Clarke, 236.

Dayia Davidson, Hall and Clarke, 236. Deltoceras n. gen., Hyatt, 305.

planum n. sp., Hyatt, 305.

Deltodus planidens n. sp., Cope, 95. Dentalium martini, Whitfield, 629.

Desmatochelys lewii n. gen. et sp., Williston,

Dicamara Hall, Hall and Clarke, 236.

Diceratherium Hatcher, 249.

Dicranomyia fontainei, Scudder, 502.

fragilis, Scudder, 502. inferna, Scudder, 502.

longipes, Scudder, 502.

primitiva, Scudder, 502.

rostrata, Scudder, 502. stagnorum, Scudder, 502.

stigmosa, Scudder, 502.

Dietyophytra(?) walcotti n. sp., Rauff, 473.

Didymoceras n. gen., Hyatt, 305. nebrascense, Hyatt, 305,

Dielasma King, Hall and Clarke, 236.

(Cranæna Hall), Hall and Clarke, 236.

Dielasmina Waagen, Hall and Clarke, 236. Digonioceras n. gen., Hyatt, 305.

rotundum n. sp., Hyatt, 305.

Dimerella Zittel, Hall and Clarke, 236.

Dinarella Bittner, Hall and Clarke, 236.

Dinichthys, Claypole, 84.

Dinichthys, Dean, 148.

Dinichthys, Wright, 670, 671.

Dinobastis serus n. sp., Cope, 97.

Dione marylandica, Whitfield, 628.

sayana Conrad, Whitfield, 628.

Dioonites buchianus var. rarinervis n. var., Fontaine, 200.

buchianus Schimper, Fontaine, 200. dunkerianus (Gopp.) Miquel, Fontaine, 200.

Dioristella Bittner, Hall and Clarke, 236. Diplospirella Bittner, Hall and Clarke, 236. Diptychoceras, Hyatt, 305.

Discina

humilis, Whitfield, 629. lodensis, Whitfield, 629. lugubris, Whitfield, 628. meekana, Whitfield, 629. minuta, Whitfield, 629.

Discoceras, Hyatt, 305.

antiquissimum, Hyatt, 305. graftonense, Hyatt, 305.

Disculina(?) Deslongchamps, Hall and Clarke,

Distyotites fasciolus n. sp., Penhallow, 451. maximus n. sp., Penhallow, 451.

Donax variabilis, Whitfield, 628.

Dorycrinus elegans n. sp., Miller, 413. Doscinia acetabulum, Whitfield, 628.

Drillia elegans, Whitfield, 628. subflexuosa n. sp., Whitfield, 628.

Bull. 135——9

Paleontology-Continued.

Genera and species described-Continued.

Dromopus agilis n. gen. et sp., Marsh, 394.

Dryosaurus n. gen., Marsh, 395.

Dyscolia Fischer and Oehlert, Hall and Clarke,

Eatonia Hall, Hall and Clarke, 236.

Echinocaris Whitfield, Whitfield, 629. multinodosa, Whitfield, 629.

pustulosa, Whitfield, 629. sublevis, Whitfield, 629.

Edaphoceras, Hyatt, 305.

Eichwaldia Billings, Hall and Clarke, 236.

Elasmosaurus intermedius n. sp., Cope, 93.

Elomeryx armatus n. gen., Marsh, 397.

Elotherium crassum, Marsh, 392.

Elpe ulrichi n. sp., Foerste, 197.

Embaphias circulosus n. gen. et sp., Cope, 93. Emperoceras beecheri n. gen., Hyatt, 305.

Enantiosphen Whidborne, Hall and Clarke,

Enclimatoceras (Nautilus) ulrichi White, Harris, 242.

Encrinurus punctatus, Foerste, 197.

Endolobus avonensis, Hyatt, 305.

Eocoryne geminum Matthew, Rauff, 473.

Eohyus distans n. sp., Marsh, 398. robustus n. sp., Marsh, 398.

Eomeryx pumilus, Marsh, 398.

Ephippiocera ferratum Hyatt, Hyatt, 305.

Eporeodon major, Osborn and Wortman, 433b. Equisetum texense n. sp., Fontaine, 200.

Erato emmonsi n. sp., Whitfield, 628. Eretmocrinus prægravis n. sp., Miller, 413.

Eridonychia

apicalis n. gen. et sp., Ulrich, 570. crenata n. sp., Ulrich, 570.

paucicostata n. sp., Ulrich, 570.

Estonioceras, Hyatt, 305.

biangulatum n. sp., Hyatt, 305. perforatum, Hyatt, 305.

Eucalathis Fischer and Oeblert, Hall and Clarke, 236.

Eudesella Munier-Chalmas, Hall and Clarke,

Eumetria Hall, Hall and Clarke, 236.

Euractinella Bittner, Hall and Clarke, 236.

Eurypterus eriensis, Whitfield, 629.

Eurystomites

gibbosum n. sp., Hyatt, 305.

rotundus, Hyatt, 305.

undatum, Hyatt, 305.

virginiana, Hyatt, 305.

Eutrephoceras n. gen., Hyatt, 305. dekayi, Hyatt, 305.

faxoense n. sp., Hyatt, 305. imperialis Hyatt, 305.

Exiteloceras n. gen., Hyatt, 305.

Fasciolaria woodi, Whitfield, 628.

Ficus willisiana n. sp., Hollick, 280.

Fissurella griscomi, Whitfield, 628. Fraxinus quadrangulata Michx., Penhallow,

Frenelopsis hoheneggeri (Ett.) Schenk., Fontaine, 200.

varians n. sp., Fontaine, 200.

Genera and species described-Continued.

Gazacrinus n. gen., Miller, 413.

inornatus n. sp., Miller, 413. Gilbertsocrinus spinigerus, Whitfield, 629.

Glassia Davidson, Hall and Clarke, 236.

Glassina Hall, Hall and Clarke, 236.

Gomphoceras

amphora, Whitfield, 629.

hyatti, Whitfield, 629.

indianense n, sp., Miller and Faber, 415. mitriformis n. sp., Clarke, 78.

sciotense, Whitfield, 629.

Goniatites greenii n. sp., Miller, 413. Goniophora dubia, Whitfield, 629.

Gonomyia

frigida, Scudder, 502.

labefactata, Scudder, 502.

primogenitalis, Scudder, 502.

profundi, Scudder, 502.

Gorgonichthys clarki, Claypole, 84.

Grammysia bisulcata, Whitfield, 629.

Gwynia King, Hall and Clarke, 236. Gypidula Hall, Hall and Clarke, 236.

Gyroceras columbiense, Whitfield, 629.

seminodosum, Whitfield, 629.

Haliseri teslineatus n. sp., Penhallow, 451. chondriformis n. sp., Penhallow, 451.

Hallina N. H. Winchell and Schuchert, Hall and Clarke, 236.

Halorella Bittner, Hall and Clarke, 236.

Harttina Hall, Hall and Clarke, 236.

Helicancylus Gabb, Hyatt, 305.

Helohyus plicodon, Marsh, 298.

Hemiptychina Waagen, Hall and Clarke, 236. Hemithyris D'Orbigny, Hall and Clarke, 236.

Heptacodon

armatus, Marsh, 396.

curtus, Marsh, 393.

gibbiceps n. sp., Marsh, 397.

Hercoceras, Hyatt, 305.

irregularis, Hyatt, 305.

Hindella Davidson, Hall and Clarke, 236.

Hindia sphæroidalis Duncan, Rauff, 473.

var. parva Ulrich, Rauff, 473.

Holmiceras n. gen., Hyatt, 305.

Holocystites amplus n. sp., Miller, 413.

Holopea hubbardi n. sp., Miller, 413.

newtonensis, Whitfield, 629.

Homacodon priscus n. sp., Marsh, 398. vagans, Marsh, 398.

Hoplophoneus occidentalis Leidy, Osborn

and Wortman, 433b.

Hustedia Hall, Hall and Clarke, 236.

Hyænodon crucians Leidy, Osborn and Wortman,

mustelinus n. sp., Scott, 498.

paucidens n. sp., Osborn and Wortman, 433b.

Hyalostella (?) marcellia n. sp., Clarke, 78. Hyatella Hall, Hall and Clarke, 236. Hynniphoria Suess, Hall and Clarke, 236. Hyolithes

dubius 11 sp., Miller and Faber, 415. lanceolatus n. sp., Miller, 413.

Paleontology-Continued.

Genera and species described-Continued.

Hyolithes-Continued. versaillesensis n. sp., Miller and Faber,

Hyolithus ceratophilus n. sp., Clarke, 78.

Hyomeryx breviceps n. gen. et sp., Marsh,

Hyopotamus americanus Leidy, Osborn and Wortman, 433b.

brachyrhynchus n. sp., Osborn and Wortman, 433b.

Hypotemuodon n. gen., Eyerman, 186. Hypothyris (McCoy) King, Hall and Clarker

(Pugnax Hall)?, Hall and Clarke, 236. Ichthyocrinus greenii n. sp., Miller, 413. Illænu (?) ambiguus, Focrste, 197.

insignis, Foerste, 197.

madisonianus, Foerste, 197. Ischyrodonta Ulrich, Ulrich, 570.

decipiens n. sp., Ulrich, 570.

elongata, Ulrich, 570.

miseneri n. sp., Ulrich, 570.

modioliformis n. sp., Ulrich, 570.

ovalis, Ulrich, 570.

truncata, Ulrich, 570.

unionoides, Ulrich, 570.

Ismenia King, Hall and Clarke, 236.

Juvavella Bittner, Hall and Clarke, 236.

Karspinskia Tschernyschew, Hall and Clarke,

Kayseria Davidson, Hall and Clarke, 236.

Kingena Davidson, Hall and Clarke, 236. Koninckella Munier-Chalmas, Hall and

Clarke, 236.

Koninckina Suess, Hall and Clarke, 236.

Koninckodonta Bittner, Hall and Clarke, 236.

Kraussina Davidson, Hall and Clarke, 236.

Laqueus Dall, Hall and Clarke, 236.

Laricopsis longifolia Font., Fontaine, 200.

Latiarca Conrad, Whitfield, 628.

Latirus indistinctus n. sp., Aldrich, 6. Laurus newberryana u. sp., Hollick, 280.

Leda albirupina n. sp., Harris, 242

Leiorhynchus limitaris, Whitfield, 629.

Leiotrochus Conrad, Whitfield, 628.

Leperdita alia, Whitfield, 629. anguilifera, Whitfield, 629.

Leptæna rhomboidalis, Foerste, 197.

Leptarctus primus Leidy, Wortman, 669.

Leptochærus gracilis n. sp., Marsh, 398.

Leptodesma, Clarke, 73.

Leptomitus zitteli Walcott, Rauff, 473.

Leptosolen otternsis n. sp., Cragin, 102.

Levifusus branneri n sp., Harris, 242. Lichas breviceps Foerste, 197.

Limnocema n. gen., Scudder, 502.

lutescens, Scudder, 502.

marcescens, Scudder, 502.

mortoni, Scudder, 502.

styx, Scudder, 502.

Limnophila rogersii, Scudder, 502.

ruinarum, Scudder, 502.

strigosa, Scudder, 502. vasta, Scudder, 502.

Genera and species described-Continued.

Limnopus vagus u. gcn. et sp., Marsh, 394. Limopsis subimbricatus n. sp., Cragin, 102.

Lingula gorbyi n. sp., Miller, 413.

ngula gorbyi n. sp., Miller ligea (?), Whitfield, 629.

manni, Whitfield, 629.

parrishi n. sp , Miller, 413. sedaliensis n. sp., Miller, 413.

vanhornii, Miller, 413.

Liorhynchus lesleyi n. sp., Hall and Clarke, 235.

Liothyfina Oehlert, Hall and Clarke, 236. Lithophaga subalveata, Whitfield, 628.

Litoceras

biangulatum n. sp., Hyatt, 305. hercules, Hyatt, 305.

insolens (?), Hyatt, 305. whiteavesi, Hyatt, 305.

Lituites, Hyatt, 305.

Loxonema parvulum, Whitfield, 629. plicatum, Whitfield, 629.

Lucina acclinis (?), Whitfield, 628.

crcnulata, Whitfield, 628. livonensis (?) n. sp., Clarke, 78.

trisuleata, Whitfield, 628. Lunulicardium (??) lineolatum n.sp., Clarke,

livoniæ n. sp., Clarke, 78.

Lycophoria Lahusen, Hall and Clarke, 236.

Lyra cumberland, Hall and Clarke, 236.

Lyria wilcoxiana n. sp., Aldrich, 5.

Lyrodesma conradi n. sp., Ulrich, 570.

grande n. sp., Ulrich, 570.

inornatum n. sp., Ulrich, 570. subplanum n. sp., Ulrich, 570.

Lyroporina n. gen., Simpson, 513.

Lyrosoma Conrad, Whitfield, 628.

Lyrosoma sulcosa, Whitfield, 628.

Lyttonia Waagen, Hall and Clarke, 236.

Macandrevia King, Hall and Clarke, 236. (Antiptychina Zittel), Hall and Clarke,

236. (Aulacothyris Douville), Hall and Clarke,

236.

(Camerothyris Bittner), Hall and Clarke, 236.

(Epicyrta Deslongchamps), Hall and Clarke, 236.

(Eudesia King), Hall and Clarke, 236.

(Fimbriothyris Deslongehamps), Hall and Clarke, 236. (Microthyris Deslongehamps), Hall and

Clarke, 236.

(Orthotoma Quenstedt), Hall and Clarke, 236.

(Plesiothyris Douville), Hall and Clarke, 236.

(Zeilleria Bayle), Hall and Clarke, 236. Macrepistius arenatus n. gen. et sp., Copc,

Macrocaris n. gen., Miller, 413. gorbyi n. sp., Miller, 413.

Macroheilus priscus, Whitfield, 629. regularis, Whitfield, 629. subcorpulentus, Whitfield, 629. Paleontology-Continued.

Genera and species described—Continued.

Mactra

albirupina n. sp., Harris, 242. antiqua n. sp., Cragin, 102.

antiqua n. sp., Gragm, 102. catilliformis Conrad, Dall, 124. dolabriformis Conrad, Dall, 124. hemphillii n. sp., Dall, 124.

(Mulinia?) lateralis, Whitfield, 628. (Schizodesma) delumbris, Whitfield, 628.

Magas Sowerby, Hall and Clarke, 236. Magasella Dall, Hall and Clarke, 236. Magellania Bayle, Hall and Clarke, 236. Maguolia van ingeni n. sp., Hollick, 280

Manapsis n. gen., Scudder, 502. anomala, Scudder, 502.

Mannia Dewalque, Hall and Clarke, 236.

Margarita marcouana n. sp., Cragin, 102. (Solariella) newberryi n. sp., Cragin, 102.

Margaritana subangulata n. sp., Cooper, 92. Mazzalina dalli n. sp., Harris, 242.

Megalanteris Suess, Hall and Clarke, 236.

Megalichthys macropomus Cope, Cope, 95. Megathyris D'Orbigny, Hall and Clarke, 236.

Megerlina Deslongchamps, Hall and Clarke, 236.

Melocrinus

æqualis n. sp., Miller, 413. lylii n. sp., Rowley, 481.

tersus n. sp., Rowley, 481. Menispermites drysoniana n. sp., Hollick, 280.

Mercenaria cancellata, Whitfield, 628. plena, Whitfield, 628.

Merista Suess, Hall and Clarke, 236.

tennesseensis n. sp., Hall and Clarke, 235.

Meristella Hall, Hall and Clarke, 236.

bella, Whitfield, 629.

lævis, Whitfield, 629.

umbonata, Foerste, 197.

walcotti n. sp., Hall and Clarke, 235. Meristina Hall, Hall and Clarke, 236.

Mesodon diastematicus n. sp., Cope, 95. dumblei, Cope, 95.

Mesohippus bairdii, Osborn and Wortman, 433b.

Mesohippus (?) longipes n. sp., Osborn and Wortman, 433b.

Mesothyra gurleyi n. sp., Miller, 413.

Metacoceras, Hyatt, 305.

cavatiforme Hyatt, Miller, 413.

Metamynodon planifrons, Osborn and Wortman, 433b.

Metaplasia Hall, Hall and Clarke, 236.

Micrapsis n. gen., Scudder, 502. paludis, Scudder, 502.

Microcyclus blairi n. sp., Miller, 413.

Mitra hammakeri n. sp., Harris, 242. lintoidea n. sp., Aldrich, 6.

Modiola inflata, Whitfield, 628.

Modiolodon

declivis n. sp., Ulrich, 570. obtusus n. sp., Ulrich, 570.

oviformis, Ulrich, 570.

var. amplus n. var., Ulrich, 570. subovalis n. sp., Ulrich, 570.

subrectus n. sp., Ulrich, 570.

```
Paleontology-Continued.
```

Genera and species described-Continued.

Modiolopsis dychii n. sp., Miller, 413. rhomboidea, Foerste, 197.

subrhomboidea, Foerste, 197.

Monilea (Leiotrochus) eborea, Whitfield,

Monotis semiplicata n. sp., Hyatt, 304. symmetrica n. sp., Hyatt, 304.

Monticulipora affinis, James, 312.

andrewsii, James, 312.

arcolata, James, 312.

briarea, James, 312. calycula, James, 312.

cincinnatiensis, James, 312.

communis, James, 312.

crassimuralis, James, 312.

discoidea, James, 312.

dubia, James, 312. eccentrica, James, 312.

elegans, James, 312.

falesi, James, 312.

gelasinosa, James, 312. gracilis, James, 312.

imperfectum, James, 312. jamesi, James, 312.

kentuckensis, James, 312.

lens, James, 312.

meeki, James, 312. newberryi, James, 312.

newportensis, James, 312.

nodulosa, James, 312.

ohioensis, James, 312.

o'nealli, James, 312.

petasiformis, James, 312.

var. welchi, James, 312.

quadrata, James, 312.

var. subquadrata, James, 312.

ramosa, James, 312.

var. dalli, James, 312.

rugosa, James, 312.

septosa, James, 312.

simulatrix, James, 312.

subpulchella, James, 312.

ulrichi, James, 312.

varians, James, 312.

whiteavesi, James, 312.

whitfieldi, James, 312.

wortheni, James, 312.

Muhlfeldtia Bayle, Hall and Clarke, 236.

Murchisonia hammelli n. sp., Miller, 413.

Murex marksi n. sp., Harris, 242.

shilohensis, Whitfield, 628.

shilohensis var. burnsi n. var., Whitfield,

(Pteronotus) burnsii n. sp., Aldrich, 6.

Mysia parilis, Whitfield, 628. Mytilarca mytiliformis n. sp., Foerste, 197.

percarinata, Whitfield, 629.

Mytilocorcha incrassata, Whitfield, 628.

Naiadites, Dawson, 145.

Naiadites, Hind, 273.

Nanno, Clarke, 76.

Nanomeryx caudatus n. gen. et sp., Marsh,

Nanopu g caudatus n. gen. et sp., Marsh, 394.

```
Paleontology-Continued.
```

Genera and species described-Continued.

Natica (Lunatia) hemicrypta, Whitfield, 628. (Lunatia) heros, Whitfield, 628.

(Lunatia) tuomeyi n. sp., Whitfield, 628. Naticopsis ortoni, Whitfield, 629.

ziczac, Whitfield, 629.

Nautilus, Hyatt, 305.

ortoni, Whitfield, 629.

pauper, Whitfield, 629.

toddi n. sp., Miller, 413. (Gyroceras?) subquadrangularis, Whit-

field, 629.

(Temnocheilus) spectabitis, Whitfield, 629. Nelumbo laramiensis n. sp., Hollick, 282.

Nephriticeras, Hvatt. 305.

acraeum, Hyatt, 305. bucinum, Hyatt, 305.

cavum, Hyatt, 305.

juvenis, Hyatt, 305.

liratum, Hyatt, 305.

majester, Hyatt, 305.

maximum, Hyatt, 305.

oriens, Hyatt, 305.

subliratum, Hyatt, 305. Nereis (?) incognita n. sp., Cragin, 102.

Neverita duplicata, Whit field, 628.

Newberria Hall, Hall and Clarke, 236.

Nipterella paradoxica (Billings) Hinde, Rauff,

Noedyceras Hyatt, 305.

Noetlingia Hall, Hall and Clarke, 236.

Norella Bittner, Hall and Clarke, 236.

Nostoceras n. gen., Hyatt, 305. helicinum, Hyatt, 305.

stantoni, Hyatt, 305.

var. prematurum, Hyatt, 305. aberrans, Hyatt, 305.

Notothyris (?) Waagen, Hall and Clarke, 236.

Nucleatula Bittner, Hall and Clarke, 236. Nucleospira Hall, Hall and Clarke, 236.

rotundata, Whitfield, 629. Nucula catherina n. sp., Cragin, 102.

proxima, Whitfield, 628.

Nuculites subcuneatus n. sp., Clarke, 78.

(Cleidophorus) ferrugineum n. sp., Foerste, 197.

Nyassa arguta, Whitfield, 629.

Nyctodactylus, Williston, 642.

Octacodon valens n. gen. et sp., Marsh, 396, 397. Oecotraustes denticulata n. sp., Hyatt, 304.

Olcostephanus lindgreni n. sp., Hyatt, 304.

Oldhamina Waagen, Hall and Clarke, 236.

Oliva carolinensis, Whitfield, 628. Oncosella catinum n. sp., Rauff, 473.

Onychochilus nitidulus n. sp., Clarke, 78.

Ophidioceras, Hyatt, 305.

rudens, Hyatt, 305.

tener, Hyatt, 305.

tessallatum, Hyatt, 305.

Opisthoptera Meek, Ulrich, 570. alternata n. sp., Ulrich, 570.

ampla n. sp., Ulrich, 570.

extenuata n. sp., Ulrich, 570. fissicosta Ulrich, 570. laticostata n. sp., Ulrich, 570.

```
Paleontology-Continued.
```

Genera and species described -- Continued.

Opisthoptera Meek—Continued. notabilis, n. sp., Ulrich, 570.

obliqua n. sp., Ulrich, 570. Oreodon

bullatus Leidy, Osborn and Wortman,

culbertsonii Leidy, Osborn and Wortman,

gracilis Leidy, Osborn and Wortman, 433b.

Orodus basilis n. sp., Cope, 95. Oromeryx plicatus n. sp., Marsh, 398.

fausta var. squamosa, n. var., Foerste, 197. glypta n. sp., Hall and Clarke, 235. tioga, Whitfield, 629.

(Dalmanella) elegantula, Foerste, 197.

(Herbertella) daytonensis, Foerste, 197. (Herbertella) fausta, Foerste, 197. (Orthis-Dinorthis) calligramma, Foerste,

(Platystrophia) biforata, Foerste, 197. (Rhipidomella) hybrida, Foerste, 197. Orthoceras

albersi S. A. Miller, Miller and Faber, 415. colletti n. sp., Miller, 413. cribrosum Geinitz, Miller, 412.

fenestrulatum n. sp., Clarke, 78. franklinense n. sp., Miller, 413.

geneva n. sp. Clarke, 78. gorbyi n. sp., Miller, 413.

incarceratum n. sp., Clarke, 78.

inceptum var. acceleratum n. var., Foerste, 197.

ludlowense n. sp., Miller and Faber, 415. nuntium, Whitfield, 629. nuntoides n. sp., Clarke, 78.

staffordensis n. sp., Clarke, 78.

(Actinoceras) clavatum, Foerste, 197. (Actinoceras) youngi, Foerste, 197.

(Cycloceras) amycus, Foerste, 197. (Cycloceras) inceptum, Foerste, 197.

(Eu-Orthoceras) ignotum, Foerste, 197.

(Eu-Orthoceras) erraticum, Foerste, 197. (Eu-Orthoceras) hanoverense, Foerste,

(Eu-Orthoceras) virgulatum, Foerste, 197. (Spyroceras?) syproceroides n. sp., Foerste, 197.

Orthodesma ashmani n. sp., Miller and Faber,

cylindricum n. sp., Miller and Faber, 414. cymbula n. sp., Miller and Faber, 415. parvum n. sp., Ulrich, 570. scaphula n. sp., Miller and Faber, 415. subangulatum n. sp., Ulrich, 570.

Orthorhynchula Hall, Hall and Clarke, 236. Orthothetes bellulus n. sp., Clarke, 78. Ortonella hainesi, Ulrich, 570.

Oryctogma n. gen., Scudder, 502. sackenii, Scudder, 502.

Ostrea

percrassa, Whitfield, 628. præ-compressirostra n. sp., Harris, 242. Paleontology-Continued.

Genera and species described—Continued.
Ostrea—Continued.

virginiana, Whitfield, 628. var. procyon, Whitfield, 628. Oxyrhina mantelli Agassiz, Eastman, 165.

Pagiophyllum dubium n. sp., Fontaine, 200. Palæoconcha faberi S. A. Miller, Miller and Faber, 415.

Palæopalæmon Whitfield, Whitfield, 629. newberryi, Whitfield, 629.

Palæosaccus dawsoni Hinde, Rauff, 473. Paleoneilo similis, Whitfield, 629.

Paleopupa abrupta n. gen. et sp., Foerste, 197. Paliurus integrifolius n. sp. Hollick, 280.

Panopæ goldfussi, Whitfield, 628. Parahyus aberrans n. sp., Marsh, 398.

Parameryx lævis n. sp., Marsh, 398. Parastrophia Hall, Hall and Clarke, 236.

divergens n. sp., Hall and Clarke, 235. greenii n. sp., Hall and Clarke, 235. latiplicata n. sp., Hall and Clarke, 235. multiplicata n. sp., Hall and Clarke, 235.

Parazyga Hall, Hall and Clarke, 236. Patriofelis, Wortman, 668.

Patrioielis, wortm Pattersonia

> aurita (Beecher)?, Rauff, 473. difficilis S. A. Miller, Rauff, 473. tuberosa (Beecher), Rauff, 473. ulrichi n. sp., Rauff, 473.

Pecten madisonius, Whitfield, 628.
vicenarius (?), Whitfield, 628.
Pentagonia Cozzens, Hall and Clarke, 236.
Pentamerella Hall, Hall and Clarke, 236.

Pentamerella Hall, Hall and Clarke, 236. Pentamerus Sowerby, Hall and Clarke, 236. pes-ovis, Whitfield, 629.

Pentremites elegans, Whitfield, 629. Peregrinella Oehlert, Hall and Clarke, 236. Peripetoceras n. gen., Hyatt, 305.

frieslebeni Geinitz, Hyatt, 305. Periploma (?) alta, Whitfield, 628.

Perisphinctes colfaxi, Hyatt, 304. filiplex (?), Hyatt, 304.

muhlbachi n. sp., Hyatt, 304. virgulatiformis n. sp., Hyatt, 304.

virgulatiformis n. sp., Hyatt, 304 Perissodon Conrad, Whitfield, 628.

Perna torta, Whitfield, 628. Petersia medicinensis n. sp., Cragin, 102.

Pexidella Bittner, Hall and Clarke, 236. Phacops trisulcatus, Foerste, 197.

Pholadomya multilmeata, Hyatt, 304. neyadana, Hyatt, 304.

Phos albirupina n. sp., Harris, 242. hilli n. sp., Harris, 242.

Physetomya acuminata n. gen. et sp., Ulrich, 570.

Pinna comancheana n. sp., Cragin, 102. maxvillensis, Whitfield, 629.

maxvillensis, Whitfield, 629. Platidia Costa, Hall and Clarke, 236.

Platyceras niagarense, var. clintonense n. var., Foerste, 197.

squalodens, Whitfield, 629.

(Platystoma) niagarense, Foerste, 197. Platycrinus

caducus n. sp., Miller, 413. chouteauensis n. sp., Miller, 413. colletti n. sp., Miller, 413. DIDLIOGRAFIII AND INDEX OF M. A. GEOLOGI

Paleontology -- Continued.

Genera and species described—Continued.
Platygonus, Williston, 648.

rex n. sp., Marsh, 398.

Plectambonites transversalis, Foerste, 197. producta n. sp., Hall and Clarke, 235.

Plectoceras, Hyatt, 305.

bickmoreanns sp. Whitfield, Hyatt, 305. obscurum n. sp., Hyatt, 305.

Plectoderma scitulum Hinde, Rauff, 473. Pleuromya concentrica n. sp., Hyatt, 304. Pleuronautilus, Hyatt, 305.

Pleurotoma clarkeana n. sp. Aldrich, 6. (Drillia) pseudeburnea, Whitfield, 628. Pleurotomaria filitexta, n. sp., Foerste, 197. Plicatula densata, Whitfield, 628.

senescens n. sp., Cragin, 102.

Plumulites newberryi, Whitfield, 629. Podozamites acutifolius Font. ?, Fontaine,

200.
Polyphemopsis melanoides, Whitfield, 629.
Polypora varsouviensis (?), Whitfield, 629.
Pomatospirella Bittner, Hall and Clarke, 236.

Populus meedsi n. sp., Knowtlon, 343. Porambonites Pander, Hall and Clarke, 236.

Poterioceras missouriense n. sp., Miller, 413. Potoceras dubium n. sp., Hyatt, 305. Precissites wardii n. gen. et sp., Knowlton,

344.
Primicorallina trentonensis n. sp., Whitfield,

Primicorallina trentonensis n. sp., Whitfield, 627.

Pritonema gracile, Hinde Rauff, 473.
Procamelus altus n. sp., Marsh, 398.
Productella marquessi n. sp., Rayley 48

Productella marquessi n. sp., Rowley, 481. Productus elegans, Whitfield, 629.

pileiformis, Whitfield, 629. Proetus derminatus, Foerste, 197.

Pronophlenia (Tipulinæ), Scudder, 502.

Propygope Bittner, Hall and Clarke, 236.
(Dictyothyris Douville), Hall and Clarke

(Dictyothyris Douville), Hall and Clarke, 236.

(Rhætina Waagen), Hall and Clarke, 236. (Zugmayeria Waagen), Hall and Clarke, 236.

Protocalyptræa marshalli n. sp., Clarke, 74. styliophila n, sp., Clarke, 74.

Protoceras comptus n. sp., Marsh, 396.
Protochyncha Hall, Hall, and Clarke, 236.

Protorhyncha Hall, Hall and Clarke, 236. Protospongia (?) cyathiformis Dawson, Rauff, 473.

minor var. distans Matthew, Rauff, 473. mononema Dawson, Rauff, 473. polynema Dawson, Rauff, 473.

tetranema Dawson, Rauff, 473. (Diagoniella) coronata Dawson, Rauff, 473.

Pryenomoeus decipicns n. sp., Ulrich, 570. subcuneatus n. sp., Ulrich, 570.

Psiloconcha

elliptica n. sp., Ulrich, 570, grandis n. sp., Ulrich, 570. inornata n. sp., Ulrich, 570. minima n. sp., Ulrich, 570. sinuata Ulrich, 570. subovalis Ulrich, 570. subrecta n. sp., Ulrich, 570. tennistriata n. sp., Ulrich, 570. Paleontology-Continued.

Genera and species described—Continued.

Psilonychia perangulatan. gen. et sp., Ulrich,

570.

BULL. 135.

Psilophyton grandis n. sp., Penhallow, 451. Ptenoceras n. gen., Hyatt, 305.

Pteranodon, Williston, 642.

Pterinea

aviculoidea, Whitfield, 629.

brisa, Foerste, 197.

cincinnationsis n.sp., Miller and Faber, 414.

flabella, Whitfield, 629.

regatula n. sp., Miller and Faber, 414. similis, Whitfield, 629.

Pterospermites cupanioides Newby. sp., Knowlton, 343.

Ptychoceras, Hyatt, 305.

crassum Whitfield, Hyatt, 305. texanum Shum., Hyatt, 305.

Ptychospira Hall, Hall, 236.

Pycnoceras n. gen., Hyatt, 305. apertum n. sp., Hyatt, 305.

ealciferiforme n. sp., Hyatt, 305. Pygope Link, Hall and Clarke, 236.

Pyritonema crassicauda n. sp., Rauff, 473.

fasciculus McCoy, Rauff, 473. subulare (F. Roemer), Rauff, 473.

Quereus obtusiloba michx., Penhallow, 450. Rangia (Perissodon) minor (?), Whitfield, 628. Raphistoma affine, Foerste, 197.

Receptaculites devonicus, Whitfield, 629. elrodi n. sp., Miller, 413.

Remeleceras n. gen., Hyatt, 305. impressum, Hyatt, 305.

Rensselæria Hall, Hall and Clarke, 236. cayuga n. sp., Hall and Clarke, 235. (Beochia Hall), Hall and Clarke, 236.

Reteporella n. gen., Simpson, 513.

Retzia King Hall, 236. circularis n. sp., Miller, 413.

formosa Whitfield, 629.

plicata n. sp., Miller, 413. triangulus n. sp., Miller, 413.

Rhadinobrochus n. gen., Seudder, 502. *extinctus, Seudder, 502.

Rhadinoceras n. gen., Hyatt, 305. hyatti, Hyatt, 305.

Rhamphidia Meigen, Scudder, 502.

fæcaria, Scudder, 502.

loewi, Scudder, 502. saxetana, Scudder, 502.

Rhodocrinus benedicti n. sp., Miller, 413.

Rhynchonella Fischer de Waldheim, Hall and Clarke, 236.

colletti n. sp., Miller, 413. hydraulicum, Whitfield, 629. kokomoensis n. sp., Miller, 413. raricosta, Whitfield, 629. scobina, Foerste, 197.

Rhynchonellina Gemellaro, Hall and Clarke,

Rhynchopora King, Hall and Clarke, 236. Rhynchora Dalman, Hall and Clarke, 236. Rhynchorina Oehlert, Hall and Clarke, 236.

```
Paleontology-Continued.
```

Genera and species described-Continued.

Rhynchospira Hall, Hall and Clarke, 236. (Homœospira Hall), Hall and Clarke, 236. Rhynchotrema Hall, Hall and Clarke, 236. Rhynchotreta Hall, Hall and Clarke, 236. Rhyncorthoceras, Hyatt, 305.

Rhynoccroses, Osborn and Wortman, 433b.

Rhytimya byrnesi, Ulrich, 570.

compressa n. sp., Ulrich, 570. convexa n. sp., Ulrich, 570. mickleboroughi, Ulrich, 570. oehana n. sp., Ulrich, 570.

producta n. sp., Ulrich, 570. radiata n. sp., Ulrich, 570.

Richthofenia Kayser Hall and Clarke, 236. Rondairia quadrans n. sp., Cragin, 102. Saccocrinus benedicti n. sp., Miller, 413.

howardi n. sp., Miller, 413.

Salix purpuroides n. sp., Hollick, 280. Salvinia elliptica Newby n. sp., Hollick, 281.

Saxicava

bilineata, Whitfield, 628. myæformus, Whitfield, 628. paralis, Whitfield, 628.

Scalaria multistriata, Whitfield, 628. Seapharca subrostrata, Whitfield, 628.

Scaphiocrinus lyoni n. sp., Miller, 413. maniformis n. sp., Miller, 413.

Scaphites, Hyatt, 305.

Schizodus chesterensis, Whitfield, 629.

Schrocderoceras

angulatum, Hyatt, 305. bandonis, Hyatt, 305. casinensis, Hyatt, 305. damesi, Hyatt, 305. denckelmanni, Hyatt, 305. catoni, Hyatt, 305. rarospira, Hyatt, 305. sacmanni, Hyatt, 305.

teres, Hyatt, 305.

tubulatum n. sp., Hyatt, 305. Sciponoceras, Hyatt, 305.

Seminula dawsoni n. sp., Hall and Clarke, 235. rogersi n. sp., Hall and Clarke, 235.

Sequoia pagiophylloides n. sp., Fontaine, 200. Sicherella Oehlert, Hall and Clarke, 236.

Solenochilus blairi n. sp., Miller, 413. Spermatodus pustulosus n. gen. et sp., Cope,

Sphærexochus pisum n. sp., Foerste, 197. Sphenolepidium sternbergianum var. densifolium Font., Fontaine, 200.

Sphenolium cunciforme S. A. Miller, Miller and Faber, 415.

Sphenopteris valdensis Heer?, Fontaine, 200. Spiladomyia Scudder, Scudder, 502. simplex, Scudder, 502.

Spirifer Sowerby, Hall and Clarke, 236. canandaiguæ n. sp., Hall and Clarke, 235. crispatus n. sp., Hall and Clarke, 235.

disjunctus var. sulcifer n. var., Hall and Clarke, 235.

mucronatus var. posterus n. var., Hall and Clarke, 235.

newberryi, Hall and Clarke, 235.

Paleontology-Continued.

Genera and species described-Continued. Spirifer Sowerby, etc.—Continued.

williamsi n. sp., Hall and Clarke, 235.

(Cyrtia Dalman), Hall and Clarke, 236. Spirifera maia, Whitfield, 629.

rockymontana?, Whitfield, 629.

vanuxemi Whittield, 629.

ziczac, Whitfield, 629.

(Martinia) contracta, Whitfield, 629. (Martinia) lineata, Whitfield, 629.

Spiriferina D'Orbigny, Hall and Clarke, 236. Spirorbis anthracosia. Whitfield, 629.

Spondylus inornatus n. sp., Whitfield, 628. Steganocrinus benedicti n. sp., Miller, 413. Stenoschisma Conrad, Hall and Clarke, 236.

Stephanocrinus cornetti n. sp., Miller, 413. Straparollus similis, Whitfield, 629.

(ef. Oriostoma) incarinatum Foerste, 197.

Streptodicus n. gen., Miller, 413. indianensis n. sp., Miller, 413.

Streptorhynchus crassum, Whitfield, 629. flabellum, Whitfield, 629.

hydraulieum, Whitfield, 629.

Striarca Conrad, Whitfield, 628. Striatopora gorbyi n. sp., Miller, 413.

Stribalocystites gorbyi n. sp., Miller, 413.

Stricklandinia Billings, Hall and Clarke, 236. Stringocephalus Defrance, Hall and Clarke, 236.

Strombina (Amycla) lævis n. sp., Whitfield, 628.

Strophomena (Orthothetes) hanoverensis, Foerste, 197.

(Orthothetes) tenuis, Focrste, 197. (Strophonella) patenta, Foerste, 197.

Strophonella costalula n. sp., Hall and Clarke,

crassan. sp., Rowley, 481.

Stylastrca anna, Whitfield, 629,

Styptobasis aculeata n. sp., Cope, 95. Subulites directus n. sp., Foerste, 197.

(Polyphemopsis) plani-lateralis, n. sp., Foerste, 197.

Sucssia Deslongchamps, Hall and Clarke, 236. Surcula parva (?), Whitfield, 628.

Symmorium reniforme Cope, Cope, 95. Syndosyma (?) nuculoides, Whitfield, 628.

Synocladia rectisyla, Whitfield, 629. Syntrophia Hall, Hall and Clarke, 236.

Syringoceras n. gen., Hyatt, 305.

Syringothyris Winchell, Hall and Clarke, 236. missouri n. sp., Hail and Clarke, 235.

Systrophoceras n. gen., Hyatt, 305. Tanyops undans, Marsh. 400.

Tapes belviderensis n. sp., Cragin, 102.

Tarphyceras n. gen., Hyatt, 305. aucoini n. sp., Hyatt, 305.

champlainese Hyatt, 305.

convolvens Hyatt, 305. extensum Hyatt, 305.

prematurum n. sp., Hyatt, 305.

Taxocrinus concavus, Rowley, 481. Taxus baccata L., var. canadensis Gray, Pen-

hallow, 450.

```
Paleontology-Continued.
```

Genera and species described-Continued.

Technophorus cincinnatiensis n. sp., Miller and Faber, 415.

faberi, Miller and Faber, 414. punctostriatus n. sp., Ulrich, 570. yoldiiformis, Ulrich, 570.

Tectuliporella n. gen., Simpson, 513.

Teganium subsphæricum (Walcott) Rauff, 473.

Teleoceras major n. gen., Hatcher, 248, 250. Tellina peracuta, Whitfield, 628.

(Angulus) declivis, Whitfield, 628. (Peronæoderma) producta, Whitfield, 628. (Tellinella) capillifera, Whitfield, 628.

Tellinomya Hall, Miller and Faber, 415. elliptica, Foerste, 197.

(Nucula?) clintonensis n. sp., Foerste, 197. minima, Foerste, 197.

socialis n. sp., Foerste, 197.

Temnochcilus subtuberculatus, Hyatt, 305. Temnocyon perox n. sp., Eyerman, 186.

Terebra curvilineata, Whitfield, 628. inornata n. sp., Whitfield, 628.

Terebratalia Beecher, Hall and Clarke, 236. Terebratella D'Orbigny, Hall and Clarke, 236.

Terebratula Klein, Hall and Clarke, 236. occidentalis n. sp., Miller, 413. turgida, Whitfield, 629.

Terebratulina D'Orbigny, Hall and Clarke, 236. (Agulhasia King), Hall and Clarke, 236. Terebratuloidea Waagen, Hall and Clarke, 236.

Tetractinella Bittner, Hall and Clarke, 236. (Anomactinella Bittner), Hall and Clarke,

236. (Pentastinella Bittner), Hall and Clarke,

Thecidea Defrance, Hall and Clarke, 236.

(Lacazella Munier-Chalmas), Hall and Clarke, 236.

(Thecidella Munier-Chalmas), Hall and Clarke, 236.

(Thecidiopsis Munier-Chalmas), Hall and Clarke, 236.

Thecocyrtella Bittner, Hall and Clarke, 236. Thecospira Zugmayer, Hall and Clarke, 236. Thinohyus nanus n. sp., Marsh, 398.

robustus n. sp., Marsh, 396.

Thrincoceras, Hyatt, 305.

Tipula Linne, Scudder, 502.

carolinæ, Scudder, 502. clauda, Scudder, 502. evanitura, Scudder, 502. florissanta, Scudder, 502. heilprini, Scudder, 502. internecata, Scudder, 502. lapillescens, Scudder, 502. lethæa, Scudder, 502.

limi, Scudder, 502.

maclurei, Scudder, 502. magnifica, Scudder, 502. revivificata, Scudder, 502.

rigens, Scudder, 502. spoliata, Scudder, 502.

subterjacens, Scudder, 502.

tartari, Scudder, 502.

Paleontology-Continued.

Genera and species described—Continued.

Tipulidea n. gen., Scudder, 502.
bilineata, Scudder, 502.
consumpta, Scudder, 502.
picta, Scudder, 502.
reliquidæ, Scudder, 502.
Titanichthys, Claypole, 84.

attenuatus n. sp., Claypole, 84. Trachyum vetustum Dawson, Rauff, 473.

Trematoceras Whitfield, Whitfield, 629. ohioense, Whitfield, 629.

Trematospira Hall, Hall and Clarke, 236. Triarthrus, Beecher, 22.

Triarthrus becki, Beecher, 21.

Trichospongia sericea Billings, Rauff, 473. Trichotropis dalli n. sp., Whitfield, 628.

Triforis terebrata, Whitfield, 628. Trigeria Bayle, Hall and Clark, 236.

Trigeria Bayle, Hall and Clark, 236.

Trigonosemus Koenig, Hall and Clarke, 236.

Triplecia ortoni, Foerste, 197. Tripleceras, Hyatt, 305.

Tritia

bidentata, Whitfield, 628. trivittatoides n. sp., Whitfield, 628. trivittatoides var. elongata n. var., Whitfield, 628.

Trochita perarmata, Whitfield, 628.

Trochoceras, Hyatt, 305.

Trocholites, Hyatt, 305.

ammonius Hall, Hyatt, 305. anguiformis, Hyatt, 305. blakei Hyatt, 305.

canadensis, Hyatt, 305. depressus, Hyatt, 305.

dyeri n. sp., Hyatt, 305.

hospes, Hyatt, 305. internastriata, Hyatt, 305.

incongruus Ang. et Lindst., Hyatt, 305.

Trocholitoceras n. gen., Hyatt, 305. eichwaldi, Hyatt, 305.

walcotti, Hyatt, 305. Trochus texanus Roem., Cragin, 102. Tropidoleptus Hall, Hall and Clarke, 236. Tryblidium madisonense n. sp., Miller, 413.

æquistriata, Whitfield, 628. allentonensis n. sp., Aldrich, 5. avenicola var. branneri n. var., Harris,

clevelandia n. sp., Harris, 242. cumberlandia, Whitfield, 628. secta, Whitfield, 628.

wilcoxiana n. sp., Aldrich, 5. (Mesalia?) plebeia, Whitfield, 628.

Uintacrinus socialis Grinnell, Hill, 268. socialis Grinnell, Williston, 647. Uncinella Waagen, Hall and Clarke, 236. Uncinulus Bayle, Hall and Clarke, 236.

Uncites Defrance, Hall and Clarke, 236. Uranoplosus arctatus n. sp., Cope, 95.

flectidens n. sp., Cope, 95. Venericardia smithii n. sp., Aldrich, 5.

Venus ducateli, Whitfield, 628. (Artena) staminea, Whitfield, 628. Verneuilia Hall, Hall and Clarke, 236.

Genera and species described-Continued.

Vitulina Hall, Hall and Clarke, 236. Vola humphreyso, Whitfield, 628.

Volutalithes lyroidea n. sp., Aldrich, 5.
Whitella ohioensis n. sp. or var., Ulrich, 570.
Whitfieldella Hall, Hall and Clarke, 236.

Williamsonia texana n. sp., Fontaine, 200. Wilsonia (Quenstedt) Kayser, Halland Clarke,

236.
Yoldia limatula, Whitfield, 628.

Zearinus mooresi, Whitfield, 629.

Zellani Moore, Hall and Clarke, 236.

Zemites tenuinervis Font., Fontaine, 200.

Zephrentis cliffordana, Whitfield, 629. Zizyphus elegans n. sp., Hollick, 280.

Zygospira Hall, Hall and Clarke, 236.

putilla n. sp., Hall and Clarke, 235. (Catazyga) Hall, Hall and Clarke, 236. (Orthonomæa) Hall, Hall and Clarke, 236.

Pennsylvania.

Cambrian rocks of Pennsylvania, Walcott, 600.

Continuity of the Glacial period, Wright, 673. Cone-in-cone, Grosley, 227.

Devonian of eastern Pennsylvania and New York, Prosser, 465.

Devonian plants from New York and Pennsylvania, Penhallow, 451.

Drainage features of Upper Ohio basin, Chamberlin and Leverett, 63.

Extra-morainic drift, Williams, E. H., 633. Extra-morainic fringe, Williams, E. H., 634.

Harrisburg terraces, Bashore, 16.

Microscopic structure of oolite, Hovey, 290.
Origin of the Pennsylvania anthracite, Stevenson, 546.

Paleozoic intraformational conglomerates, Walcott, 607.

Potomac and Roaring Creek coal fields, Weeks, 618.

Sadsbury steatite, Rand, 469,

Slate binders of the Pittsburg coal bed, Gresley, 228.

Some new red horizons, Lyman, 370.

South Mountain glaciation, Williams, E. H., 632.

Petrology.

Arizona

Petrographical character of the lavas, Iddings, 306.

Arkansas.

[Novaculites of Arkansas], Hinde, 275. Origin of novaculites, Rutley, 482.

California.

Eruptive rocks of Point Bonito, Ransome, 471.

Geological notes on the Sierra Nevada, Turner, 564.

Geology of Angel Island, Ransome, 472.

Geology of Carmelo Bay, Lawson, 352.

Gold-silver veins of Ophir, Cal., Lindgren, 363.

Lherzolite-serpentine and associated rocks, Palache, 436.

Sacramento folio, Lindgren, 362.

Petrology-Continued.

California—Continue

Soda-rhyolite north of Berkeley, Palache, 435. Canada.

[Beaver Creek meteorite], Merrill, G. P., 412. Crystalline rocks near St. John, Matthew, W. D., 408.

Diabase dikes in the Thousand Islands, Smyth, C. H., jr., 525.

Intrusive 10cks near St. John, Matthew, W. D.,

Multiple diabase dikc, Lawson, 355.

Nepheline syenite from Ontario, Adams, 1. Colorado.

Description of igneous formations, Cross, 109. Intrusive sandstone dikes in granite, Cross, 110.

Pikes Peak folio, Cross, 108.

Guatemala.

Kenntniss der jungen Eruptivgesteine der Guatemala, Bergeat, 24.

Maryland.

Granites of Cecil County, Grimsley, 229.

Harpers Ferry folio, Keith, 321.

Massachusetts.

Mount Greylock, Dale, 122.

The structure of Monument Mountain, Dale, 121.

Michigan.

Microscopic study of Michigan rocks, Patton, 438.

Quartzite tongue at Republic, Smyth, H. L., 529.

Rocks and minerals from Michigan, Lane, 350. Minnesota.

Basic massive rocks of Lake Superior region, Bayley, 17.

Field work in Minnesota, Elftman, 169.

Geology of Itasca County, Culver, 115.

Geology of Kekequabic Lake, Grant, 223.

Iron-bearing rocks of the Mesabi range, Spurr, 540.

Volcanic rocks in the Keewatin, Grant, 225. Missouri.

Cherts of Missouri, Hovey, 291.

Montana.

Livingston folio, Iddings and Weed, 307. New Jersey.

Age of the crystalline limestones of New Jersey, Westgate, 620.

Leucite in Sussex County, N. J., Kemp, 328. Microscopic structure of oolite, Hovey, 290.

Mineralogical character of New Jersey limestones, Westgate, 619.

New York.

Basic rock derived from granite, Smyth, C. H., jr.,527.

Gabbros in the Adirondack region, Smyth, C. H., jr., 524.

Gabbros on western shore of Lake Champlain, Kemp, 325.

Rhode Island.

An orbicular granite from Rhode Island, Kemp, 327.

South Dakota.

Phonolite rocks from the Black Hills, Pirsson, 456.

Petrology-Continued.

Vermont.

Basaltie bowlders from Vermont, Hovey, 292. Virginia.

Harpers Ferry folio, Keith, 321.

Miscellaneous discussions.

Distribution of ancient volcanie rocks, Williams, G. II., 637.

Formation of pegmatite veins, Brögger, 39.

Summary of progress in mineralogy and petrography, Bayley, 17a.

Voleanite, Hobbs, 277.

Rocks described.

Actinolite-magnetite sehist, Elftman, 169.

Amphibolite, Lindgren, 363.

Amphibolite, Turner, 564.

Amphobilite sehist, Lane, 350.

Andesite, Bergeat, 24.

Andesite, Cross, 108.

Andesite, Keith, 321.

Andesite, Turner, 564. Anorthosyte, Elftman, 169.

Basalt, Bergeat, 24.

Basalt, Cross, 109.

Basalt, Hovey, 292.

Basalt, Iddings, 306.

Basalt, Ransome, 471.

Basalt, Turner, 564.

Biotite-hornblende-granite, Turner, 564.

Chert, Hovey, 291.

Dacite, Bergeat, 24.

Diabase, Cross, 108.

Diabase, Elftman, 169.

Diabase, Grant, 223.

Diabase, Keith, 321.

Diabase, Lawson, 355.

Diabase, Patton, 438.

Diabase, Ransome, 471.

Diabase, Smyth, C. H., jr., 525.

Diabase, Todd, 559,

Diabase, Turner, 564.

Diorite, Cross, 109.

Diorite, Culver, 115.

Diorite, Grimsley, 229.

Diorite, Todd, 559.

Diorite, Turner, 564.

Fourelite, Ransome, 472.

Gabbro, Bayley, 17.

Gabbro, Elftman, 169.

Gabbro, Grant, 223.

Gabbro, Matthew, W. D., 407, 408.

Gabbro. Smyth, C. H., jr., 524.

Gabbro, Turner, 564.

Gneiss, Smyth, C. H., jr., 524.

Granite, Cross, 109, 110.

Granite, Culver, 115.

Granite, Elftman, 169.

Granite, Grant, 223.

Granite, Grimsley, 229.

Granite, Kemp, 327.

Granite, Lawson, 352.

Granite, Matthew, W. D., 408.

Granite, Todd, 559.

Granite-diorite, Matthew, W. D., 407.

Granite-gneiss, Grimsley, 229.

Granite-porphyry, Turner, 564.

Petrology-Continued.

Rocks described-Continued.

Granodiorite, Lindgren, 363. Granodiorite, Turner, 564.

Hornblende pierite, Patton, 438.

Hornblende porphyrite, Grant, 223. Hornblende sehist, Lane, 350.

Lamprophyre, Lane, 350.

Leueite-bearing rock, Kemp, 328.

Lherzolite-serpentine, Palache, 436.

Limestone, Dale, 122.

Nepheline syenite, Adams, 1.

Norite, Turner, 564.

Novaculite, Rutley, 482.

Oolite rock, Hovey, 290.

Peridotite, Turner, 564.

Phonolite, Cross, 108. Phonolite, Pirsson, 456.

Phonolite, Todd, 559.

Porphyrite, Cross, 109.

Porphyrite, Turner, 564.

Pyroxene rock, Westgate, 619.

Pyroxenite, Turner, 564.

Quartz-diabase, Lane, 350.

Quartz-porphyry, Keith, 321. Quartz-porphyry, Turner, 564.

Quartz rock, Westgate, 619.

Quartzite, Rutley, 482.

Rhyolite, Cross, 108, 109.

Rhyolite, Bergeat, 24.

Rhyolite, Todd, 559.

Rhyolite, Turner, 564. Schist, Dale, 122.

Sehist, Keith, 321.

Serpentine, Ransome, 472.

Soda-rhvolite, Palache, 435.

Staurolitic mica schist, Grimsley, 229.

Syenite, Cross, 108.

Trachyte, Cross, 108.

Trachyte, Bergeat, 24.

Trachyte, Todd, 559.

Physiographic geology.

Alluvial river terraces, Dodge, 156.

Catoetin belt, Keith, 322.

Cenozoic geology of the middle Atlantic slope, Darton, 133.

Climatology and physical features of Maryland, Clark, 71.

Geological and topographical features about Atlanta, Purington, 468.

Geology of Albany County, Darton, 129.

Geology of Carmelo Bay, Lawson, 352.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Geology of South Dakota, Todd, 559.

Geology of Ulster County, Darton, 130.

Geology of Washington and vicinity, McGee, ete., 387.

Geomorphology of southern Appalachians, Hayes and Campbell, 264.

Granite and porphyry region of Missouri, Lonsdale, 367. Great Plains of Colorado and Kansas, Em-

Outlets of the St. John River, Matthew, G. F.,

Physiographic geology-Continued.

Grabau, 220.

Physical geography in the university, Davis, 135.

Physical geography of the region, Gilbert, 211. Pre-Glacial channel of the Genesee River,

Reconnoissance of the Bahamas, Agassiz, 3. Relation between baseleveling and organic

evolution, Woodworth, 664. Relations of the Helderberg limestones and associated formations, Darton, 128.

Report of leveling party, Berkey, 25.

Tertiary baseleveling, Upham, 578.

Tertiary changes in southwestern Virginia. Campbell, 51.

Tertiary revolution of the Pacific Coast, Diller, 153.

Topographical features east of the Blue Ridge, Cobb. 87.

Topography of eastern Kansas, Haworth, 254. Pleistocene (not relating to glacial deposits).

New York.

Geology of Albany County, Darton, 129. Geology of Essex County, White, 626.

Pleistocene lake bed in New York, Ries, 477. Pre-Glacial channel of the Genesee River, Grabau, 220.

Atlantic Coastal Plain.

Cenozoic geology along the Apalachicola River, Dall and Stanley-Brown, 125.

Cenozoic geology of the middle Atlantic slope, Darton, 133.

Climatology and physical features of Maryland, Clark, 71.

[Columbia formation], Salisbury, 490.

Facetted pebbles on Cape Cod, Davis, 137.

Fossils in drumlins of Boston basin, Crosby and Ballard, 106.

Geological map of Alabama, Smith, E. A., 517.

Geology of the Coastal Plain of Alabama, Smith, E. A., etc., 518.

Geology of Washington and vicinity, McGee, etc., 387.

Harrisburg terraces, Bashore, 16.

Pleistocene distortions of the Atlantic Coast, Shaler, 505.

Post-Eocene formations of the Coastal Plain, Smith, E. A., 516.

Post-Glacial colian action in New England, Woodworth, 662.

The Yellow gravel, Salisbury, 486.

Yellow gravel in New Jersey and northward, Hollick, 286.

Great Lakes region.

Abandoned shore lines of Green Bay, Taylor, 552.

Mississippi Valley.

Geological scale and structure of Ohio, Orton,

Pleistocene river channel in Indiana, Beachler, 18.

Gulf States.

Cenozoic deposits of Texas, Dumble, 162.

Geology of Oklahoma and northwest Texas, Cope, 94. Pleistocene-Continued.

Rocky Mountain region.

Geology of South Dakota, Todd, 559.

Livingston folio, Iddings and Weed, 307.

Sierra Nevada and Pacific Coast region.

Geological notes on the Sierra Nevada, Turner, 564.

Jackson folio, Turner, 562.

Rocks of the Sierra Nevada, Turner, 563.

Miscellaneous.

[Classification of Pleistocene deposits], Cadell, 44.
[Classification of Pleistocene deposits], Cham-

berlin, 62. [Classification of Pleistocene deposits], Cred-

ner, 104.
[Classification of Pleistocene deposits], Die-

ner, 152. [Classification of Pleistocene deposits], Gau-

dry, 207. [Classification of Pleistocene deposits], Geer,

[Classification of Pleistocene deposits], Holst,

288. [Classification of Pleistocene deposits],

Hughes, 297. [Classification of Pleistocene deposits], Mc-

Gee, 384.
[Classification of Pleistocene deposits], Pav-

low, 439. [Classification of Pleistocene deposits], Wahn-

schaffe, 599. [Columbia and Lafayette formations], McGee,

Wave-like progress of an epeirogenic uplift, Upham, 571.

Rhode Island.

An orbicular granite from Rhode Island, Kemp, 327.

Eskers of New England, Woodworth, 666.

Post-Glacial colian action in New England,
Woodworth, 662.

Silurian.

Canada.

Composition of limestones in Canada, Harrington, 240.

Picton coal field, Poole, 459.

Pre-Paleozoic decay of crystalline rocks, Bell, 23.

Quebec group, Weston, 621.

 $New\ England.$

Geology of the Green Mountains, Pumpelly, 466.

On the structure of the ridge between the Taconic and Green mountains, Dale, 120.

Appalachian region.

Amount of glacial erosion, Lincoln, 361.

Catoctin belt, Keith, 322.

Chattanooga folio, Hayes, 262.

Estillville folio, Campbell, 49.

Geologic relations from Green Pond to Skunnemunk Mountain, Darton, 132.

Geological history of Rochester, Fairchild,

Geological map of Alabama, Smith, E. A., 517. Geology of Albany County, Darton, 129.

Silurian-Continued.

Appalachian region-Continued.

Geology of Clinton County, Cushing, 119.

Geology of Coosa Valley, Hayes, 258.

Geology of Essex County, White, 626. Geology of Mohawk Valley, Darton, 131.

Geology of Ulster County, Darton, 130.

Kingston folio, Hayes, 261.

Paleozoic overlaps in Virginia, Campbell, 50. Relations of the Helderberg limestones and

associated formations, Darton, 128.

Report on Essex County, Kemp, 323.

Ringgold folio, Hayes, 260.

Sewanee folio, Hayes, 263.

Shawangunk Mountain, Darton, 127.

Staunton folio, Darton, 134.

The Appalachian region, Williams, G. H., 635.

Great Lakes region.

Mineral deposits of Wisconsin, Blake, 26.

The State of Minnesota, Grant, 221.

Mississippi Valley.

A sandstone in which the grains are enlarged by secondary deposition of silica, Calvin, 47.

Elk Horn Creek area of St. Peter sandstone, Hershey, 266.

Geological scale and structure of Ohio, Orton,

Geology of Benton County, Simonds and Hopkins, 511.

Geology of Noble County, Dryer, 159.

Indiana's structural features, Cubberly, 113.

Lead and zinc deposits, Jenney, 315.

Misouri Paleozoic, Broadhead, 38. The St. Peter sandstone, James, 313.

Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Geology of South Dakota, Todd, 559.

Pikes Peak folio, Cross, 108.

Sierra Nevada and Pacific Coast region.

Geological notes on the Sierra Nevada, Turner, 564.

South Carolina.

Miocene and Pliocene of Gay Head, Dall, 123. Sand-hill country of the Carolinas, Holmes, 287.

South Dakota.

A Diceratherium from the White River beds, Hatcher, 249.

A new Miocene mammal, Marsh, 393.

A new Miocene tapir, Marsh, 400.

Artesian wells of eastern Dakota, Eldridge,

Artiodactyles from Miohippus beds, Marsh, 397.

Cretaceous rim of the Black Hills, Ward, 613. Fossil mammals of the White River beds,

Osborn and Wortman, 433b. [Fossil wood from the Black Hills], Knowlton, 341.

Genesis of ore deposits, Posepny, 460.

Geological position of Bennettites dacotensis

Macbride, Calvin, 46. Geology of Oklahoma and northwest Texas,

Cope, 94.

South Dakota-Continued.

Geology of South Dakota, Todd, 559.

La Crosse to Moorhead, Grant, 222.

On the skull of plesiosaurian Reptilia, Cope, 93. Osteology of Agriocherus Leidy, Scott, 496.

Osteology of Ancodus (Hyopotamus), Scott,

Phonolite rocks from the Black Hills, Pirsson,

Restoration of Elotherium, Marsh, 392.

Tennessee.

Chattanooga folio, Hayes, 262.

Estillville folio, Campbell, 49.

Kingston folio, Hayes, 261.

Paleozoic intraformational conglomerates, Walcott, 607.

Phosphate rock in Tennessee, Safford, 483.

Phosphate rocks of Tennessee, Phillips, 453, 454.

Ringgold folio, Hayes, 260.

Sewanee folio, Hayes, 263.

Smithville meteoric iron, Huntington, 302.

Tertiary.

Canada.

Miocene rocks, Northwest Territory, Weston,

Atlantic Coastal Plain.

Artesian well in New Jersey, Woolman, 667.

Cenozoic geology along the Apalachicola River, Dall and Stanley-Brown, 125. Cenozoic history of the middle Atlantic slope,

Darton, 133. Climatology and physical features of Mary-

land, Clark, 71. Cretaceous and Tertiary geology, Clark, 69.

Eccene deposits of Maryland and Virginia, Harris, 243.

Geological map of Alabama, Smith, E. A., 517. Geology of the Coastal Plain of Alabama,

Smith, E. A., etc., 518. Geology of Washington and vicinity, McGce, etc., 387.

Harpers Ferry folio, Keith, 321.

Post-Eocene formations of the Coastal Plain, Smith, 516.

Sand hill country of the Carolinas, Holmes, 287. The Yellow gravel, Salisbury, 486.

Vicksburg Eccene and Chattahoochee Miocene, Foerste, 198.

Yellow gravel in New Jersey and northward, Hollick, 286.

Mississippi Valley.

Induration of Tertiary rocks in Arkansas, Call, 45.

Tertiary geology of southern Arkansas, Harris, 242.

Cuba.

Tertiary and later history of Cuba, Hill, 270. Gulf States.

Cenozoic deposits of Texas, Dumble, 162.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Rocky Mountain region.

Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Geology of South Dakota, Todd, 559.

Tertiary-Continued.

Rocky Mountain region-Continued.

Livingston folio, Iddings and Weed, 307. Pikes Peak folio, Cross, 108.

Sierra Nevada and Pacific Coast region.

Chehalis sandstone, Lawson, 356.

Geological notes on the Sierra Nevada, Turner, 564.

Geological sketch of Lower California, Emmons and Merrill, 184.

Geology of Carmelo Bay, Lawson, 352.

Geology of the Coastranges, Turner and Stanton. 566.

Geology of Ventura, Santa Barbara, San Luis Obispo, Monterey, and San Benito counties, Fairbanks, 190.

Jackson folio, Turner, 562.

New species and a new genus from the John Day Miocene, Eyerman, 186.

Placerville folio, Lindgren and Turner, 365. Rocks of the Sierra Nevada, Turner, 562.

Tertiary revolution of the Pacific Coast, Diller, 153.

Miscellaneous.

Gigantic bird from the Eocene, Marsh, 399.

Tertiary lacustrine formations of the West, Scott. 500.

Wave-like progress of an epeirogenic uplift, Upham, 571.

Texas.

Cenozoic deposits of Texas, Dumble, 162.

Fossil plants from the Comanche series, Fontaine, 200.

Geology of Jefferson County, Kennedy, 329.

Geology of Oklahoma and northwest Texas, Cope, 94.

Geology of parts of Texas, Indian Territory, and Arkansas, Hill, 271.

Iron ores of east Texas, Kennedy, 330.

Mineralogical notes, Kunz, 247.

Texas Cretaceous, Marcou, 389.

Topaz from Texas, Kunz, 345.

Utah.

Genesis of ore deposits, Posepny, 460.

Geological distribution of useful metals in the United States, Emmons, 172.

Great Salt Lake and Lake Bonneville, Gilbert, 213.

Great Salt Lake Valley, Gilbert, 214.

Laccolitic mountain groups of Colorado, Utah, and Arizona, Cross, 107.

Mercur gold deposits, Moeller, 416.

Spanish Fork Canyon to Grand Junction, Emmons, 178.

Variscite from Utah, Packard, 434.

Wasatch Mountains, Emmons, 177.

Vermont.

Basaltic bowlders from Vermont, Hovey, 292. [Genesis of ore deposits], Cazin, 55.

Occurence of Algonkian rocks in Vermont, Whittle, 630.

On the structure of the ridge between the Taconic and Green mountains, Dale, 12v.

Paleozoic intraformational conglomerates, Walcott, 607.

Pleistocene history of Champlain Valley, Baldwin, 13.

Vermont-Continued.

Structure of the main axis of the Green Mountains, Whittle, 631.

Virginia.

Bertha zinc mines, Virginia, Case, 54.

Catoctin belt, Keith, 322.

Eocene deposits of Maryland and Virginia, Harris, 243.

Estillville folio, Campbell, 49.

Geological distribution of useful metals in the United States, Emmons, 172.

Geology of Washington and vicinity, McGee, etc., 387.

Harpers Ferry folio, Keith, 321.

Iron pyrite deposits in Virginia, Nason, 420.

Paleozoic intraformational conglomerates, Walcott, 607.

Paleozoic overlaps in Virginia, Campbell, 50. Some new red horizons, Lyman, 370.

Staunton folio, Darton, 134.

Tertiary changes in southwestern Virginia, Campbell, 51.

Washington.

Chehalis sandstone, Lawson, 356.

Fossil Salvinias, Hollick, 281.

West Virginia.

Coal Measure sections, West Virginia, Lyman, 371.

Continuity of the Glacial period, Wright, G. F., 673.

Cumberland, Md., to the Ohio River, White, 625.

Harpers Ferry folio, Keith, 321.

Potomac and Roaring Creek coal fields, Weeks, 618.

Staunton folio, Darton, 134.

Temperature in the deep well at Wheeling, Hallock, 237.

Wisconsin.

Abandoned shores of Green Bay, Taylor, 552.

A bit of iron range history, Winchell, H. V., 650.

Excursion to Lake Superior, Van Hise, 593.

Genesis of ore deposits, Posepny, 460.

Itinerary, Chicago to the Mississippi River, Emmons, 175.

Lead and zinc deposits, Jenney, 315.

[Lead and zincdeposits of Mississippi Valley], Blake, 27.

Madison type of drumlins, Upham, 577.

Mineral deposits of Wisconsin, Blake, 26.

Mineralogical notes, Kunz, 347.

Ohio to the Mississippi River, Gilbert, 212. On a recent diamond find in Wisconsin, Hobbs,

278.

Trilobites of the Trenton limestone, Blake, 31.
Wisconsin lead and zinc deposits, Blake, 30.
Wyoming.

Time

Formation du tuf calcaire ou travertin, Jardin, 314.

Formation of hot spring deposits, Weed, 615. Geological reconnoissance in northwest Wyoming, Eldridge, 167.

Restoration of Camptosaurus, Marsh, 391. The Yellowstone Park, Hague, 232.





